

Historic, archived document

Do not assume content reflects current
scientific knowledge, policies, or practice

Price catalogue

62.09

Price List

OF

Francher Creek Nurseries

11)

INCORPORATED

1907—1908

ESTABLISHED 1884

Cable Address, "Calimyrna" Western Union Code
Nurserymen's Telegraphic Code



GEO. C. ROEDING, - - PRESIDENT AND MANAGER
FRESNO, - - CALIFORNIA

NEW PRODUCTS

OF THE

TREES

Luther Burbank's Late Introductions

INTRODUCTIONS OF
1906=====1907

Santa Rosa Plum
Rutland Plumcot
Paradox Walnut
Royal Walnut

INTRODUCTIONS OF
1907=====1908

Formosa Plum
Gaviota Plum
Vesuvius Plum



Our new Booklet, with colored reproductions true to life, entitled "New Products of the Trees," giving full description of the above novelties, is now ready for distribution.
:: Mailed postpaid upon receipt of ten cents ::

FANCHER CREEK NURSERIES
GEO. C. ROEDING President and Manager
FRESNO CALIFORNIA



Thompson Seedless Grape, showing bearing qualities and habit of growth

Largest Acreage in the West

FOUR NURSERIES

ROEDING PLACE

640 Acres, six miles east of Fresno

NURSERY AND PROPAGATING DEPARTMENT—Plant No. 2

130 Acres

Two and one-half miles northwest of Fresno

GENERAL NURSERY—Plant No. 3

640 Acres, eighteen miles east of Fresno

ROEDING & WOOD NURSERY CO.

160 Acres

**Devoted to Growing Citrus Orchards and Citrus
Trees, Exeter, Tulare County**

FRESNO HERALD PRINT

GUARANTEE OF GENUINENESS

Our trees are all budded or grafted as far as possible from bearing trees, and every care and precaution is exercised to have them true to name; still with all our caution mistakes are liable to be made, but we hold ourselves in readiness, on proper proof, to replace all trees and other stock that may prove untrue to label, free of charge, or to refund the amount paid. It is mutually understood and agreed to between purchaser and ourselves, however, that our guarantee of genuineness shall, in no case, make us liable for any greater sum than that originally paid us for said trees, etc., that prove untrue.

REMARKS

In presenting to our patrons our price list for the season 1907-1908, we wish to thank them for past favors, and solicit a continuance of same. We shall endeavor to maintain our reputation for fair dealing, and to give our very best attention to all orders entrusted to us, so that the stock we send out shall reach our patrons in good condition and be satisfactory. Our facilities for shipping are as perfect as possible, and with our improved methods we are enabled to pack and forward orders at short notice.

At our local sales yard, 1225 J street, we will carry a fine line of ornamental plants to meet the demands of our customers who have found it inconvenient to visit our packing grounds.

The limited amount of space in our J street lots will not permit us to display our immense stock to advantage, and our patrons who are desirous of purchasing fruit as well as ornamental trees are strongly advised to visit our extensive grounds on the Southern Pacific Company's railroad reservation on H street, between Amador and Sacramento streets. In order to keep a full line of palms and decorative plants, we have erected a fine greenhouse 20 by 50 feet, and a large lath house, which will be under the charge of a thoroughly competent man. The packing grounds can be easily reached by taking the Forthcamp avenue car. Get off at Sacramento street and go two blocks west.

Our main office is located at 1225 J street, in very commodious quarters and immediately adjoining our former office building. From here we are in telephonic communication with all of our nurseries and departments. We invite correspondence. Our services are always at the disposal of our patrons should they desire any advice on anything pertaining to our line of work.

Our stock of trees for this season is exceptionally fine, both in fruit and ornamental departments; and we are confident that we can please all those who place their orders with us. It is a rule of this establishment to send out no tree or plant which we would hesitate to plant ourselves.

TO INTENDING PURCHASERS

THINGS TO OBSERVE.

1. All orders should be legibly written on a separate sheet of paper, and not mixed up with the body of the letter.
2. In ordering please state whether substitution will be permitted, as we feel at liberty when no instructions accompany the order to replace with other sorts as nearly similar as possible.

A few words of explanation of the foregoing is, in our opinion,

advisable, for customers on some occasions have made very serious objections to our exercising this privilege when it was really our desire to serve them to the best of our ability. It must be borne in mind that nursery stock must be grown from two to three years in advance, and it is largely a matter of guess-work on our part what varieties will be in demand. Years of experience have taught us to lay down certain defined rules, and of standard commercial sorts of fruit trees our aim is to grow sufficient stock to meet ordinary requirements from year to year. It often happens that a variety of which we grow only a limited quantity is exhausted early in the season, and as it may be impossible to secure it from other nurseries, it is either necessary to cancel the order or substitute with another kind which is similar. In nearly all cases when we exercise our judgment we do not hesitate to say that we believe our customers will approve of our desire to please them.

3. Our packing and labeling are as perfect as possible, and we charge for the same only to cover the cost of material. All goods are delivered at the railway or express office free of charge.

4. State distinctly how you wish us to ship—by freight or express; also designate the route, otherwise we use our own discretion in forwarding.

5. After delivering to the carriers we cannot hold ourselves responsible for any loss or injury to trees or plants after they have been carefully packed and shipped; but we will do everything in our power, if any loss should occur, for the protection and recovery of our customer's property.

6. Orders to be sent by express, C. O. D., will be filled, provided one-half of the amount is sent with the order.

7. If any mistakes are made in filling orders, we will cheerfully rectify the same, but must respectfully request our customers to notify us at once, or, at the most, within ten days after receipt of the goods.

8. Orders from unknown correspondents must be accompanied by a remittance or satisfactory reference.

9. We uniformly tie our trees in bunches of 10, and grape vines in bundles of 50; and we suggest to our patrons to make their orders for assortments as far as possible in multiples of these numbers.

10. Articles mentioned in the following list will be furnished at prices named as follows: Five at the 10 rate; 50 at the 100 rate; 500 or more at the 1000 rate. Less than five of a variety at the single rate. This does not mean, as an illustration, that 10 pears, 10 apples, 10 plums, 10 nectarines would be charged at the 100 rate. To secure this rate it will be necessary to order 50 trees of one sort.

ARTICLES BY MAIL.

For the convenience of those who cannot be reached by railroad or express, packages of small trees, if in stock, not exceeding four pounds in weight, can be forwarded by mail, such articles to be charged at single rates, postage additional.

A NOTE OF WARNING.

Those only who can show proper credentials are authorized to solicit orders for us. We wish to call special attention to this notice, as we know it has heretofore been the practice of unprincipled persons to procure the catalogues of prominent nurseries and take orders in their names, which they fill from poor stock bought elsewhere. If our patrons will notify us of any person whom they have reason to believe is not a regularly appointed agent, we shall consider it a favor.

Please remember to write your name, postoffice, county and state as distinctly as possible; also give your nearest express office and railway station, or if on a stage route, send us special directions, giving us the name of the transportation company delivering the goods. Orders for export to old Mexico, the Hawaiian Islands, Cuba and South American points should give, in addition to the above, the steamship routes by which their orders are to be shipped.

All remittances should be by postoffice money order, registered letter, express order or bank draft. All orders from foreign countries to be accompanied by draft or international money order.

ABOUT WEIGHTS AND SHIPPING.

The question of freight charges to distant points is a matter of serious consideration to such customers, and we are therefore submitting a few figures to give a clearer insight into the subject.

The general run of deciduous fruit trees, either in bales or cases, average about as follows: 6 to 8 feet, 2 pounds each; 4 to 6 feet, 1½ pounds each; 3 to 4 feet, 1 pound each; 2 to 3 feet, one-half of a pound each. Grape vines, one-third of a pound each.

Deciduous ornamental trees from 6 to 8 feet and up to 12 to 15 feet, 3 to 6 pounds each.

Potted plants in from 3 to 6 inch pots, packed in boxes, weigh from 4 to 12 pounds each.

Citrus trees, balled, packed in boxes, 40 pounds each, and with naked roots, 3 pounds each.

Palms, packed in boxes, with ball of earth, 2 to 3 foot plants, 40 pounds, and gradually increasing to 110 pounds each on 5 to 6 foot plants.

Grape cuttings 14 to 16 inches long, 80 pounds to the thousand cuttings, in either bales or boxes.

Eucalyptus, cypress, about 100 to the flat, 50 pounds per flat; hedge plants from 50 to 100 to the box, according to size, 50 pounds per flat.

APPROXIMATE PACKING CHARGES.

It is difficult to give these charges accurately, as they will vary more or less, according to the condition of the trees; however, the figures given are taken from our records of charges for the run of shipments for sizes specified: 6 to 8 foot trees in bales, \$2.00 per 1000; 4 to 6 foot trees, \$1.50 per 1000; 3 to 4 foot trees, \$1.25 per 1000; 6 to 8 foot trees completely boxed, \$5.00 per 1000; 4 to 6 foot trees, \$3.00 per 1000; 3 to 4 foot trees, \$2.50 per 1000.

Grape vines in bales, 50 cents per 1000 vines; in cases, completely boxed, \$2.00 per 1000 vines.

Deciduous ornamental trees, 6 to 8 feet and up to 12 to 15 feet, in bales, from 30 to 40 cents per 100, and completely boxed, 50 cents to \$1.00 per 100.

Potted plants in from 3 to 6 inch pots, from 1 to 5 cents each.

Citrus trees, balled, packed in boxes, tops protected with burlap, 7½ cents per tree (boxes hold from 10 to 12 trees); in cases, completely boxed 10 cents per tree; naked roots, packed in moss in boxes, tops burlaped, 1 cent per tree; completely boxed, 1½ cents per tree.

Palms, balled, in boxes, tops burlaped, from 5 to 20 cents per plant, according to size.

Grape cuttings packed in bales, 20 cents per 1000 cuttings, and in cases, completely boxed, 35 cents per 1000.

Eucalyptus, Cypress and hedge plants, tops covered with burlap, in flats, 15 cents per flat.

As has been previously stated, the weights and packing charges given are merely a general average, and this data is supplied for the purpose of placing our customers in position to figure out about what their stock will cost them delivered at destination. We desire to assure our patrons that we only charge for packing to cover the cost of material used.

FREIGHT CLASSIFICATION.

It may not be generally understood that the method of packing a shipment of trees or plants is the basis on which freight charges are made. Nursery stock in bales or boxes completely covered with tulle or burlap take the first-class rate, while in cases completely boxed the third-class rate applies. When trees are shipped without packing, the classification requires the payment of the double first-class rate.

In carload lots with a minimum of ten tons, class C applies, and this is as a rule from 50 to 75 per cent less than the first-class rate.

For local shipments in California, trees are either packed in bales, wrapped with tulle, or in boxes, tops protected with burlap, for the difference between the first and third class rates is so slight that nothing would be gained by boxing, for the increased cost would more than offset the saving in freight charges.

To distant points in Texas, Mexico, Colorado and to other States and countries outside of California, when stock is to be a long time in transit, it is packed in paper lined cases, not only with a view of having the trees carry better, but also because of the saving in freight charges, the difference in classification being in many cases \$1.00 per 100 pounds.

We have made a very close study of traffic conditions, and our knowledge is used to secure in all cases the very lowest freight rates for the benefit of our customers.

No accurate data can be given as to freight charges on orders for export, except that in a general way a shipment by water to Australia or Japan from San Francisco will cost about one-third less than it does from Fresno to San Francisco, a distance of 206 miles.

Address all correspondence

FANCHER CREEK NURSERIES (INC.),

Geo. C. Roeding, President and Manager,

FRESNO, CAL.

SPECIAL PRICES ON LARGE LOTS

PRICE LIST OF FANCHER CREEK NURSERIES

INCORPORATED

SEASON OF 1907-1908

PRICES SUBJECT TO CHANGE WITHOUT NOTICE

FRUIT DEPARTMENT

| | Each | Per 10 | Per 100 | Per 1000 |
|---|------|--------|---------|-----------------------|
| APPLE —1 year, 4 to 6 ft..... | .25 | 2.00 | 18.00 | 150.00 |
| 1 year, 3 to 4 ft..... | .20 | 1.80 | 15.00 | 120.00 |
| SUMMER— | | | | |
| Duchess of Oldenburg | | | | Red Astrachan |
| Early Harvest | | | | Red June |
| Gravenstein | | | | Sweet Bough |
| Keswick Codlin | | | | White Astrachan |
| Maiden Blush | | | | |
| AUTUMN— | | | | |
| Alexander | | | | Mother |
| Fall Pippin | | | | Rambo |
| Fameuse | | | | Red Bietigheimer |
| Gloria Mundi | | | | Rhode Island Greening |
| Golden Russett | | | | Roxbury Russet |
| Hubbardston Nonsuch | | | | Skinner's Pippin |
| Jonathan | | | | Twenty Ounce |
| King of Tompkins County | | | | Wealthy |
| WINTER— | | | | |
| Arkansas Black | | | | Rawle's Janet |
| Baldwin | | | | Red Pearmain |
| Ben Davis | | | | Rome Beauty |
| English Russett | | | | Shockley |
| Esopus Spitzenburg | | | | Smith's Cider |
| Grimes' Golden Pippin | | | | Sonoma Seedling |
| Kentucky Redstreak | | | | Stannard Seedling |
| Lady Apple | | | | Stark |
| Lawver | | | | Swaar |
| Limber Twig | | | | White Pippin |
| Mammoth Black Twig | | | | White Winter Pearmain |
| Marshall's Red or Red Bellflower | | | | Wine Sap |
| Missouri Pippin or Stone's | | | | Winterstein |
| Eureka | | | | Yellow Bellflower |
| Nickajack | | | | Yellow Newton Pippin |
| Northern Spy | | | | |
| APPLE —(New) 1 year.....4 to 6 ft..... | .40 | 3.00 | 20.00 | |
| Bismarck | | | | Gano |
| Glowing Coal | | | | Paragon |
| CRAB APPLE —1 year.....4 to 6 ft..... | .25 | 2.00 | 18.00 | |
| 1 year.....3 to 4 ft..... | .20 | 1.80 | 15.00 | |
| Hyslop | | | | Transcendent |
| Red Siberian | | | | Yellow Siberian |

PRICE LIST OF

| | | Each | Per 10 | Per 100 | Per 1000 |
|--|----------------------------------|------|--------|---------|----------|
| PEAR—General Collection. | | | | | |
| 1 year..... | 6 to 8 ft. | .40 | 3.50 | 27.50 | 250.00 |
| 1 year..... | 4 to 6 ft. | .35 | 3.00 | 25.00 | 200.00 |
| 1 year..... | 3 to 4 ft. | .30 | 2.50 | 20.00 | 180.00 |
| SUMMER— | | | | | |
| Bartlett | Lawson or Comet | | | | |
| Beurre Giffard | Le Conte | | | | |
| Bloodgood | Madeleine | | | | |
| Clapp's Favorite | Seckel | | | | |
| Doyenne d'Ete | | | | | |
| AUTUMN— | | | | | |
| Beurre Bosc | Doyenne du Comice | | | | |
| Beurre Clairgeau | Duchesse d'Angouleme | | | | |
| Beurre d'Anjou | Flemish Beauty | | | | |
| Beurre Hardy | Howell | | | | |
| B. S. Fox | Kieffer's Hybrid | | | | |
| Dana's Hovey | Winter Seckel | | | | |
| WINTER— | | | | | |
| Col. Wilder | P. Barry | | | | |
| Doyenne d'Alencon | Pound | | | | |
| Easter Beurre | Sheldon | | | | |
| Forelle or Trout Pear | Winter Nelis | | | | |
| Glou Morceau | | | | | |
| PEAR—(New). On Pear and Quince. | | | | | |
| Winter Bartlett—1 year.... | 4 to 6 ft. | .40 | 3.00 | 25.00 | |
| PEAR—On Quince—1 year.... | | | | | |
| 4 to 6 ft. | .40 | 3.00 | 25.00 | | |
| Bartlett | Glou Morceau | | | | |
| Beurre Hardy | Howell | | | | |
| Doyenne du Comice | P. Barry | | | | |
| Duchess d'Angouleme | Winter Nelis | | | | |
| Easter Beurre | | | | | |
| CHERRY—On Mazzard and Mahaleb. | | | | | |
| 1 year..... | 6 to 8 ft. | .40 | 3.00 | 25.00 | 200.00 |
| 1 year, extra stocky..... | 4 to 6 ft. | .30 | 2.50 | 20.00 | 180.00 |
| 1 year..... | 3 to 4 ft. | .25 | 2.00 | 18.00 | 160.00 |
| HEART AND BIGARREAU— | | | | | |
| Belle d'Orleans | Great Bigarreau | | | | |
| Bing | Knight's Early Black | | | | |
| Black Eagle | Lambert | | | | |
| Black Tartarian | Lewelling | | | | |
| California Advance | Napoleon Bigarreau or Royal Anne | | | | |
| Chapman | Rockport Bigarreau | | | | |
| Centennial | Schmidt's Bigarreau | | | | |
| Early Purple Guigne | Windsor | | | | |
| Elton | Yellow Spanish | | | | |
| Gov. Wood | | | | | |
| DUKE AND MORELLO— | | | | | |
| Belle Magnifique | May Duke | | | | |
| Early Richmond | Ostheimer's Weischel | | | | |
| English Morello | Reine Hortense | | | | |
| PLUM—General Collection—On Peach and Myrobalan. | | | | | |
| 1 year..... | 6 to 8 ft. | .40 | 3.00 | 25.00 | |
| 1 year..... | 4 to 6 ft. | .30 | 2.50 | 20.00 | |
| 1 year..... | 3 to 4 ft. | .25 | 2.00 | 16.00 | |
| Bavay's Green Gage | Imperial Gage | | | | |
| Bradshaw | Jefferson | | | | |
| Burbank | Kelsey Japan | | | | |
| Cherry Plum | Peach Plum | | | | |
| Coe's Golden Drop | Red Egg | | | | |
| Coe's Late Red | Satsuma | | | | |
| Columbia | Shiro | | | | |
| Climax | Shropshire Damson | | | | |
| Clyman | Simon Plum or Prunus Simoni | | | | |
| Duane's Purple | Smith's Orleans | | | | |
| Early Golden Drop | Victoria | | | | |
| General Hand | Washington | | | | |
| Giant | Wickson | | | | |
| Grand Duke | Wild Goose | | | | |
| Green Gage | Yellow Egg | | | | |
| Ickworth's Imperatrice | | | | | |

PLUM—Burbank's Varieties (New)—On Peach and Myrobolan.

| | Each | Per 10 | Per 100 | Per 1000 |
|-----------------|--------|--------|---------|----------|
|4 to 6 ft. | .40 | 3.00 | 25.00 | |
| America | Chalco | | | |
| Apple | Sultan | | | |
| Bartlett | | | | |

PLUM—Latest creations by Burbank. Introduced solely by us. Write for illustrated booklet. Trees are cut back to 3 ft. and lateral branches shortened in to 4 inches.

Introductions 1907-1908—

| | | | | |
|----------------------------------|------|-------|--|--|
| Formosa or "Wickson Challenge"— | | | | |
| 1 year—On Peach Root..... | 4.00 | 30.00 | | |
| Gaviota or "Rice Seed"—1 year—On | | | | |
| Myrobolan Root..... | 3.00 | 25.00 | | |
| Vesuvius—"Foliage Plum"—1 Year | | | | |
| —On Peach Root..... | 2.00 | 15.00 | | |

Introductions of 1906-1907—

| | | | | |
|---------------------------------|------|-------|--|--|
| Santa Rosa—1 year—On Peach and | | | | |
| Myrobolan | 3.00 | 25.00 | | |
| Rutland Plumcot—1 year—On Peach | | | | |
| and Myrobolan..... | 2.50 | 20.00 | | |

PRUNE—On Almond, Apricot, Myrobolan and Peach.

| | | | | |
|-----------------------|-------------------|------|-------|--|
| 1 year.....4 to 6 ft. | .40 | 3.00 | 25.00 | |
| 1 year.....3 to 4 ft. | .30 | 2.50 | 20.00 | |
| French | Imperial Epineuse | | | |
| | Robe de Sargent | | | |

PRUNE—General Collection—On Almond, Apricot, Myrobolan and Peach.

| | | | | |
|-----------------------|---------|------|-------|--------|
| 1 year.....4 to 6 ft. | .40 | 3.00 | 25.00 | 200.00 |
| 1 year.....3 to 4 ft. | .30 | 2.50 | 20.00 | 180.00 |
| Fellenberg | Silver | | | |
| German | Sugar | | | |
| Hungarian | Tragedy | | | |

APRICOT—On Apricot, Myrobolan and Peach.

| | | | | |
|-----------------------|-----------------|------|-------|--------|
| 1 year.....4 to 6 ft. | .40 | 3.00 | 20.00 | 180.00 |
| 1 year.....3 to 4 ft. | .30 | 2.50 | 18.00 | 160.00 |
| 1 year.....2 to 3 ft. | .25 | 2.00 | 16.00 | 140.00 |
| Black | Pringle | | | |
| Blenheim | Routier's Peach | | | |
| Hemskirke | Royal | | | |
| Large Early | Spark's Mammoth | | | |
| Large Early Montgamet | St. Ambrose | | | |
| Moorpark | Tilton | | | |
| Newcastle Early | | | | |

APRICOT (New)—On Apricot, Peach and Myrobolan.

| | | | | |
|------------------------------|-----|------|--|--|
| Smyrna—1 year.....4 to 6 ft. | .50 | 4.00 | | |
|------------------------------|-----|------|--|--|

PEACH—On Peach and Almond.

| | | | | |
|--------------------------|----------------------------------|------|-------|--|
| 1 year.....4 to 6 ft. | .40 | 3.50 | 25.00 | |
| 1 year.....3 to 4 ft. | .35 | 3.00 | 22.50 | |
| 1 year.....2 to 3 ft. | .30 | 2.50 | 20.00 | |
| Blood Cling | Persian Cling | | | |
| George's Late Cling | Phillips Cling | | | |
| Heath Cling | Runyon's Orange Cling | | | |
| Levy's Late or Henrietta | Sellers Orange Cling | | | |
| McDevitt Cling | Tuscan Cling | | | |
| McKevitt Cling | Wilkins or Ringold Mammoth Cling | | | |

PEACH—On Peach and Almond.

| | | | | |
|-----------------------|-------------------|------|-------|--------|
| 1 year.....4 to 6 ft. | .40 | 3.00 | 20.00 | 180.00 |
| 1 year.....3 to 4 ft. | .30 | 2.50 | 18.00 | 160.00 |
| 1 year.....2 to 3 ft. | .25 | 2.00 | 16.00 | 140.00 |
| Alexander | Muir | | | |
| Australian Saucer | Picquet's Late | | | |
| Bilyeu's Late | Royal George | | | |
| Briggs' Red May | Salway | | | |
| Early Crawford | Strawberry | | | |
| Early Imperial | Susquehanna | | | |
| Elberta | Van Buren's Dwarf | | | |
| Foster | Ward's Late Free | | | |
| Hale's Early | Wheatland | | | |
| Late Crawford | Wonderful | | | |
| Lovell | Yellow St. John | | | |
| Morris White | | | | |

PRICE LIST OF

| | | Each | Per 10 | Per 100 | Per 1000 |
|--|----------------|------|--------|---------|----------|
| PEACH (New)—On Peach and Apricot. | | | | | |
| 1 year..... | 4 to 6 ft. | .40 | 3.00 | | |
| Admiral Dewey | Sneed | | | | |
| Crosby | Triumph | | | | |
| Opulent | | | | | |
| NECTARINE—On Peach and Apricot. | | | | | |
| 1 year..... | 4 to 6 ft. | .40 | 3.00 | 25.00 | |
| 1 year..... | 3 to 4 ft. | .35 | 2.50 | 20.00 | |
| Advance | Humboldt | | | | |
| Boston | New White | | | | |
| Early Newington | Stanwick | | | | |
| QUINCE—General Collection. | | | | | |
| 1 year..... | 4 to 6 ft. | .30 | 2.50 | 20.00 | |
| Apple or Orange | Rea's Mammoth | | | | |
| Champion | West's Mammoth | | | | |
| QUINCE—(New). | | | | | |
| | 4 to 6 ft. | .40 | 3.00 | | |
| Pineapple | Smyrna | | | | |
| ALMOND—On Almond and Peach. | | | | | |
| 1 year..... | 4 to 6 ft. | .40 | 3.00 | 20.00 | 180.00 |
| 1 year..... | 3 to 4 ft. | .30 | 2.00 | 18.00 | 160.00 |
| 1 year..... | 2 to 3 ft. | .25 | 1.80 | 16.00 | 140.00 |
| Drake's Seedling | Lewelling | | | | |
| Harriott's Seedling or Com- | Ne Plus Ultra | | | | |
| mercial | Nonpareil | | | | |
| I X L | Peerless | | | | |
| Lanquedoc | | | | | |
| La Prima | | | | | |
| ALMOND—(New.) | | | | | |
| 1 year..... | 4 to 6 ft. | .40 | 3.50 | 25.00 | |
| Jordan | | | | | |
| ALMOND—On Peach and Almond. | | | | | |
| June Buds, Texas Prolific..... | | .20 | 1.50 | 12.00 | |
| BUTTERNUT— | | | | | |
| | 6 to 8 ft. | .75 | | | |
| | 4 to 6 ft. | .50 | | | |
| CHESTNUT—American Sweet. | | | | | |
| | 8 to 10 ft. | 1.00 | 7.50 | | |
| | 6 to 8 ft. | .75 | 6.00 | | |
| | 4 to 6 ft. | .60 | 5.00 | | |
| Italian or Spanish..... | 8 to 10 ft. | .75 | 6.00 | 50.00 | |
| | 6 to 8 ft. | .60 | 5.00 | 40.00 | |
| | 4 to 6 ft. | .50 | 4.00 | 30.00 | |
| | 3 to 4 ft. | .40 | 3.00 | 25.00 | |
| CHESTNUT—Grafted Varieties. | | | | | |
| | 8 to 10 ft. | 1.25 | 10.00 | | |
| | 6 to 8 ft. | 1.00 | 7.50 | | |
| | 4 to 6 ft. | .75 | 6.00 | | |
| Japan Mammoth | Numbo | | | | |
| Marron Combale | Paragon | | | | |
| Marron de Lyon | Ridgely | | | | |
| FILBERT—Assorted Varieties. | | | | | |
| | 3 to 4 ft. | .60 | | | |
| HICKORY—Shell Bark..... | | | | | |
| | 2 to 3 ft. | .50 | | | |
| PECAN—Seedlings—Grown from selected seed. | | | | | |
| | 6 to 8 ft. | .60 | 5.00 | 40.00 | |
| | 4 to 6 ft. | .50 | 4.00 | 30.00 | |
| | 3 to 4 ft. | .40 | 3.00 | 20.00 | |
| | 2 to 3 ft. | .25 | 2.00 | 15.00 | 120.00 |
| | 1 to 2 ft. | .20 | 1.50 | 10.00 | 80.00 |
| PECAN—Mammoth Papershell Seedlings. | | | | | |
| | 6 to 8 ft. | 1.00 | 7.50 | 60.00 | |
| | 4 to 6 ft. | .75 | 6.00 | 50.00 | |
| | 3 to 4 ft. | .60 | 5.00 | 40.00 | |

| | Each | Per 10 | Per 100 | Per 1000 |
|--|------|--------|---------|----------|
| PECAN —Grafted, six named varieties, Finest Papershells.....3 to 4 ft. | 1.50 | 12.00 | 100.00 | |
| Frotscher—Large, thin shell, good bearer. | | | | |
| Jewett. | | | | |
| Pabst—Soft shell, large, well filled. | | | | |
| Russell—Real paper shell, early, im- mense bearer. | | | | |
| Stuart—Soft shell, large, regular bearer. | | | | |
| Van Deman—Soft shell, oblong, high- ly flavored kernel. | | | | |
| Success (New).....3 to 4 ft. | 1.75 | 15.00 | | |
| PISTACHIO NUT —(Pistachio Vera). Female, Grafted.....3 to 4 ft. | 1.50 | | | |
| Male, Grafted.....3 to 4 ft. | 1.50 | | | |
| PISTACHIO NUT —4 to 6 ft. | 1.00 | | | |
| Atlantica | | | | |
| Terebinthus | | | | |
| WALNUT —American Black. 8 to 10 ft. | .75 | 6.00 | 50.00 | |
|6 to 8 ft. | .50 | 4.00 | 35.00 | |
|4 to 6 ft. | .40 | 3.00 | 25.00 | |
| California Black.....10 to 12 ft. | .50 | 4.00 | 30.00 | 200.00 |
|8 to 10 ft. | .40 | 3.00 | 20.00 | 160.00 |
|6 to 8 ft. | .30 | 2.50 | 18.00 | 140.00 |
| WALNUT —Softshell, grown from selected seed8 to 10 ft. | .40 | 3.50 | 30.00 | 250.00 |
|6 to 8 ft. | .35 | 3.00 | 20.00 | 180.00 |
|4 to 6 ft. | .30 | 2.50 | 18.00 | 150.00 |
|3 to 4 ft. | .25 | 1.80 | 15.00 | 120.00 |
|2 to 3 ft. | .20 | 1.50 | 12.00 | 100.00 |
| Ford's Improved | | | | |
| Franquette | | | | |
| Mayette | | | | |
| Placencia Perfection | | | | |
| Santa Barbara Softshell | | | | |
| WALNUT —Grafted and Budded on Cali- fornia Black.....10 to 12 ft. | 2.00 | 17.50 | 150.00 | |
|8 to 10 ft. | 1.75 | 15.00 | 120.00 | |
|6 to 8 ft. | 1.50 | 12.00 | 100.00 | |
| Ford's Improved | | | | |
| Santa Barbara Softshell | | | | |
| WALNUT —Grafted on California Black.6 to 8 ft. | 2.00 | 16.00 | 140.00 | |
|4 to 6 ft. | 1.60 | 14.00 | 120.00 | |
|3 to 4 ft. | 1.40 | 12.00 | 100.00 | |
| A'Bijou | | | | |
| Chaberte | | | | |
| Cut-leaved | | | | |
| English | | | | |
| Franquette | | | | |
| Mayette | | | | |
| Mayette Rouge | | | | |
| Parisienne | | | | |
| Placencia Perfection | | | | |
| Praeparturien | | | | |
| WALNUT —Grafted on Eastern Black.6 to 8 ft. | 2.00 | 16.00 | 140.00 | |
|4 to 6 ft. | 1.60 | 14.00 | 120.00 | |
|3 to 4 ft. | 1.40 | 12.00 | 100.00 | |
| A'Bijou | | | | |
| Chaberte | | | | |
| Cut-leaved | | | | |
| Franquette | | | | |
| Mayette | | | | |
| WALNUT —Japan.6 to 8 ft. | .75 | 6.00 | | |
|4 to 6 ft. | .60 | 5.00 | | |
| Cordiformis | | | | |
| Sieboldi | | | | |
| WALNUT —Burbank's Latest Creations. For complete description write for illustrated booklet. | | | | |
| Paradox—Grafted on Native Black Wal- nut—1 year grafts.....4 to 6 ft. | 4.00 | 30.00 | | |
| Royal—Grafted on Native Black Wal- nut—1 year grafts.....4 to 6 ft. | 5.00 | 40.00 | | |
| Selected Rapid Growing Seedling.3 to 4 ft. | 2.00 | 15.00 | | |
| Royal Nuts..... | .20 | | | |
| No orders accepted for less than 10 nuts. | | | | |

PRICE LIST OF

| | Each | Per 10 | Per 100 | Per 1000 |
|---|-----------------------------|--------|---------|----------|
| FIG—(New)—Smyrna Class. | | | | |
| Very stocky.....4 to 6 ft. | .40 | 3.00 | 20.00 | 175.00 |
|3 to 4 ft. | .30 | 2.50 | 18.00 | 150.00 |
|2 to 3 ft. | .25 | 2.00 | 15.00 | 125.00 |
| Calimyrna "Lop Injir" or | Cheker Injir | | | |
| Genuine Commercial | Kassaba | | | |
| Balachick | Purple Smyrna | | | |
| Bardajic | Purple Bulletin Smyrna | | | |
| FIG—(New)—Wild or Capri Class. | | | | |
|4 to 6 ft. | .40 | 3.00 | 25.00 | |
|3 to 4 ft. | .30 | 2.50 | 20.00 | |
| Roeding's Capri No. 1 | Roeding's Capri No. 3 | | | |
| Roeding's Capri No. 2 | | | | |
| FIG—Adriatic Class, General Collection. | | | | |
|4 to 6 ft. | .40 | 3.00 | 20.00 | |
|3 to 4 ft. | .30 | 2.50 | 18.00 | |
|2 to 3 ft. | .25 | 2.00 | 16.00 | |
| Agen | Moissonne | | | |
| Angelique | Mission or California Black | | | |
| Black Marseilles | Pastillier | | | |
| Bellona | Rose Blanche | | | |
| Bourjasotte Panache | San Pedro Black | | | |
| Brown Ischia | San Perdo White | | | |
| Brown Turkey | Verdal Longue | | | |
| Cargigna | White Adriatic | | | |
| Cernica | White Celeste | | | |
| Grise | White Endich | | | |
| Hirtu du Japan | Zimitzia | | | |
| Ladaro | | | | |
| OLIVE— | | | | |
| 2 in. and up in diameter.8 to 10 ft. | 1.00 | 7.50 | 60.00 | |
|6 to 8 ft. | .60 | 5.00 | 40.00 | |
|4 to 6 ft. | .50 | 4.00 | 35.00 | |
| Ascolano | Nevadillo Blanco | | | |
| Atro-Rubens | Obliza | | | |
| Atro-Violacea | Oblonga | | | |
| Columella | Pendulina | | | |
| Corregiola | Picholin de "St. Chamas" | | | |
| Cucco | Polymorpha | | | |
| Empeltre | Razzo | | | |
| Frantojo | Rubra | | | |
| Gordal | Salonica | | | |
| Hervatza | San Agostino | | | |
| Lucques | Santa Caterina | | | |
| Manzanillo | Sevillano | | | |
| Manzanillo No. 2 | Uvaria | | | |
| Mission | | | | |
| CITRUS TREES —All of our stock is grown in Exeter, along the foot-hills, the great thermal belt of Tulare county, by the Roeding & Wood Nursery Company. The trees are planted in a heavy, black loam, permitting the taking up of balled stock in first-class shape. No fertilizer is used and in consequence of this our trees, when the planting season arrives, are sturdy, well matured—are, in fact, perfect specimens. The iron in the soil gives the foliage a deep, lustrous green, healthy color, and this in itself makes the stock attractive to dealer and planter alike. Quotations named are for trees taken up with ball of earth, or with naked roots. Diameter measurements are taken one inch above the bud. Trees are branched at two feet from the ground and have fine, compact heads. | | | | |
| ORANGE —Sour Seedlings...12 to 15 in. | | | 4.00 | 30.00 |
| Sweet Seedlings.....12 to 15 in. | | | 3.00 | 25.00 |
| ORANGE —On Sweet Orange Root: | | | | |
| Two year buds, very stocky and with fine, well formed heads, 5/8 of an inch and up in diameter..... | 1.50 | 12.50 | 110.00 | 1000.00 |
| One year buds, 5/8 of an inch and up in diameter..... | 1.40 | 11.00 | 100.00 | 900.00 |
| One year buds, 1/2 of an inch and up in diameter..... | 1.20 | 10.00 | 90.00 | 800.00 |
| Golden Nugget Navel | Seedling | | | |
| Joppa | St. Michael | | | |
| Mediterranean Sweet | Thomson Improved Navel | | | |
| Navelencia | Washington Navel | | | |
| Ponderosa | Valencia Late | | | |
| Ruby Blood | | | | |

| | Each | Per 10 | Per 100 | Per 1000 |
|---|----------------------|--------|---------|----------|
| ORANGE—On Citrus Trifoliata Root. | | | | |
| Two year buds, $\frac{5}{8}$ of an inch and up in diameter..... | 1.50 | 12.50 | 110.00 | 1000.00 |
| One year buds, $\frac{1}{2}$ to $\frac{5}{8}$ of an inch and up in diameter..... | 1.40 | 11.00 | 100.00 | 900.00 |
| Oonshiu or Satsuma | Washington Navel | | | |
| Tangerine (Dancy's) | Valencia Late | | | |
| Thomson Improved Navel | | | | |
| ORANGE—On Sour Root. | | | | |
| Two year buds, $\frac{5}{8}$ of an inch and up in diameter..... | 1.50 | 12.50 | 110.00 | |
| One year buds, $\frac{1}{2}$ to $\frac{5}{8}$ of an inch and up in diameter..... | 1.40 | 12.00 | 100.00 | |
| Golden Nugget Navel | Washington Navel | | | |
| Navelencia | Valencia Late | | | |
| ORANGE— | | | | |
| One year buds.....2 to 3 ft. | 1.00 | | | |
| Kumquat | | | | |
| LEMON— | | | | |
| Two year buds, $\frac{5}{8}$ of an inch and up in diameter..... | 1.60 | 14.00 | 110.00 | |
| One year bud, $\frac{5}{8}$ of an inch and up in diameter..... | 1.40 | 12.00 | 100.00 | |
| One year bud, $\frac{1}{2}$ to $\frac{5}{8}$ of an inch and up in diameter..... | 1.20 | 10.00 | 90.00 | |
| Eureka | Villa Franca | | | |
| Lisbon | | | | |
| POMELO— | | | | |
| One and two year buds, $\frac{5}{8}$ of an inch and up in diameter..... | 1.50 | 13.00 | 110.00 | |
| One and two year buds, $\frac{1}{2}$ to $\frac{5}{8}$ of an inch and up in diameter..... | 1.30 | 12.00 | 100.00 | |
| Marsh's Seedless | Triumph | | | |
| CITRON OF COMMERCE— | | | | |
| Two year buds, $\frac{5}{8}$ of an inch and up in diameter..... | 1.40 | 12.00 | | |
| LIME— | | | | |
| Two year buds, $\frac{5}{8}$ of an inch and up in diameter..... | 1.40 | 12.00 | | |
| Bear's Seedless | Tahiti | | | |
| Mexican | | | | |
| PERSIMMON—Japanese, Grafted, Home | | | | |
| Grown6 to 8 ft. | .60 | 5.00 | 40.00 | |
|4 to 6 ft. | .50 | 4.00 | 30.00 | |
| Dai-Dai-Maru | Tane-Nashi | | | |
| Hachiya | Yemon | | | |
| PERSIMMON—Home Grown..6 to 8 ft. | | | | |
|4 to 6 ft. | .50 | 4.00 | 30.00 | |
| American | .40 | 3.00 | 25.00 | |
| Italian | | | | |
| PERSIMMON—Japanese, Imported. | | | | |
|3 to 4 ft. | .25 | 2.00 | 15.00 | |
| Dai-Dai-Maru | Tane-Nashi | | | |
| Goshi Gaki | Tsuru No Ko | | | |
| Hyakume | Yemon | | | |
| Hachiya | | | | |
| POMEGRANATE4 to 6 ft. | | | | |
|3 to 4 ft. | .60 | 5.00 | 40.00 | |
|2 to 3 ft. | .50 | 4.00 | 30.00 | |
| Paper Shell | .40 | 3.00 | 25.00 | |
| Sweet Fruited | Wonderful | | | |
| BANANA—7 inch pot.....2 to 3 ft. | | | | |
| Cavendishii | 1.50 | | | |
| Hart's Choice | Orinoco or Sapientum | | | |
| CAROB TREE—(Ceretonia Siliqua). | | | | |
|2 to 3 ft. | 1.00 | | | |
|1 to 2 ft. | .60 | 5.00 | | |
| CHERIMOYER—(Anona Cherimolia). | | | | |
| Custard Apple, 4 inch pot..... | .50 | | | |
| ELAEAGNUS LONGIPES3 to 4 ft. | | | | |
| GUAVA—Pear or Lemon | | | | |
| Strawberry | .35 | | | |
| HOVENIA—Duleis, 5 in. pot...2 to 3 ft. | | | | |
| LYCHEE | | | | |
| JUJUBE—4 inch pot | | | | |
| 1.00 | | | | |

PRICE LIST OF

| | | Each | Per 10 | Per 100 | Per 1000 |
|-------------------------|------------|------|--------|---------|----------|
| LOQUAT—Seedling. | | | | | |
| Balled | 6 to 8 ft. | 1.50 | 12.50 | | |
| Balled | 4 to 6 ft. | 1.25 | 10.00 | | |
| 6 inch pot..... | 3 to 4 ft. | .75 | 6.00 | | |
| 4 inch pot..... | 2 to 3 ft. | .40 | 3.50 | | |

| | | | | | |
|-----------------------------|------------|------|--|--|--|
| LOQUAT—(New)—Budded. | | | | | |
| Balled | 3 to 4 ft. | 1.50 | | | |
| Advance | Victor | | | | |
| Premier | | | | | |

GRAPES—It is only natural that Fresno, the greatest grape growing section in California, should have a nursery correspondingly large devoted to grape culture. Cuttings of all the standard varieties of wine, raisin and table grapes are readily obtained. We are prepared to furnish cuttings in large quantities, providing parties place their orders with us prior to December 15. A large area of our nurseries is devoted to grape culture in order to meet the requirements of our customers from all parts of the Pacific Coast, and even far down into Mexico. Our trade in recent years has extended to some of the Eastern States, where the winters are not too severe. Our stock of vines on their own roots, Phylloxera Resistant roots and grafted on Phylloxera Resistant roots is very complete. Our vines are grown in the Kings River bottom, on new land, in loose alluvial soil, causing them to have a fine, vigorous root system.

The vines will be supplied as follows: 500 at the 1000 rate, where this rate is quoted, in not less than 50 of any one variety; 50 at the 100 rate, in not less than 10 of a variety. In small lots of one or two of a kind, the 10 rate will apply, except in quantities of less than five vines, when the single rate will be charged.

| | | | | | |
|---|-------------------------------|-----|------|------|-------|
| GRAPES—Foreign—For table and Ship- | | | | | |
| ping | | .15 | 1.00 | 3.00 | 20.00 |
| Black Cornichon | Malaga | | | | |
| Black Ferrera | Purple Damascus | | | | |
| Black Hamburg | Rose of Peru | | | | |
| Emperor | White Sweetwater or Chasselas | | | | |
| Flame Tokay | de Fontainbleau | | | | |

| | | | | | |
|---|------------------------|-----|------|------|--|
| GRAPES—Foreign—For table and ship- | | | | | |
| ping. (Rare)..... | | .20 | 1.50 | 5.00 | |
| Almeria | Gros Maroc | | | | |
| Alicante | Huasco | | | | |
| Black Barbarosa | Jura Muscat | | | | |
| Black Morocco | Lady Finger | | | | |
| Black Muscat | Malbeck | | | | |
| Black Portugal | Millhill Hamburg | | | | |
| Black Prince | Mrs. Pince Muscat | | | | |
| Bowood Muscat | Muscat Befere | | | | |
| Chasselas Ciotat | Muscat de Madera Rouge | | | | |
| Chasselas Croquant | Muscat Hamburg | | | | |
| Chasselas de Florence | Purple Cornichon | | | | |
| Chasselas Napoleon | Sabal Kanski | | | | |
| Chasselas Rose | Tragka | | | | |
| Deacon's Superb | Verdal | | | | |
| Golden Champion | Victoria Chasselas | | | | |
| Golden Chasselas | White Corinth | | | | |
| Golden Hamburg | White Cornichon | | | | |
| Golden Queen | | | | | |
| Gros Colman | | | | | |

| | | | | | |
|---------------------------------|------------------|-----|------|------|-------|
| GRAPES—Foreign Wine..... | | .15 | 1.00 | 3.00 | 18.00 |
| Alicante Bouschet | Mataro | | | | |
| Aramon | Mission | | | | |
| Beclan | Mondeuse | | | | |
| Black Malvoise | Moselle Riesling | | | | |
| Burger | Palomino Blanco | | | | |
| Cabernet Sauvignon | Pedro Ximenes | | | | |
| Carignan | Petit Bouschet | | | | |
| Charbono | Petit Syrah | | | | |
| Cinsaut | Sauvignon Vert | | | | |
| Fehér Zagos | Semillon | | | | |
| Folle Blanche | Trousseau | | | | |
| Grenache | Verdelho | | | | |
| Johannisburg Riesling | Zinfandel | | | | |

| | Each | Per 10 | Per 100 | Per 1000 |
|--|--------------------------|--------|---------|----------|
| GRAPES—Raisin. | | | | |
| Muscat | .15 | 1.00 | 2.00 | 15.00 |
| Sultana | .15 | 1.00 | 2.00 | 18.00 |
| Thompson's Seedless..... | .15 | 1.00 | 2.00 | 16.00 |
| Zante Currant..... | .25 | 2.00 | 10.00 | |
| GRAPES—American varieties..... | .20 | 1.50 | 5.00 | |
| Agawam | Isabella | | | |
| Brighton | Moore's Diamond | | | |
| Catawba | Moore's Early | | | |
| Concord | Niagara | | | |
| Delaware | Pierce or Isabella Regia | | | |
| Diamond | Vergennes | | | |
| Goethe | Woodruff | | | |
| GRAPES—Most Recent Introductions— | | | | |
| Grafted on Phylloxera Resistant | | | | |
| Roots. | | | | |
| Dattier de Beyrouth..... | .50 | 4.00 | 20.00 | |
| Sultana Rosea..... | 1.50 | 12.50 | | |
| GRAPES—Table, Raisin and Wine Vari- | | | | |
| eties Grafted on Phylloxera Resistant | | | | |
| Roots. | | | | |
| Grafted on Riparia Glorie de Mont- | | | | |
| pellier | .25 | 2.00 | 8.00 | 65.00 |
| Alicante Bouschet | Golden Chasselas | | | |
| Aramon | Petit Syrah | | | |
| Burger | Thompson Seedless | | | |
| Carignan | Zinfandel | | | |
| Grafted on Riparia x Rupestris 3306. | .25 | 2.00 | 10.00 | 65.00 |
| Alicante Bouschet | Mataro | | | |
| Black Cornichon | Palomino Blanco | | | |
| Carignan | Petit Bouschet | | | |
| Flame Tokay | Thompson Seedless | | | |
| Golden Chasselas | | | | |
| Grafted on Riparia x Rupestris 3309. | .25 | 2.00 | 10.00 | 65.00 |
| Alicante Bouschet | Isabella Regia | | | |
| Black Morocco | Palomino Blanco | | | |
| Carignan | | | | |
| Grafted on Riparia x Rupestris 101-14 | .25 | 2.00 | 10.00 | 65.00 |
| Black Cornichon | Flame Tokay | | | |
| Black Hamburg | Muscat | | | |
| Black Morocco | Petit Syrah | | | |
| Burger | Semillon | | | |
| Carignan | Zinfandel | | | |
| Grafted on Rupestris St. George.... | .25 | 2.00 | 8.00 | 65.00 |
| Alicante Bouschet | Malaga | | | |
| Aramon | Mondeuse | | | |
| Black Cornichon | Muscat | | | |
| Burger | Ostreicher | | | |
| Chasselas de Fontainbleau | Petit Bouschet | | | |
| Carignan | Petit Syrah | | | |
| Emperor | Sauvignon Vert | | | |
| Flame Tokay | Semillon | | | |
| Golden Chasselas | Thompson Seedless | | | |
| Gros Colman | Traminer | | | |
| Isabella Regia | White Tokay | | | |
| Johannisberg Riesling | Zinfandel | | | |

GRAPES—Phylloxera Resistant.

These vines are all well established and have a fine root system. They can be bench grafted and planted in vineyard form, or in nursery rows this season.

| | | | | |
|------------------------------------|-----|------|------|-------|
| Lenoir | .20 | 1.00 | 3.00 | 20.00 |
| Riparia Glorie de Montpellier..... | .15 | .75 | 2.00 | 15.00 |
| Riparia Grand Feuilles..... | .20 | 1.00 | 3.00 | 18.00 |
| Riparia Grand Glabra..... | .20 | 1.00 | 3.00 | 18.00 |
| Riparia x Rupestris 3306..... | .20 | 1.00 | 3.00 | 20.00 |
| Riparia x Rupestris 3309..... | .20 | 1.00 | 3.00 | 20.00 |
| Riparia x Rupestris 101-14..... | .20 | 1.00 | 3.00 | 20.00 |
| Rupestris St. George..... | .20 | 1.00 | 2.00 | 18.00 |

PRICE LIST OF

| | Each | Per 10 | Per 100 | Per 1000 |
|--|------|----------------------|---------|----------|
| GRAPES—Phylloxera Resistant. Recent introduction. | | | | |
| Aramon x Rupestris Ganzin No. 1... | .25 | 2.00 | 6.00 | 35.00 |
| Aestivalis x Colicola-Riparia x Rupestris 554.5..... | .25 | 2.00 | 6.00 | 35.00 |
| Berlandieri x Riparia 420A..... | .30 | 2.50 | 8.00 | 35.00 |
| Berlandieri x Riparia 157.11..... | .40 | 3.00 | 10.00 | 50.00 |
| Berlandieri x Riparia 34E..... | .50 | 4.00 | 12.00 | 60.00 |
| Chasselas x Berlandieri 41B..... | .50 | 4.00 | 12.00 | 60.00 |
| Mourvedre x Rupestris 1202..... | .25 | 2.00 | 4.00 | 25.00 |
| Riparia x Cordifolia x Rupestris 106.8 | .40 | 3.00 | 8.00 | 30.00 |
| Rupestris x Berlandieri 301A..... | .40 | 3.00 | 10.00 | 50.00 |
| Solonis x Riparia 1615..... | .40 | 3.00 | 10.00 | |
| Solonis x Riparia 1616..... | .40 | 3.00 | 10.00 | |
| LOGAN BERRY—(New). | | | | |
| One year plants..... | .20 | 1.00 | 5.00 | 40.00 |
| Tips | .10 | .50 | 2.50 | 20.00 |
| MAMMOTH BLACKBERRY—(New). | | | | |
| One year plants..... | .20 | 1.50 | 8.00 | |
| Tips | .15 | 1.00 | 6.00 | 50.00 |
| HIMALAYA BLACKBERRY—Tips..... | | | | |
| | .20 | 1.00 | 5.00 | |
| BLACKBERRY | | | | |
| | .15 | .75 | 2.00 | 15.00 |
| Crandall's Early | | Lawton | | |
| Kittatinny | | Wilson Junior | | |
| BLACKBERRY—1 year..... | | | | |
| | .15 | .75 | 3.00 | |
| Erie | | Evergreen | | |
| DEWBERRY—Tips | | | | |
| | .15 | .50 | 2.00 | |
| Gardena | | Lucretia | | |
| RASPBERRY—Black Caps, 1 year..... | | | | |
| | .15 | .75 | 3.00 | |
| Gregg | | Souhegan | | |
| Mammoth Cluster | | | | |
| RASPBERRY—Red Varieties, 1 year..... | | | | |
| | .10 | .50 | 2.00 | 15.00 |
| Cuthbert | | Malboro | | |
| Hansell | | | | |
| RASPBERRY—Yellow Varieties, 1 year. | | | | |
| | .10 | .75 | 4.00 | |
| Golden Queen | | | | |
| GOOSEBERRY—American, 2 years..... | | | | |
| | .25 | 2.00 | 15.00 | |
| Downing | | Smith's Improved | | |
| Oregon Champion | | | | |
| GOOSEBERRY—English, 2 years..... | | | | |
| | .25 | 2.00 | | |
| Berkeley | | Industry | | |
| CURRANT—1 year..... | | | | |
| | .15 | .75 | 6.00 | |
| Black Naples | | La Versailles | | |
| Cherry | | White Grape | | |
| Fay's Prolific | | | | |
| STRAWBERRY | | | | |
| | .20 | 1.00 | 5.00 | |
| Brandywine | | Longworth's Prolific | | |
| Haverland | | Marshall | | |
| Jessie | | Sharpless | | |
| Laxton's Noble | | | | |
| ARTICHOKE—Globe | | | | |
| | .20 | 1.50 | 12.00 | |
| ASPARAGUS | | | | |
| | | .50 | 1.50 | 10.00 |
| Conover's Colossal | | Palmetto | | |
| Mammoth | | | | |
| LIQUORICE—(Glycyrrhiza glabra)..... | | | | |
| | .25 | 2.00 | | |
| RHUBARB— | | | | |
| Myatt's Linnaeus..... | .15 | 1.00 | 8.00 | |
| Burbank's Crimson Winter (new)... | .20 | 1.50 | 10.00 | 75.00 |
| BURBANK'S GIANT CRIMSON WINTER. | | | | |
| New introduction this season..... | .75 | 6.50 | 60.00 | |
| HOP ROOTS..... | | | | |
| | .10 | .50 | 3.00 | |
| Male | .20 | | | |

ORNAMENTAL DEPARTMENT

SPECIMEN DECIDUOUS TREES

To meet the demand for large specimen trees we have placed them in a class by themselves. These trees are carefully selected and are as a rule well furnished with lateral branches. They are grown in a deep alluvial silty soil and are therefore well provided with fibrous roots, so that very little difficulty will be encountered in transplanting them if given ordinary care. Before shipping we cut the trees back to proper height for planting.

| | Inches in diam. | Height | Each | Per 10 |
|---|-----------------|--------------|------|--------|
| ALDER —European | 3 to 4 | 20 to 24 ft. | 2.00 | |
| ASH —European | 2½ to 3 | 15 to 18 ft. | 1.50 | |
| BIRCH —European White | 3 to 4 | 20 to 24 ft. | 2.50 | |
| | 2 to 3 | 15 to 18 ft. | 1.50 | |
| BROUSSONETIA —(Paper Mulberry)..... | 3 to 4 | 18 to 20 ft. | 3.00 | |
| CHESTNUT —American | 3 to 4 | 15 to 18 ft. | 3.00 | |
| Italian | 3 to 4 | 18 to 20 ft. | 2.50 | |
| | 2 to 3 | 15 to 18 ft. | 1.50 | |
| ELM —English or French..... | 3 to 4 | 18 to 20 ft. | 2.00 | 15.00 |
| Huntingdon | 3 to 4 | 18 to 20 ft. | 2.00 | 15.00 |
| HACKBERRY —Occidentalis | 2½ to 3 | 20 to 24 ft. | 1.50 | 12.00 |
| HONEY LOCUST | 3 to 4 | 20 to 24 ft. | 2.50 | |
| | 2 to 3 | 15 to 18 ft. | 1.50 | |
| LIQUIDAMBAR —(Sweet Gum)..... | 2 to 3 | 12 to 15 ft. | 1.50 | |
| LOCUST —Common or Black..... | 3 to 4 | 18 to 20 ft. | 2.00 | 15.00 |
| Bessoniana | 2 to 3 | 15 to 18 ft. | 2.00 | 15.00 |
| Decaisneana | 2 to 3 | 15 to 18 ft. | 2.00 | 15.00 |
| Inermis | 3 to 4 | 20 to 24 ft. | 2.50 | |
| Pyramidalis | 3 to 4 | 20 to 24 ft. | 2.50 | |
| MAPLE —Box Elder or Ash-leaved...3 | to 4 | 18 to 20 ft. | 2.00 | |
| English or Cork Bark..... | 2 to 3 | 15 to 18 ft. | 1.50 | 12.00 |
| Norway | 2 to 3 | 15 to 18 ft. | 1.50 | 12.00 |
| Silver or Soft..... | 2 to 3 | 15 to 18 ft. | 1.50 | 12.00 |
| MULBERRY —White | 3 to 4 | 18 to 20 ft. | 2.00 | 15.00 |
| OAK —English | 3 to 4 | 18 to 20 ft. | 2.00 | 15.00 |
| Pyramidal | 2 to 3 | 15 to 18 ft. | 2.50 | |
| POPLAR —Balm of Gilead..... | 3 to 4 | 20 to 24 ft. | 2.00 | 15.00 |
| Carolina | 3 to 4 | 20 to 24 ft. | 1.50 | 12.00 |
| Lombardy | 3 to 4 | 24 to 30 ft. | 1.50 | 12.00 |
| Pyramidal | 3 to 4 | 24 to 30 ft. | 2.00 | |
| SERVICE TREE | 3 to 4 | 15 to 18 ft. | 1.50 | |
| SYCAMORE —European | 4 to 5 | 24 to 30 ft. | 3.00 | |
| | 3 to 4 | 20 to 24 ft. | 2.50 | 20.00 |
| TEXAS UMBRELLA —Fine, well established heads..... | 4 to 5 | 18 to 20 ft. | 4.00 | |
| | 3 to 4 | 15 to 18 ft. | 2.50 | 20.00 |
| WALNUT —California Black..... | 4 to 5 | 20 to 24 ft. | 2.50 | 20.00 |
| | 3 to 4 | 15 to 18 ft. | 2.00 | 15.00 |
| WILLOW —Common | 2 to 3 | 15 to 18 ft. | 1.50 | 12.00 |
| New American..... | 4 to 5 | 24 to 30 ft. | 3.00 | 25.00 |
| | 3 to 4 | 20 to 24 ft. | 2.00 | 15.00 |

DECIDUOUS TREES

| | | Each | Per 10 | Per 100 |
|---|--------------|------|--------|---------|
| ALBIZZIA JULIBRISSIN —(Acacia Nemu) | 8 to 10 ft. | 1.50 | | |
| | 6 to 8 ft. | 1.25 | 10.00 | |
| | 4 to 6 ft. | 1.00 | 7.50 | |
| ALDER —(Ainus) European..... | 10 to 12 ft. | 1.25 | 10.00 | |
| | 4 to 6 ft. | .60 | 5.00 | |
| Cut-leaved | 4 to 6 ft. | .75 | 6.00 | |

| | | Each | Per 10 | Per 100 |
|--|--------------|------|--------|---------|
| ALMOND —Double White and Double | | | | |
| Red | 4 to 6 ft. | .40 | 3.50 | |
| APPLE —Flowering | | | | |
| Atropurpurea | 4 to 6 ft. | .40 | 3.00 | |
| Floribunda | | | | |
| Kaido | | | | |
| Merwitzkyana | | | | |
| Schneideckers | | | | |
| Spectabilis albo pleno | | | | |
| Spectabilis roseo pleno | | | | |
| ASH —(Fraxinus) American White.. | | | | |
| | 8 to 10 ft. | .60 | 5.00 | 40.00 |
| | 6 to 8 ft. | .50 | 4.00 | 30.00 |
| California (Haw)..... | 6 to 8 ft. | .50 | 4.00 | |
| European | 10 to 12 ft. | 1.00 | 8.00 | 70.00 |
| | 8 to 10 ft. | .75 | 6.00 | 50.00 |
| | 6 to 8 ft. | .60 | 5.00 | 40.00 |
| Flowering (Ornus)..... | 8 to 10 ft. | 1.00 | 8.00 | 70.00 |
| | 6 to 8 ft. | .80 | 7.00 | 60.00 |
| Mariesi (New)..... | 3 to 4 ft. | 1.00 | | |
| BEECH —(Fagus) European..... | | | | |
| | 4 to 6 ft. | 1.00 | 7.50 | |
| | 3 to 4 ft. | .75 | 6.00 | |
| Purple-leaved | 4 to 6 ft. | 1.25 | | |
| BIRCH —(Betula) European White.. | | | | |
| | 12 to 15 ft. | 1.25 | 10.00 | 80.00 |
| | 10 to 12 ft. | 1.00 | 8.00 | 70.00 |
| | 8 to 10 ft. | .80 | 7.00 | 60.00 |
| | 6 to 8 ft. | .70 | 6.00 | 50.00 |
| Poplar | 6 to 8 ft. | 1.00 | | |
| Pyramidal | 6 to 8 ft. | 1.00 | | |
| | 4 to 6 ft. | .80 | | |
| Purple-leaved | 4 to 6 ft. | .75 | | |
| Red or River..... | 8 to 10 ft. | 1.00 | 7.50 | |
| | 6 to 8 ft. | .75 | 6.00 | |
| Upright | 10 to 12 ft. | .80 | 7.00 | |
| | 8 to 10 ft. | .70 | 6.00 | |
| BIRD CHERRY —(Cerasus Padus) .. | | | | |
| | 12 to 15 ft. | 1.00 | 8.00 | 70.00 |
| | 10 to 12 ft. | .80 | 7.00 | 60.00 |
| | 8 to 10 ft. | .70 | 6.00 | 50.00 |
| BROUSSONETIA —(Paper Mul- | | | | |
| berry) | 12 to 15 ft. | 1.00 | 7.50 | |
| | 10 to 12 ft. | .80 | 6.50 | |
| CATALPA —(Bungei) | | | | |
| | 6 to 8 ft. | 1.00 | | |
| Channanon | 6 to 8 ft. | .75 | 6.00 | |
| Common (Syringafolia)..... | 8 to 10 ft. | .50 | 4.00 | 35.00 |
| Kaempferi | 6 to 8 ft. | .60 | 5.00 | |
| Western (speciosa)... | 6 to 8 ft. | .50 | 4.00 | 35.00 |
| | 4 to 6 ft. | .40 | 3.50 | 30.00 |
| COTTONWOOD —(Populus del- | | | | |
| toides) | 10 to 12 ft. | .60 | 5.00 | 40.00 |
| | 8 to 10 ft. | .50 | 4.00 | 30.00 |
| ELM —(Ulmus)—All of our elms are budded and | | | | |
| are therefore far superior to seedling trees, | | | | |
| no two of which have the same habit or | | | | |
| foliage. | | | | |
| American White | 12 to 15 ft. | 1.00 | 8.00 | 75.00 |
| | 10 to 12 ft. | .80 | 7.50 | 60.00 |
| | 8 to 10 ft. | .70 | 6.00 | 50.00 |
| American Black..... | 8 to 10 ft. | 1.00 | 8.00 | |
| Berardi | 6 to 8 ft. | 1.00 | | |
| Clemmeri | 8 to 10 ft. | 1.00 | 8.00 | 70.00 |
| | 6 to 8 ft. | .80 | 7.00 | 60.00 |
| Cork Bark..... | 12 to 15 ft. | .80 | 7.00 | 60.00 |
| | 10 to 12 ft. | .70 | 6.00 | 50.00 |
| | 8 to 10 ft. | .60 | 5.00 | 40.00 |
| English or French..... | 12 to 15 ft. | .80 | 7.00 | 60.00 |
| | 10 to 12 ft. | .70 | 6.00 | 50.00 |
| | 8 to 10 ft. | .60 | 5.00 | 40.00 |
| Golden English..... | 8 to 10 ft. | 1.25 | 10.00 | |
| Huntingdon | 12 to 15 ft. | .80 | 7.00 | 60.00 |

| ELM—Continued). | | | Each | Per 10 | Per 100 |
|---------------------------------|--------------|--|--------------|--------|---------|
| Huntingdon | 10 to 12 ft. | | .70 | 6.00 | 50.00 |
| | 8 to 10 ft. | | .60 | 5.00 | 40.00 |
| Monumental | 12 to 15 ft. | | 1.25 | 10.00 | |
| | 10 to 12 ft. | | 1.00 | 8.00 | |
| Nettle-leaved | 6 to 8 ft. | | 1.00 | | |
| Purple-leaved | 10 to 12 ft. | | 1.00 | 8.00 | |
| | 8 to 10 ft. | | .80 | 7.00 | |
| | 6 to 8 ft. | | .70 | 6.00 | |
| Variegated | 12 to 15 ft. | | 1.00 | 9.00 | |
| | 10 to 12 ft. | | .90 | 8.00 | |
| | 6 to 8 ft. | | .80 | 7.00 | |
| FRINGE TREE—(Chionanthus).... | | | 4 to 6 ft. | .60 | 5.00 |
| HACKBERRY—(Celtis) Australis... | | | 10 to 12 ft. | .75 | 6.00 |
| | 8 to 10 ft. | | .60 | 5.00 | |
| Occidentalis | 12 to 15 ft. | | .80 | 7.00 | 60.00 |
| | 10 to 12 ft. | | .70 | 6.00 | 50.00 |
| | 8 to 10 ft. | | .60 | 5.00 | 40.00 |
| HONEY LOCUST—(Gleditschia).... | | | 12 to 15 ft. | 1.00 | 8.00 |
| | 10 to 12 ft. | | .80 | 7.00 | 60.00 |
| | 8 to 10 ft. | | .70 | 6.00 | 50.00 |
| HORSE CHESTNUT—(Aesculus). | | | | | |
| Red Flowering | 3 to 4 ft. | | .50 | 4.00 | |
| White Flowering | 3 to 4 ft. | | .50 | 4.00 | |
| HORNBEAM—European (Carpinus) | | | 8 to 10 ft. | .60 | 5.00 |
| | 6 to 8 ft. | | .50 | 4.00 | 40.00 |
| JUDAS TREE—(Cercis) Red Flow- | | | | | |
| ering | 8 to 10 ft. | | 1.00 | 8.00 | |
| | 6 to 8 ft. | | .80 | 7.00 | |
| | 4 to 6 ft. | | .70 | 6.00 | |
| White Flowering | 6 to 8 ft. | | .80 | 7.00 | |
| | 4 to 6 ft. | | .70 | 6.00 | |
| KENTUCKY COFFEE TREE—(Gym- | | | | | |
| nocladus) | 8 to 10 ft. | | 1.00 | 8.00 | |
| | 4 to 6 ft. | | .75 | 6.00 | |
| KOLREUTERIA—Paniculata | | | 10 to 12 ft. | 1.00 | 8.00 |
| | 8 to 10 ft. | | .80 | 7.00 | |
| | 6 to 8 ft. | | .70 | 6.00 | |
| LINDEN—(Tilia) American | | | 8 to 10 ft. | 1.00 | 7.50 |
| | 4 to 6 ft. | | .50 | 4.00 | |
| European | 4 to 6 ft. | | .50 | 4.00 | |
| White or Silver-leaved | 4 to 6 ft. | | .50 | 4.00 | |
| LIQUIDAMBAR—Stryaciflua (Sweet | | | | | |
| Gum Tree) | 12 to 15 ft. | | 1.25 | 10.00 | |
| | 10 to 12 ft. | | 1.00 | 8.00 | 70.00 |
| | 8 to 10 ft. | | .80 | 7.00 | 60.00 |
| | 6 to 8 ft. | | .70 | 6.00 | 50.00 |
| LOCUST—(Robinia). | | | | | |
| Bessoniana (Umbrella Locust) | 10 to 12 ft. | | 1.00 | 7.50 | 60.00 |
| | 8 to 10 ft. | | .75 | 6.00 | 50.00 |
| Common or Black | 12 to 15 ft. | | .70 | 6.00 | 50.00 |
| | 10 to 12 ft. | | .60 | 5.00 | 40.00 |
| | 8 to 10 ft. | | .50 | 4.00 | 35.00 |
| Decaisneana (Pink Flowering) | 12 to 15 ft. | | 1.25 | 10.00 | |
| | 10 to 12 ft. | | 1.00 | 8.00 | |
| | 8 to 10 ft. | | .80 | 7.00 | |
| Inermis (Thornless) | 12 to 15 ft. | | 1.25 | 10.00 | |
| | 10 to 12 ft. | | 1.00 | 8.00 | |
| Neo Mexicana (New) | 12 to 15 ft. | | 1.25 | 10.00 | |
| | 10 to 12 ft. | | 1.00 | 8.00 | |
| | 8 to 10 ft. | | .80 | 7.00 | |
| Rose Flowering (Hispidula) | 8 to 10 ft. | | 1.00 | 8.00 | |
| Rosinskyana (New) | 10 to 12 ft. | | 1.25 | 10.00 | |
| | 8 to 10 ft. | | 1.00 | 8.00 | |
| Semperflorens | 10 to 12 ft. | | 1.00 | 8.00 | |
| | 6 to 8 ft. | | .80 | 7.00 | |

| | | Each | Per 10 | Per 100 |
|--|--------------|------|--------|---------|
| MAGNOLIA — <i>Acuminata</i> | 3 to 4 ft. | .80 | 7.50 | |
| <i>Stellata</i> | 3 to 4 ft. | .80 | 7.50 | |
| MAIDEN HAIR TREE —(<i>Salisburia</i>). 4 to 6 ft. | | 1.00 | | |
| MAPLE —(<i>Acer</i>) Ash-leaved or Box | | | | |
| Elder | 12 to 15 ft. | 1.00 | 8.00 | |
| | 10 to 12 ft. | .80 | 7.00 | 60.00 |
| | 8 to 10 ft. | .75 | 6.00 | 50.00 |
| California (<i>Macrophyllum</i>)..... | 10 to 12 ft. | .75 | 6.00 | 50.00 |
| | 8 to 10 ft. | .60 | 5.00 | 40.00 |
| | 6 to 8 ft. | .50 | 4.00 | 30.00 |
| English or Cork-barked (<i>Campestris</i>) | 12 to 15 ft. | .70 | 6.00 | 50.00 |
| | 10 to 12 ft. | .60 | 5.00 | 40.00 |
| | 8 to 10 ft. | .50 | 4.00 | 35.00 |
| Montpellier (<i>Monspessulanum</i>)..... | 10 to 12 ft. | .70 | 6.00 | 50.00 |
| | 8 to 10 ft. | .60 | 5.00 | 40.00 |
| | 6 to 8 ft. | .50 | 4.00 | 35.00 |
| Norway (<i>Platanoides</i>)..... | 12 to 15 ft. | .70 | 6.00 | 50.00 |
| | 10 to 12 ft. | .60 | 5.00 | 40.00 |
| | 8 to 10 ft. | .50 | 4.00 | 30.00 |
| Reitenbachi | 10 to 12 ft. | .75 | 6.00 | |
| | 8 to 10 ft. | .60 | 5.00 | |
| Schwedlerii | 8 to 10 ft. | 1.00 | 8.00 | |
| | 6 to 8 ft. | .80 | 7.00 | |
| Sugar or Rock (<i>Saccharum</i>).... | 6 to 8 ft. | .75 | 6.00 | |
| Silver or Soft (<i>Dasycarpum</i>)..... | 12 to 15 ft. | .70 | 6.00 | 50.00 |
| | 10 to 12 ft. | .60 | 5.00 | 40.00 |
| | 8 to 10 ft. | .50 | 4.00 | 30.00 |
| Sycamore (<i>Pseudo Platanus</i>)..... | 12 to 15 ft. | .70 | 6.00 | 50.00 |
| | 10 to 12 ft. | .60 | 5.00 | 40.00 |
| | 8 to 10 ft. | .50 | 4.00 | 30.00 |
| MOUNTAIN ASH —(<i>Sorbus</i>). European | 10 to 12 ft. | .75 | 6.00 | |
| | 8 to 10 ft. | .60 | 5.00 | |
| MULBERRY —(<i>Morus</i>). Downing's Everbearing..... | 12 to 15 ft. | 1.00 | 7.50 | |
| | 10 to 12 ft. | .80 | 7.00 | |
| | 8 to 10 ft. | .70 | 6.00 | |
| Lick's American | 10 to 12 ft. | .80 | 7.00 | 60.00 |
| | 8 to 10 ft. | .70 | 6.00 | 50.00 |
| Multicaulus (Italian)..... | 12 to 15 ft. | .60 | 5.00 | 40.00 |
| | 10 to 12 ft. | .50 | 4.00 | 30.00 |
| | 8 to 10 ft. | .40 | 3.00 | 25.00 |
| New American..... | 10 to 12 ft. | .75 | 6.00 | 50.00 |
| | 8 to 10 ft. | .60 | 5.00 | 40.00 |
| | 6 to 8 ft. | .50 | 4.00 | 30.00 |
| Persian or English..... | 3 to 4 ft. | 1.00 | | |
| Russian | 10 to 12 ft. | 1.00 | 7.50 | |
| | 8 to 10 ft. | .75 | 6.00 | |
| White (<i>Alba</i>) | 10 to 12 ft. | .60 | 5.00 | 40.00 |
| | 8 to 10 ft. | .50 | 4.00 | 30.00 |
| OAK —(<i>Quercus</i>) English (<i>robur</i>).... | 12 to 15 ft. | .80 | 7.00 | 60.00 |
| | 10 to 12 ft. | .70 | 6.00 | 50.00 |
| | 8 to 10 ft. | .60 | 5.00 | 35.00 |
| Pin (<i>Palustris</i>) | 6 to 8 ft. | .60 | 5.00 | |
| | 4 to 6 ft. | .50 | 4.00 | |
| Red American (<i>Rubra</i>)..... | 6 to 8 ft. | .60 | 5.00 | |
| | 4 to 6 ft. | .50 | 4.00 | |
| Pyramidal | 10 to 12 ft. | 1.25 | | |
| | 4 to 6 ft. | 1.00 | 7.50 | |
| Scarlet (<i>Coccinea</i>)..... | 8 to 10 ft. | .70 | 6.00 | 50.00 |
| | 6 to 8 ft. | .60 | 5.00 | 40.00 |
| Turkey (<i>Cerris</i>)..... | 8 to 10 ft. | .60 | 5.00 | 40.00 |
| | 6 to 8 ft. | .50 | 4.00 | 30.00 |
| Valley (<i>Lobata</i>)..... | 6 to 8 ft. | .50 | 4.00 | 30.00 |
| | 4 to 6 ft. | .40 | 3.00 | 25.00 |
| Vallonea (<i>Aegilops</i>)..... | 3 to 4 ft. | 1.00 | | |
| PAULOWNIA — <i>Imperialis</i> | 6 to 8 ft. | 1.00 | 8.00 | |

| | | Each | Per 10 | Per 100 |
|---|--------------|------|--------|---------|
| PEACH —(Persica) Blood-leaved.... | 4 to 6 ft. | .40 | 3.00 | |
| Flowering, assorted..... | 4 to 6 ft. | .40 | 3.00 | |
| Camelliaeflora | | | | |
| Double Pink | | | | |
| Double Red | | | | |
| Double White | | | | |
| PLUM —(Prunus Pissardi). | | | | |
| Blood-leaved | 4 to 6 ft. | .40 | 3.00 | |
| Double Flowering | 4 to 6 ft. | .40 | 3.00 | |
| PLUM —Burbank's latest introduction. Intro- duced solely by us. Write for illustrated booklet. | | | | |
| Vesuvius | 4 to 6 ft. | 2.00 | 15.00 | |
| POPLAR —(Populus Angulata) New. | 10 to 12 ft. | .60 | 5.00 | 40.00 |
| | 8 to 10 ft. | .50 | 4.00 | 30.00 |
| Angustifolia (New)..... | 8 to 10 ft. | .75 | 6.00 | |
| Aurea Van Geertii..... | 10 to 12 ft. | .50 | 4.00 | 30.00 |
| | 8 to 10 ft. | .40 | 3.00 | 25.00 |
| | 6 to 8 ft. | .30 | 2.50 | 20.00 |
| Balm of Gilead (Balsam)..... | 12 to 15 ft. | .50 | 4.00 | 30.00 |
| \$200.00 per 1,000..... | 10 to 12 ft. | .40 | 3.00 | 25.00 |
| \$150.00 per 1,000..... | 8 to 10 ft. | .30 | 2.50 | 20.00 |
| Bolleana | 15 to 20 ft. | .75 | 6.00 | 50.00 |
| | 12 to 15 ft. | .50 | 4.00 | 30.00 |
| | 10 to 12 ft. | .40 | 3.00 | 25.00 |
| | 8 to 10 ft. | .30 | 2.50 | 20.00 |
| | 6 to 8 ft. | .25 | 2.00 | 15.00 |
| Carolina | 15 to 20 ft. | .75 | 6.00 | 50.00 |
| \$250.00 per 1,000..... | 12 to 15 ft. | .50 | 4.00 | 30.00 |
| \$180.00 per 1,000..... | 10 to 12 ft. | .40 | 3.00 | 20.00 |
| \$125.00 per 1,000..... | 8 to 10 ft. | .30 | 2.00 | 15.00 |
| Lombardy—\$250.00 per 1,000..... | 12 to 15 ft. | .50 | 4.00 | 30.00 |
| \$180.00 per 1,000..... | 10 to 12 ft. | .40 | 3.00 | 20.00 |
| \$125.00 per 1,000..... | 8 to 10 ft. | .30 | 2.00 | 15.00 |
| Pyramidal | 10 to 12 ft. | .50 | 4.00 | 30.00 |
| | 8 to 10 ft. | .40 | 3.00 | 25.00 |
| Trichocarpa (New) .. | 8 to 10 ft. | .50 | 4.00 | 30.00 |
| | 6 to 8 ft. | .40 | 3.00 | 25.00 |
| SERVICE TREE (Sorbus domestica) | 8 to 10 ft. | 1.00 | 8.00 | |
| | 6 to 8 ft. | .80 | 7.00 | |
| SIBERIAN PEA TREE (Caragana arborescens) | 6 to 8 ft. | .80 | 7.00 | |
| | 4 to 6 ft. | .75 | 6.00 | |
| SOPHORA —Japonica (Japan Pa- goda Tree)..... | 8 to 10 ft. | .80 | 7.00 | 60.00 |
| | 6 to 8 ft. | .70 | 6.00 | 50.00 |
| SYCAMORE —(Platanus) American | | | | |
| Plane | 8 to 10 ft. | .75 | 6.00 | |
| European | 15 to 18 ft. | 1.00 | 8.00 | 70.00 |
| | 12 to 15 ft. | .80 | 7.00 | 60.00 |
| | 10 to 12 ft. | .70 | 6.00 | 50.00 |
| | 8 to 10 ft. | .60 | 5.00 | |
| TAXODIUM —Distichum (Bald Cy- press) | 2 to 3 ft. | .50 | 4.00 | |
| TEXAS UMBRELLA —(Melia). This beautiful tree is so well adapted to the great valleys of California and the demand for it has been so heavy, we have finally grown a stock of these trees large enough, we hope, to be in position to meet all demands. Our enor- mous stock places us in a position to offer our trees at exceptionally low prices, and we trust the inducements we are making will encourage the extensive planting of this re- markably rapid growing and attractive tree. | | | | |
| Well branched, fine strong heads. | 10 to 12 ft. | 1.00 | 7.50 | 60.00 |
| Branched | 8 to 10 ft. | .75 | 6.00 | 40.00 |
| Branched | 6 to 8 ft. | .60 | 5.00 | 35.00 |
| Branched | 5 to 6 ft. | .50 | 4.00 | 25.00 |
| Branched | 4 to 5 ft. | .40 | 3.00 | 20.00 |

PRICE LIST OF

| | | Each | Per 10 | Per 100 |
|--|--------------|------|--------|---------|
| THORN —(Crataegus) | 10 to 12 ft. | 1.00 | 7.50 | |
| | 8 to 10 ft. | .75 | 6.00 | |
| | 6 to 8 ft. | .60 | 5.00 | |
| English Hawthorne | | | | |
| Double White | | | | |
| Paul's Double Scarlet | | | | |
| Pink | | | | |
| TULIP —(Liriodendron tulipifera)... | 10 to 12 ft. | 1.00 | 7.50 | |
| | 8 to 10 ft. | .75 | 6.00 | |
| | 6 to 8 ft. | .60 | 5.00 | |
| VIRGILEA —Lutea (Yellow Wood).. | 8 to 10 ft. | .75 | 6.00 | |
| | 6 to 8 ft. | .60 | 5.00 | |
| WALNUT —American Black, Califor- | | | | |
| nia Black, see page 9. | | | | |
| WILLOW —(Salix) Golden..... | 6 to 8 ft. | .60 | 5.00 | |
| Osier or Basket..... | 6 to 8 ft. | .50 | 4.00 | |

WEEPING DECIDUOUS TREES

| | | Each | Per 10 | Per 100 |
|--|--------------|------|--------|---------|
| ASH —(Fraxinus)—European | 8 to 10 ft. | 1.00 | 8.00 | |
| Gold-barked | 8 to 10 ft. | 1.00 | 8.00 | |
| BIRCH —(Betula) Cut-leaved..... | 6 to 8 ft. | 1.25 | 10.00 | |
| CHERRY —Flowering Weeping..... | 6 to 8 ft. | 1.25 | | |
| Extra strong heads | 8 to 10 ft. | 1.50 | 12.50 | |
| ELM —(Ulmus) Camperdown..... | 6 to 8 ft. | 1.25 | 10.00 | |
| Cork-barked Weeping..... | 8 to 10 ft. | 1.50 | 12.50 | |
| | 6 to 8 ft. | 1.25 | 10.00 | |
| Rough-leaved Weeping..... | 6 to 8 ft. | 1.25 | 10.00 | |
| LINDEN —(Tilia) White-leaved..... | 6 to 8 ft. | 1.25 | 10.00 | |
| LOCUST | 8 to 10 ft. | 1.50 | | |
| MAPLE —Weir's Cut-leaved..... | 8 to 10 ft. | 1.00 | 8.00 | |
| MULBERRY —(Morus) Extra strong | | | | |
| heads | 8 to 10 ft. | 1.50 | 12.50 | |
| Teas Russian..... | 8 to 10 ft. | 1.25 | 10.00 | |
| | 6 to 8 ft. | 1.00 | 8.00 | |
| POPLAR —(Populus) Large-leaved.. | 10 to 12 ft. | 1.25 | 10.00 | |
| | 8 to 10 ft. | 1.00 | 8.00 | |
| SOPHORA —Extra strong heads..... | 6 to 8 ft. | 1.50 | 12.50 | |
| Medium heads..... | 6 to 8 ft. | 1.25 | 10.00 | |
| THORN —(Crataegus) | 6 to 8 ft. | 1.25 | 10.00 | |
| WALNUT —(Juglans) | 6 to 8 ft. | 2.00 | | |
| WILLOW —(Salix) Common..... | 10 to 12 ft. | .75 | 6.00 | 50.00 |
| | 8 to 10 ft. | .50 | 4.00 | 30.00 |
| New American..... | 12 to 15 ft. | .80 | 7.00 | 60.00 |
| | 10 to 12 ft. | .70 | 6.00 | 50.00 |
| | 8 to 10 ft. | .50 | 4.00 | 30.00 |
| | 6 to 8 ft. | .40 | 3.00 | 20.00 |

DECIDUOUS SHRUBS

| | | Each | Per 10 | Per 100 |
|--|------------|------|--------|---------|
| ALTHEA —(Hibiscus) Rose of Sharon | 3 to 4 ft. | .40 | 3.00 | |
| Double Pink | | | | |
| Double Red | | | | |
| Double White | | | | |
| Single White | | | | |
| Variegated leaved | | | | |
| White, rose center | | | | |
| Meehanii (New)..... | | .75 | | |

| | | | Each | Per 10 | Per 100 |
|---|------------|------|------|--------|---------|
| ARALIA —Japonica (Chinese Angelica | | | | | |
| Tree) | 4 to 6 ft. | | .75 | 6.00 | |
| Spinosa (Angelica Tree) | 4 to 6 ft. | | .75 | 6.00 | |
| BERBERRY —(Berberis) | 3 to 4 ft. | | .40 | 3.00 | |
| | 2 to 3 ft. | | .30 | 2.50 | |
| Common Purple-leaved | | | | | |
| BUCKTHORN —(Rhamnus Catharti- | | | | | |
| cus) | 6 to 8 ft. | | .60 | 5.00 | |
| | 4 to 6 ft. | | .50 | 4.00 | |
| CALYCANTHUS —(Sweet Shrub) | 3 to 4 ft. | | .40 | 3.00 | |
| Floridus, double purple | | | | | |
| Praecox, yellow | | | | | |
| CHAMAECERASUS —Alberti. | | | | | |
| Upright Honeysuckle | 2 to 3 ft. | | .40 | 3.00 | |
| CHERRY —Flowering | 4 to 6 ft. | | .50 | 4.00 | |
| | 3 to 4 ft. | | .40 | 3.00 | |
| Double creamy pink | | | | | |
| Double red | | | | | |
| Double white | | | | | |
| Single white (large) | | | | | |
| CORCHORUS —(Japanese Rose). | | | | | |
| Japonica | 3 to 4 ft. | | .40 | 3.00 | |
| Silver Variegated | 3 to 4 ft. | | .50 | 4.00 | |
| CRAPE MYRTLE —(Lagerstroemia). | 4 to 6 ft. | | .60 | 5.00 | 40.00 |
| | 3 to 4 ft. | | .50 | 4.00 | 30.00 |
| Pink Purple | | | | | |
| White | 3 to 4 ft. | 1.00 | 7.50 | | |
| DEUTZIA | 4 to 6 ft. | | .40 | 3.00 | |
| | 3 to 4 ft. | | .30 | 2.50 | |
| Crenata, double white, tinged with rose | | | | | |
| Candidissima, large double white | | | | | |
| Fortunei, large, pure white | | | | | |
| Scabra, bell shaped, in small clusters | | | | | |
| DOGWOOD —(Cornus) Red Branched. | 4 to 6 ft. | | .50 | 4.00 | 30.00 |
| | 3 to 4 ft. | | .40 | 3.00 | 25.00 |
| Variegated | 3 to 4 ft. | | .60 | 5.00 | |
| ELDER —(Sambucus) | 4 to 6 ft. | | .40 | 3.00 | |
| | 3 to 4 ft. | | .30 | 2.50 | |
| Common | | | | | |
| Cut-leaved | | | | | |
| Golden-leaved | | | | | |
| Pyramidal | | | | | |
| Silver-leaved | | | | | |
| ERYTHRINA —(Christa Galli) Coral Plant. | | | .50 | 4.00 | |
| EUONYMUS —European (Spindle | | | | | |
| Tree) | 4 to 6 ft. | | .50 | 4.00 | |
| | 3 to 4 ft. | | .40 | 3.00 | |
| FILBERT —(Corylus) Purple-leaved. | 2 to 3 ft. | | .50 | | |
| FORSYTHIA —(Golden Bell) | 3 to 4 ft. | | .35 | 3.00 | |
| Suspensa, yellow | | | | | |
| Viridissima, deep yellow | | | | | |
| HYDRANGEA | 5 in. pot | | .50 | | |
| | 3½ in. pot | | .35 | | |
| Hortensis, bluish pink | | | | | |
| Paniculata Grandiflora, whitish, changing to | | | | | |
| purplish | | | | | |
| Thomas Hogg, pure white | | | | | |
| Hortensis variegata, variegated leaves | | | | | |
| LEMON VERBENA —(Lippia citri- | | | | | |
| odora) | 4 to 6 ft. | | .50 | 4.00 | 30.00 |
| | 3 to 4 ft. | | .40 | 3.00 | 25.00 |

| | | | Each | Per 10 | Per 100 |
|---|--------------|--|------|--------|---------|
| LILAC —(Syringa) | 3 to 4 ft. | | .40 | 3.00 | |
| Common Purple | Common White | | | | |
| LILAC —Grafted and budded..... | 3 to 4 ft. | | .60 | 5.00 | 40.00 |
| | 2 to 3 ft. | | .50 | 4.00 | 30.00 |
| Alba Grandiflora, white | | | | | |
| Ambroise Verschaffelt, dark red, single | | | | | |
| Charles Joly, double purple | | | | | |
| Charles X., reddish purple | | | | | |
| Dr. Von Regel, single, rosy lilac | | | | | |
| Geant des Batailles, blue, superb | | | | | |
| La Tour d'Auvergne, double, extra large | | | | | |
| violet purple | | | | | |
| Lemoinei flore pleno, reddish purple, double | | | | | |
| Ludwig Spathe, large, single, dark purplish red | | | | | |
| Mad. Briot, bright red | | | | | |
| Marie Legraye, finest white | | | | | |
| Michel Buchner, dwarf, pale lilac | | | | | |
| Mme. Casimir Perier, new, fine double white | | | | | |
| Persica, bright purple | | | | | |
| Persica Alba, white | | | | | |
| Persica Laciniata, cut-leaved | | | | | |
| President Grevy, large, double blue | | | | | |
| President Massart, large, purple | | | | | |
| Professor E. Stockhardt, lavender | | | | | |
| Renoncule, mauve, double | | | | | |
| Rotomagensis Rubra, panicles largest size, red- | | | | | |
| dish flowers | | | | | |
| Villosa, large, light purple, late | | | | | |
| Virginalis, white, delicate | | | | | |
| MOCK ORANGE —(Philadelphus)... 4 to 6 ft. | | | .50 | 4.00 | |
| 3 to 4 ft. | | | .40 | 3.00 | |
| Coronarius flore pleno, double white | | | | | |
| Coronarius aureus, golden-leaved | | | | | |
| Deutziaeflorus, large double white | | | | | |
| Grandiflorus, large white | | | | | |
| Inodorus, large, white, scentless | | | | | |
| Lemoinei, semi-double, very fragrant | | | | | |
| POINCIANA GILLIESII —Bird of | | | | | |
| Paradise | 3 to 4 ft. | | .50 | 4.00 | |
| POMEGRANATE (Punica)..... 4 to 6 ft. | | | .50 | 4.00 | 30.00 |
| 3 to 4 ft. | | | .40 | 3.00 | 25.00 |
| Mme. Legrellei, double scarlet, edged yellow | | | | | |
| Double White, double white | | | | | |
| Double Scarlet | | | | | |
| POMEGRANATE | 2 to 3 ft. | | .60 | 5.00 | |
| Dwarf Scarlet, double scarlet | | | | | |
| Dwarf White, double white | | | | | |
| QUINCE —(Cydonia) | 3 to 4 ft. | | .40 | 3.00 | 25.00 |
| Candidissima | | | | | |
| Grandiflora Rosea | | | | | |
| Japan Scarlet | | | | | |
| Japan White | | | | | |
| Red Flowering | | | | | |
| Umbilicata | | | | | |
| White Flowering | | | | | |
| RHODOTYPOS —Kerriodes, white... 3 to 4 ft. | | | .35 | 3.00 | |
| SMOKE TREE —(Rhus Cotinus).... 3 to 4 ft. | | | .40 | 3.50 | |
| SNOWBALL —(Viburnum) | | | | | |
| Snowball Tree..... | 2 to 3 ft. | | .40 | 3.00 | |
| Japan Snowball..... | 2 to 3 ft. | | .60 | 5.00 | |
| SNOWBERRY —(Symphoricarpus) .. 3 to 4 ft. | | | .50 | 4.00 | |
| Racemosus, pink flowers, white berries | | | | | |
| Racemosus variegata, variegated foliage | | | | | |

| | | Each | Per 10 | Per 100 |
|---|-------------|------|--------|---------|
| SPIRAEA | 4 to 6 ft. | .50 | 4.00 | 30.00 |
| | 3 to 4 ft. | .40 | 3.00 | 25.00 |
| Billardi alba, white | | | | |
| Bumalda, rosy pink | | | | |
| Callosa Alba, white | | | | |
| Callosa macrophylla, large leaved | | | | |
| Callosa Superba, rose | | | | |
| Paniculata Rosea, rose | | | | |
| Prunifolia plena, prune leaf | | | | |
| Reevesiana, Bridal Wreath | | | | |
| Thunbergii, white rosy | | | | |
| Ulmifolia, Elm leaved | | | | |
| Van Houttei, white | | | | |
| Anthony Waterer (new), crimson flowers... | | .75 | 6.00 | |
| STAPHYLEA—Colchica (Bladder | | | | |
| Nut) | 3 to 4 ft. | .50 | 4.00 | |
| SUMACH—(Rhus) Cut-leaved..... | 4 to 6 ft. | .60 | 5.00 | |
| | 3 to 4 ft. | .50 | 4.00 | |
| TAMARIX—(Tamarisk) | 8 to 10 ft. | .60 | 5.00 | |
| | 6 to 8 ft. | .50 | 4.00 | |
| Gallica, French | | | | |
| Germanica, German | | | | |
| Hispida estivalis (new), bluish leaves, | | | | |
| red carmine flowers..... | 6 to 8 ft. | .60 | 5.00 | |
| TREE PEONY—(Paeonia) Assorted colors..... | | 1.50 | 12.00 | |
| VITEX—Agnus castus (Chaste tree). 3 to 4 ft. | | .50 | 4.00 | |
| WEIGELA—(Diervilla) | 4 to 6 ft. | .50 | 4.00 | 30.00 |
| | 3 to 4 ft. | .40 | 3.00 | 25.00 |
| Abel Carriere, deep rose | | | | |
| Florida Candida, pure white | | | | |
| Lavallei, dark purplish | | | | |
| Nana variegata, dwarf variegated, | | | | |
| white flowers | | | | |
| Rosea, rose colored | | | | |
| Stelzneri, dark red | | | | |
| Sieboldii variegated..... | 3 to 4 ft. | .60 | 5.00 | |
| XANTHOCERAS—Sorbifolia | 3 to 4 ft. | .50 | 4.00 | |

EVERGREEN TREES

| | | | | | |
|----------------------------|---------|-------------|-----|------|-------|
| ACACIA—Armata | in pots | 3 to 4 ft. | .50 | 4.00 | |
| | in pots | 2 to 3 ft. | .40 | 3.00 | |
| | in pots | 1 to 2 ft. | .30 | 2.50 | |
| Baileyana | in pots | 4 to 5 ft. | .75 | 6.00 | |
| | in pots | 3 to 4 ft. | .60 | 5.00 | |
| | in pots | 2 to 3 ft. | .50 | 4.50 | |
| Cultriformis | in pots | 4 to 5 ft. | .75 | 6.00 | |
| | in pots | 3 to 4 ft. | .60 | 5.00 | |
| | in pots | 2 to 3 ft. | .50 | 4.00 | |
| Cyanophylla | in pots | 7 to 8 ft. | .60 | 5.00 | |
| | in pots | 4 to 5 ft. | .50 | 4.00 | |
| | in pots | 3 to 4 ft. | .40 | 3.00 | |
| | in pots | 2 to 3 ft. | .30 | 2.50 | |
| Dealbata | in pots | 4 to 5 ft. | .60 | 5.00 | |
| | in pots | 3 to 4 ft. | .50 | 4.00 | |
| | in pots | 2 to 3 ft. | .40 | 3.00 | 25.00 |
| | in pots | 1½ to 2 ft. | .30 | 2.00 | 15.00 |
| Decurrens | in pots | 4 to 5 ft. | .75 | 6.00 | |
| | in pots | 3 to 4 ft. | .60 | 5.00 | 40.00 |
| | in pots | 2 to 3 ft. | .50 | 4.00 | 30.00 |
| | in pots | 1½ to 2 ft. | .40 | 3.00 | |
| Farnesiana | in pots | 3 to 4 ft. | .75 | 6.00 | |
| | in pots | 2 to 3 ft. | .60 | 5.00 | |
| Floribunda | in pots | 5 to 7 ft. | .60 | 5.00 | |
| | in pots | 4 to 5 ft. | .50 | 4.00 | |
| | in pots | 2 to 3 ft. | .40 | 3.00 | |
| Giraffae | in pots | 3 to 4 ft. | .75 | 6.00 | |
| | in pots | 2 to 3 ft. | .50 | 4.00 | |

PRICE LIST OF

ACACIA—(Continued).

| | | | Each | Per 10 | Per 100 |
|-------------------|--------------|-------------|------|--------|---------|
| Glaucescens |in pots | 3 to 4 ft. | .50 | 4.00 | |
| |in pots | 2 to 3 ft. | .40 | 3.00 | |
| Latifolia |in pots | 3 to 4 ft. | .50 | 4.00 | |
| |in pots | 2 to 3 ft. | .40 | 3.00 | |
| Leucophylla |in pots | 3 to 4 ft. | .60 | 5.00 | |
| |in pots | 2 to 3 ft. | .50 | 4.00 | |
| |in pots | 1 to 2 ft. | .40 | 3.00 | |
| Linifolia |in pots | 3 to 4 ft. | .50 | 4.00 | |
| |in pots | 2 to 3 ft. | .40 | 3.00 | |
| |in pots | 1 to 2 ft. | .30 | 2.50 | |
| Lopantha gigantea |in pots | 3 to 4 ft. | .60 | 5.00 | |
| Melanoxydon |in pots | 6 to 8 ft. | .75 | 6.00 | 50.00 |
| |in pots | 5 to 6 ft. | .60 | 5.00 | 45.00 |
| |in pots | 4 to 5 ft. | .50 | 4.50 | 40.00 |
| |in pots | 3 to 4 ft. | .40 | 3.50 | 30.00 |
| |in pots | 2 to 3 ft. | .35 | 3.00 | 20.00 |
| Mollissima |in pots | 4 to 5 ft. | .60 | 5.00 | |
| |in pots | 3 to 4 ft. | .50 | 4.00 | |
| |in pots | 2 to 3 ft. | .40 | 3.50 | |
| |in pots | 1 to 2 ft. | .30 | 2.50 | 20.00 |
| Pravissima |in pots | 2 to 3 ft. | .60 | 5.00 | |
| Pycnantha |in pots | 4 to 5 ft. | .60 | 5.00 | |
| |in pots | 3 to 4 ft. | .50 | 4.00 | |
| |in pots | 2 to 3 ft. | .40 | 3.50 | |
| |in pots | 1½ to 2 ft. | .30 | 2.50 | |
| Saliciana |in pots | 3 to 4 ft. | .50 | 4.00 | |
| |in pots | 2 to 3 ft. | .40 | 3.50 | |
| Suaveolens |in pots | 3 to 4 ft. | .60 | 5.00 | |
| |in pots | 2 to 3 ft. | .50 | 4.00 | |
| |in pots | 1 to 2 ft. | .40 | 3.00 | |
| Verticillata |in pots | 3 to 4 ft. | .60 | 5.00 | |
| |in pots | 2 to 3 ft. | .50 | 4.00 | |
| |in pots | 1 to 2 ft. | .40 | 3.00 | |

ARAUCARIA—Bidwilli

| | | | |
|--------------|--------------|-------------|------|
|in tubs | 3 to 4 ft. | 5.00 | |
|in tubs | 2 to 3 ft. | 3.50 | |
|in pots | 1 to 2 ft. | 1.50 | |
| Excelsa |in pots | 2 to 3 ft. | 2.00 |
| |in pots | 1½ to 2 ft. | 1.50 |
| Imbricata |balled | 2 to 3 ft. | 3.00 |
| |in pots | 1½ to 2 ft. | 2.00 |

ARBORVITAE—(Thuya).

| | | | | |
|-------------------------|-----------------|-------------|------|-------|
| Chinese Golden |boxed | 4 to 5 ft. | 3.00 | |
| |balled | 3 to 4 ft. | 2.00 | 15.00 |
| |balled | 2 to 3 ft. | 1.50 | 10.00 |
| |in pots | 8 to 12 in. | .40 | 3.00 |
| Chinese Ever Golden | | | | |
| (Semper Aurea) |boxed | 4 to 5 ft. | 3.00 | |
| |balled | 3 to 4 ft. | 2.00 | 15.00 |
| |balled | 2 to 3 ft. | 1.50 | 12.50 |
| |balled | 1 to 2 ft. | .75 | 6.00 |
| |3 in. pots | 8 to 12 in. | .40 | 3.00 |
| Ellwangeriana |balled | 1 to 2 ft. | 1.00 | 7.50 |
| Gigantea |balled | 3 to 4 ft. | 2.00 | 15.00 |
| |balled | 2 to 3 ft. | 1.50 | 10.00 |
| Hoveyi |balled | 1 to 1½ ft. | 1.00 | 7.50 |
| Japan (Filiformis) |boxed | 4 to 5 ft. | 2.50 | |
| |balled | 3 to 4 ft. | 2.00 | 15.00 |
| |balled | 2 to 3 ft. | 1.50 | 12.00 |
| Occidentalis (American) |balled | 3 to 4 ft. | 1.50 | 12.00 |
| |balled | 2 to 3 ft. | 1.25 | 10.00 |

BRACHYCHITON—(Sterculia).

| | | | | | |
|-------------------------|--------------|-------------|------|------|-------|
| Acerifolium |in pots | 2 to 3 ft. | .60 | 5.00 | |
| Diversifolia and Popul- | | | | | |
| neum |balled | 3 to 4 ft. | 1.00 | 7.50 | |
| |in pots | 5 to 7 ft. | 1.00 | 7.50 | |
| |in pots | 4 to 5 ft. | .75 | 6.00 | |
| |in pots | 3 to 4 ft. | .60 | 5.00 | |
| |in pots | 2 to 3 ft. | .50 | 4.00 | 30.00 |
| |in pots | 1½ to 2 ft. | .40 | 3.00 | 25.00 |

CALIFORNIA LAUREL OR BAY TREE—

| | | | | | |
|----------------|--------------|------------|-----|------|--|
| (Umbellularia) |in pots | 2 to 3 ft. | .75 | 6.00 | |
|----------------|--------------|------------|-----|------|--|

| | | | Each | Per 10 | Per 100 |
|------------------------------------|--------------|--|-------|--------|---------|
| CALIFORNIA BIG TREE— | | | | | |
| (Sequoia Gigantea) .20 in. tubs | 5 to 7 ft. | | 6.00 | | |
|boxed | 4 to 5 ft. | | 5.00 | | |
|balled | 4 to 5 ft. | | 3.00 | 25.00 | 200.00 |
|balled | 3 to 4 ft. | | 2.00 | 15.00 | 120.00 |
|balled | 2 to 3 ft. | | 1.50 | 12.00 | 100.00 |
|balled | 1 to 2 ft. | | 1.25 | 10.00 | |
|4 in. pots | 1 to 2 ft. | | .50 | 4.00 | 30.00 |
|3 in. pots | 8 to 12 in. | | .30 | 2.50 | 20.00 |
|transplanted in flats | | | | | 6.00 |
| Pyramidalis Compacta (New) | | | | | |
|boxed | 4 to 6 ft. | | 6.00 | | |
|balled | 2 to 3 ft. | | 3.00 | | |
| CALIFORNIA EVERGREEN CHERRY | | | | | |
| (Cerasus Illicifolia)in pots | 1 to 2 ft. | | .50 | 4.00 | |
|in pots | 8 to 12 in. | | .40 | 3.00 | |
| CALIFORNIA NUTMEG (Torreya) | | | | | |
|in pots | 2 to 3 ft. | | 1.50 | | |
| CAMPHOR TREE—(Camphora | | | | | |
| officinalis)in pots | 3 to 4 ft. | | .60 | 5.00 | 40.00 |
|in pots | 2 to 3 ft. | | .50 | 4.00 | 30.00 |
|in pots | 1 to 2 ft. | | .40 | 3.00 | 20.00 |
| CASUARINA—Equisetifolia | | | | | |
| (Beefwood)in pots | 4 to 5 ft. | | .60 | 5.00 | |
|in pots | 3 to 4 ft. | | .50 | 4.00 | |
| Strictain pots | 2 to 3 ft. | | .50 | 4.00 | |
|in pots | 1 to 2 ft. | | .40 | 3.00 | |
| CEDAR—(Cedrus) Atlantica | | | | | |
|balled | 4 to 5 ft. | | 4.00 | 30.00 | |
|balled | 1½ to 2 ft. | | 1.50 | 12.00 | |
| Atlantica Aureaballed | 1 to 2 ft. | | 1.50 | | |
| Atlantica Glaucaboxed | 6 to 7 ft. | | 5.00 | | |
|boxed | 4 to 6 ft. | | 4.00 | | |
|balled | 4 to 5 ft. | | 3.50 | | |
|balled | 3 to 4 ft. | | 2.50 | | |
|balled | 2 to 3 ft. | | 2.00 | 15.00 | |
| Atlantica Pyramidalisballed | 2 to 3 ft. | | 3.00 | | |
| Deodara26x26 in. box | 10 to 12 ft. | | 12.00 | | |
|18x18 in. box | 8 to 10 ft. | | 8.00 | | |
|12x12 in. box | 6 to 7 ft. | | 6.00 | | |
|Japanese tubs | 4 to 5 ft. | | 5.00 | | |
|balled | 4 to 5 ft. | | 4.00 | 30.00 | |
|balled | 3 to 4 ft. | | 3.00 | 20.00 | |
|balled | 2 to 3 ft. | | 2.00 | 15.00 | |
|4 in. pots | 1½ to 2 ft. | | .40 | 3.00 | |
| Deodara Variegatedboxed | 4 to 5 ft. | | 6.00 | | |
|balled | 3 to 4 ft. | | 4.00 | | |
|balled | 2 to 3 ft. | | 3.00 | | |
| Deodara Verticillata | | | | | |
| glaucaboxed | 6 to 7 ft. | | 7.00 | | |
|boxed | 4 to 5 ft. | | 5.00 | | |
|balled | 3 to 4 ft. | | 3.00 | | |
|balled | 2 to 3 ft. | | 2.50 | | |
| Libani (Lebanon)balled | 4 to 5 ft. | | 3.50 | | |
|balled | 3 to 4 ft. | | 2.50 | | |
|balled | 2 to 3 ft. | | 1.50 | | |
|3 in. pots | 1 to 2 ft. | | .50 | | |
| CEPHALOTAXUS—Fortunei | | | | | |
|balled | 2 to 3 ft. | | 1.50 | | |
|in pots | 1 to 2 ft. | | 1.00 | | |
| CRYPTOMERIA—Elegans | | | | | |
|balled | 3 to 4 ft. | | 1.50 | 12.50 | |
|balled | 2 to 3 ft. | | 1.25 | 10.00 | |
|in pots | 1 to 2 ft. | | .60 | 5.00 | |
| Japonicaballed | 3 to 4 ft. | | 1.00 | 7.50 | |
|balled | 2 to 3 ft. | | .75 | 6.00 | |
|balled | 1 to 2 ft. | | .50 | 4.00 | |
|3 in. pots | 8 to 12 in. | | .40 | | |

CYPRESS—(Cupressus).

| | | | | | |
|------------------------|-----------------------|--------------|------|-------|------|
| Funeral | balled | 4 to 5 ft. | 1.00 | 8.00 | |
| | balled | 3 to 4 ft. | .75 | 6.00 | |
| | balled | 2 to 3 ft. | .60 | 5.00 | |
| | 4 in. pots | 1 to 2 ft. | .40 | 3.00 | |
| Guadalupensis | balled | 2 to 3 ft. | 1.00 | 7.50 | |
| | 3 in. pots | 1 to 2 ft. | .30 | 2.50 | |
| Italian | boxed | 8 to 9 ft. | 2.50 | | |
| | boxed | 6 to 7 ft. | 1.50 | | |
| | balled | 6 to 7 ft. | 1.25 | 10.00 | |
| | balled | 4 to 5 ft. | 1.00 | 7.50 | |
| | balled | 3 to 4 ft. | .75 | 6.00 | |
| | in pots | 4 to 5 ft. | .60 | 5.00 | |
| | in pots | 3 to 4 ft. | .50 | 4.00 | |
| | in pots | 2 to 3 ft. | .40 | 3.00 | |
| | 3 in. pots | 1 to 2 ft. | .30 | 2.00 | |
| | transplanted in flats | 1 to 1½ ft. | | | 6.00 |
| Lawsoniana | balled | 3 to 4 ft. | 1.00 | 7.50 | |
| | balled | 2 to 3 ft. | .75 | 6.00 | |
| | balled 1½ to 2 ft. | | .50 | 4.00 | |
| | in pots | 2 to 3 ft. | .40 | 3.00 | |
| | in pots 1½ to 2 ft. | | .30 | 2.50 | |
| | transplanted in flats | | | | 6.00 |
| Lawsoniana Argentea... | balled | 1 to 2 ft. | .75 | 6.00 | |
| Lawsoniana Erecta | | | | | |
| Viridis | balled | 1 to 1½ ft. | 1.00 | 7.50 | |
| | in pots | 1 to 1½ ft. | .50 | 4.00 | |
| Lawsoniana Lutea..... | balled | 1 to 1½ ft. | 1.00 | 7.50 | |
| | in pots | 8 to 12 in. | .50 | | |
| Monterey | balled | 3 to 4 ft. | .50 | | |
| | balled | 2 to 3 ft. | .40 | | |
| | in pots | 3 to 4 ft. | .30 | 2.50 | |
| | in pots | 2 to 3 ft. | .25 | 2.00 | |
| (Per 1,000, \$20.00) | | | | | |
| | transplanted in flats | 18 to 24 in. | | | 2.50 |
| (Per 1,000, \$17.50) | | | | | |
| | transplanted in flats | 10 to 12 in. | | | 2.00 |
| Monterey Golden..... | balled | 3 to 4 ft. | 1.00 | | |
| | in pots | 1 to 2 ft. | .50 | | |

EUCALYPTUS—Those varieties listed in boxes are planted in what are known as flats, 100 plants to the box. As it is necessary to cut the boxes in case a smaller quantity is ordered, half boxes will be charged at 1½ cents per tree higher than the hundred rate.

| | | | | | |
|--------------------------------|-----------------------|--------------|-----|------|-------|
| Amygdalina | in pots | 6 to 8 ft. | .50 | 4.00 | |
| | in pots | 4 to 5 ft. | .40 | 3.00 | |
| | in pots | 3 to 4 ft. | .30 | 2.50 | |
| Botryoides | in pots | 4 to 5 ft. | .50 | 4.00 | |
| | in pots | 3 to 4 ft. | .40 | 3.00 | |
| | transplanted in flats | 15 to 18 in. | | | 2.50 |
| Calophylla | in pots | 5 to 7 ft. | .60 | 5.00 | |
| | in pots | 4 to 5 ft. | .40 | 3.00 | 25.00 |
| | in pots | 3 to 4 ft. | .30 | 2.50 | 20.00 |
| | transplanted in flats | 18 to 24 in. | | | 3.00 |
| Citriodora, "Lemon | | | | | |
| Scented" | in pots | 4 to 5 ft. | .60 | 5.00 | |
| | in pots | 3 to 4 ft. | .50 | 4.00 | |
| (\$20.00 per 1,000.) | | | | | |
| | transplanted in flats | 15 to 18 in. | | | 2.50 |
| Cornuta | in pots | 4 to 5 ft. | .60 | 5.00 | |
| | in pots | 3 to 4 ft. | .50 | 4.00 | |
| (\$20.00 per 1,000.) | | | | | |
| | transplanted in flats | 15 to 18 in. | | | 2.50 |
| Corynocalyx—"Sugar | | | | | |
| Gum" | in pots | 4 to 5 ft. | .40 | 3.50 | |
| | in pots | 3 to 4 ft. | .30 | 2.50 | |
| | transplanted in flats | 15 to 18 in. | | | 2.50 |
| Crebra—"Iron Bark"... | in pots | 4 to 5 ft. | .50 | 4.00 | |
| | in pots | 3 to 4 ft. | .40 | 3.00 | |
| | transplanted in flats | 15 to 18 in. | | | 2.50 |
| Picifolia—"Scarlet Flowering". | | 1 to 2 ft. | .50 | | |

EUCALYPTUS—(Continued).

| | | | Each | Per 10 | Per 100 |
|----------------------------|--------------|------------|------|--------|---------|
| Globulus, "Blue Gum"..... | in pots | 5 to 7 ft. | .40 | 3.00 | 25.00 |
| | in pots | 4 to 5 ft. | .30 | 2.50 | 20.00 |
| | in pots | 3 to 4 ft. | .25 | 2.00 | 15.00 |
| (\$18.00 per 1,000.) | | | | | |
|transplanted in flats | 15 to 18 in. | | | | 2.00 |
| Goniocalyx..... | in pots | 3 to 4 ft. | .40 | 3.00 | |
| | in pots | 2 to 3 ft. | .30 | 2.50 | |
|transplanted in flats | 15 to 18 in. | | | | 2.50 |
| Gunni..... | in pots | 5 to 7 ft. | .50 | 4.00 | |
| | in pots | 4 to 5 ft. | .40 | 3.00 | |
| Hemiphloia | | | | | |
| (\$20.00 per 1,000.) | | | | | |
|transplanted in flats | 15 to 18 in. | | | | 2.50 |
| Leucoxylon..... | in pots | 3 to 4 ft. | .40 | 3.00 | |
| | in pots | 2 to 3 ft. | .30 | 2.50 | |
| (\$20.00 per 1,000.) | | | | | |
|transplanted in flats | 15 to 18 in. | | | | 2.50 |
| Leucoxylon Rosea..... | in pots | 3 to 4 ft. | .50 | 4.00 | |
| | in pots | 2 to 3 ft. | .40 | 3.00 | |
|transplanted in flats | 15 to 18 in. | | | | 3.00 |
| Melliodora..... | in pots | 3 to 4 ft. | .50 | 4.00 | |
| | in pots | 2 to 3 ft. | .40 | 3.00 | |
|transplanted in flats | 15 to 18 in. | | | | 2.50 |
| Occidentalis..... | in pots | 3 to 4 ft. | .40 | 3.00 | |
| (\$20.00 per 1,000.) | | | | | |
|transplanted in flats | 15 to 18 in. | | | | 2.50 |
| Pilularis..... | in pots | 4 to 6 ft. | .50 | 4.00 | |
| | in pots | 3 to 4 ft. | .40 | 3.00 | |
|transplanted in flats | 15 to 18 in. | | | | 2.50 |
| Polyanthema..... | in pots | 4 to 6 ft. | .40 | 3.50 | 30.00 |
| | in pots | 3 to 4 ft. | .35 | 3.00 | 25.00 |
|transplanted in flats | 15 to 18 in. | | | | 2.50 |
| Resinifera..... | in pots | 4 to 5 ft. | .50 | 4.00 | |
| | in pots | 3 to 4 ft. | .40 | 3.00 | |
|transplanted in flats | 15 to 18 in. | | | | 2.50 |
| Robusta..... | in pots | 4 to 5 ft. | .40 | 3.00 | |
| | in pots | 3 to 4 ft. | .30 | 2.50 | |
| (\$20.00 per 1,000.) | | | | | |
|transplanted in flats | 15 to 18 in. | | | | 2.50 |
| Rostrata..... | in pots | 5 to 7 ft. | .50 | 4.00 | 30.00 |
| | in pots | 3 to 4 ft. | .40 | 3.00 | 20.00 |
| | in pots | 2 to 3 ft. | .30 | 2.00 | 15.00 |
| (\$20.00 per 1,000.) | | | | | |
|transplanted in flats | 15 to 18 in. | | | | 2.50 |
| Rudis..... | in pots | 6 to 8 ft. | .50 | 4.00 | 30.00 |
| | in pots | 4 to 5 ft. | .40 | 3.00 | 20.00 |
| | in pots | 3 to 4 ft. | .30 | 2.00 | 15.00 |
| (\$20.00 per 1,000.) | | | | | |
|transplanted in flats | 15 to 18 in. | | | | 2.50 |
| Sideroxylon..... | in pots | 4 to 6 ft. | .50 | 4.00 | |
| | in pots | 3 to 4 ft. | .40 | 3.00 | |
|transplanted in flats | 15 to 18 in. | | | | 2.50 |
| Siderophloia..... | in pots | 3 to 4 ft. | .50 | 4.00 | |
| | in pots | 2 to 3 ft. | .40 | 3.00 | |
| (\$20.00 per 1,000.) | | | | | |
|transplanted in flats | 15 to 18 in. | | | | 2.50 |
| Stuartiana..... | in pots | 4 to 5 ft. | .50 | 4.00 | |
| | in pots | 3 to 4 ft. | .40 | 3.00 | |
|transplanted in flats | 15 to 18 in. | | | | 2.50 |
| Tereticornis..... | in pots | 5 to 7 ft. | .50 | 4.00 | |
| | in pots | 4 to 5 ft. | .40 | 3.00 | |
| | in pots | 3 to 4 ft. | .30 | 2.50 | |
| (\$20.00 per 1,000.) | | | | | |
|transplanted in flats | 15 to 18 in. | | | | 2.50 |
| Viminalis..... | in pots | 3 to 4 ft. | .40 | 3.00 | |
| | in pots | 2 to 3 ft. | .30 | 2.50 | |
| (\$20.00 per 1,000.) | | | | | |
|transplanted in flats | 15 to 18 in. | | | | 2.50 |
| Yellow Species (New)..... | in pots | 3 to 4 ft. | .50 | 4.00 | |
| | in pots | 2 to 3 ft. | .40 | 3.00 | |
|transplanted in flats | 15 to 18 in. | | | | 3.00 |
| FICUS—Elastica..... | | | | | |
| | in pots | 3 to 4 ft. | 1.50 | | |
| | in pots | 2 to 3 ft. | 1.25 | | |
| Macrophylla..... | | | | | |
| | in pots | 3 to 4 ft. | 1.50 | | |
| | in pots | 2 to 3 ft. | 1.00 | | |

PRICE LIST OF

| | | | Each | Per 10 | Per 100 |
|---|--------------|--|-------|--------|---------|
| GREVILLEA—Robustain pots | 5 to 7 ft. | | .75 | 6.00 | 50.00 |
|in pots | 4 to 5 ft. | | .60 | 5.00 | 45.00 |
|in pots | 3 to 4 ft. | | .50 | 4.00 | 35.00 |
|in pots | 2 to 3 ft. | | .40 | 3.50 | 25.00 |
|3 in. pots | 1 to 2 ft. | | .30 | 2.50 | 20.00 |
|3 in. pots | 8 to 12 in. | | .20 | 1.50 | 12.00 |
| Thelemanii4 in. pots | | | .50 | | |
| HOLLY—(Ilex) European ...balled | 2 to 3 ft. | | 1.00 | 7.50 | |
|in pots | 1 to 2 ft. | | .75 | 6.00 | |
| Golden Variegated.....balled | 2 to 3 ft. | | 1.50 | | |
|in pots | 1 to 2 ft. | | 1.00 | 7.50 | |
| JACARANDA— | | | | | |
| Mimosoefoliain pots | 2 to 3 ft. | | .40 | 3.00 | |
| JUNIPER—Bermudianaballed | 3 to 4 ft. | | 1.50 | 12.00 | |
|balled | 1 to 2 ft. | | .50 | 4.00 | |
| Irishballed | 6 to 8 ft. | | 2.50 | | |
|balled | 4 to 6 ft. | | 2.00 | | |
|balled | 3 to 4 ft. | | 1.25 | 10.00 | |
|balled | 2 to 3 ft. | | 1.00 | 8.00 | |
| Japan Variegated.....balled | 2 to 3 ft. | | 1.50 | | |
| Neoboriensisballed | 4 to 6 ft. | | 2.00 | | |
| Sabinaballed | 2 to 3 ft. | | 1.25 | | |
| Sabina Variegated.....balled | 2 to 3 ft. | | 1.50 | 12.50 | |
| Virginianaballed | 4 to 6 ft. | | 1.25 | 10.00 | |
|balled | 3 to 4 ft. | | 1.00 | 8.00 | |
| LIBOCEDRUS—Chiliensisballed | 3 to 4 ft. | | 2.00 | 15.00 | |
|balled | 2 to 3 ft. | | 1.50 | 12.00 | |
| Decurrensboxed | 8 to 10 ft. | | 8.00 | | |
|boxed | 6 to 8 ft. | | 6.00 | | |
|balled | 4 to 6 ft. | | 2.00 | 15.00 | |
|balled | 3 to 4 ft. | | 1.50 | 12.00 | |
| Viridisballed | 2 to 3 ft. | | 2.50 | | |
|balled | 1 to 2 ft. | | 2.00 | | |
| LOQUAT—(Eriobotrya)boxed | 8 to 10 ft. | | 3.00 | 25.00 | |
|boxed | 6 to 8 ft. | | 2.00 | 18.00 | |
|balled | 4 to 5 ft. | | 1.25 | 10.00 | |
|balled | 3 to 4 ft. | | 1.00 | 8.00 | |
|balled | 2 to 3 ft. | | .75 | 6.00 | |
|in pots | 4 to 5 ft. | | .75 | 6.00 | |
|in pots | 3 to 4 ft. | | .60 | 5.00 | |
|in pots | 2 to 3 ft. | | .50 | 4.00 | |
|in pots | 1 to 2 ft. | | .30 | 2.50 | |
| Variegatedballed | 3 to 4 ft. | | 1.50 | | |
| MADRONE—(Arbutus)in pots | 1 to 2 ft. | | .75 | | |
| MAGNOLIA—Grandifloraboxed | 12 to 14 ft. | | 15.00 | | |
|boxed | 10 to 12 ft. | | 10.00 | | |
|Japanese tubs | 8 to 9 ft. | | 8.00 | | |
|Japanese tubs | 6 to 8 ft. | | 6.00 | | |
|balled | 4 to 5 ft. | | 2.00 | 15.00 | |
|balled | 3 to 4 ft. | | 1.50 | 12.00 | 100.00 |
|balled | 2 to 3 ft. | | 1.00 | 8.00 | 70.00 |
|balled 1½ to 2 ft. | | | .80 | 7.50 | |
|in pots | 2 to 3 ft. | | .75 | 6.00 | |
|3 in. pots | 1 to 2 ft. | | .30 | 2.50 | 20.00 |
|3 in. pots | 10 to 12 in. | | .20 | 1.50 | 12.00 |
|2½ in. pots | 8 to 10 in. | | .15 | 1.20 | 10.00 |
| La Gallisonniereballed | 2 to 3 ft. | | 2.00 | | |
| Exoniensisballed | 2 to 3 ft. | | 1.50 | 12.00 | |
| OAK—(Quercus) "California Live Oak" | | | | | |
|in pots | 3 to 4 ft. | | .75 | 6.00 | |
|in pots | 2 to 3 ft. | | .60 | 5.00 | |
|3 in. pots | 8 to 10 in. | | .25 | 2.00 | |
| Corkboxed | 8 to 10 ft. | | 5.00 | | |
|balled | 6 to 8 ft. | | 2.00 | 15.00 | |
|balled | 4 to 6 ft. | | 1.50 | 12.00 | |
|balled | 3 to 4 ft. | | 1.25 | 10.00 | |
|in pots | 2 to 3 ft. | | .50 | 4.00 | |
| Holly-leaved4 in. pots 1½ to 2 ft. | | | .40 | 3.00 | 25.00 |
| ORANGE—1½ inches and up in diam- | | | | | |
| eter, in 20 inch Japanese tubs | 4 to 5 ft. | | 4.00 | 35.00 | |
| Oonshui, Thomson Improved Navel and Washington Navel. | | | | | |

| | | | Each | Per 10 | Per 100 |
|---|--------------|--|-------|--------|---------|
| PARKINSONIA —Aculeata..in pots | 1 to 2 ft. | | 1.00 | | |
| PEPPER —(Schinus Molle)..in pots | 6 to 8 ft. | | .80 | 7.00 | 60.00 |
|in pots | 5 to 6 ft. | | .70 | 6.00 | 50.00 |
|in pots | 4 to 5 ft. | | .60 | 5.00 | 40.00 |
|in pots | 3 to 4 ft. | | .50 | 4.00 | 30.00 |
|in pots | 2 to 3 ft. | | .40 | 3.00 | 25.00 |
|3 in. pots | 1 to 2 ft. | | .30 | 2.00 | 15.00 |
| PINE —Austrianballed | 4 to 6 ft. | | 1.50 | 12.50 | |
|balled | 3 to 4 ft. | | 1.25 | 10.00 | |
|balled | 2 to 3 ft. | | 1.00 | 7.50 | |
|3 ½ in. pots | 6 to 8 in. | | .25 | 2.00 | 15.00 |
|transplanted in flats | 6 to 8 in. | | | | 4.00 |
| Coulteriballed | 3 to 4 ft. | | 1.50 | 12.00 | |
|balled | 2 to 3 ft. | | 1.20 | 10.00 | |
| Halepensisboxed | 6 to 8 ft. | | 3.00 | 25.00 | |
|balled | 4 to 6 ft. | | 1.50 | 12.00 | |
|in pots | 2 to 3 ft. | | .40 | 3.00 | |
|4 in. pots | 1 to 2 ft. | | .25 | 2.00 | |
|transplanted in flats | 6 to 8 in. | | | | 4.00 |
| Laricio (Corsican).....balled | 1 to 2 ft. | | .60 | 5.00 | |
|in pots | 6 to 8 in. | | .25 | 2.00 | |
| Lambertiana (Sugar).....balled | 2 to 3 ft. | | .75 | | |
| Maritima (Cluster Pine).balled | 2 to 3 ft. | | .60 | 5.00 | |
|balled | 1 to 2 ft. | | .50 | 4.00 | |
| Montana (Swiss Moun- tain Pine).....balled | 1 to 1 ½ ft. | | .50 | 4.00 | |
| Monterey (Insignis).....balled | 4 to 5 ft. | | .75 | 6.00 | 50.00 |
|balled | 3 to 4 ft. | | .60 | 5.00 | |
|balled | 1 to 2 ft. | | .40 | 3.00 | |
|in pots | 2 to 3 ft. | | .30 | 2.50 | |
|in pots | 1 to 2 ft. | | .25 | 2.00 | |
|transplanted in flats | 10 to 12 in. | | | | 3.00 |
| Pineaballed | 3 to 4 ft. | | 1.00 | 7.50 | |
|balled | 2 to 3 ft. | | .75 | 6.00 | |
| Ponderosaballed | 4 to 6 ft. | | 1.25 | 10.00 | |
|balled | 3 to 4 ft. | | 1.00 | 7.50 | |
|balled | 2 to 3 ft. | | .75 | 6.00 | |
|in pots | 1 to 2 ft. | | .40 | 3.00 | |
|3 in. pots | 10 to 12 in. | | .25 | 2.00 | |
| Pungens.....3 in. pots | 6 to 8 in. | | .20 | 1.50 | |
| Strobusin pots | 1 to 2 ft. | | .75 | | |
| Sylvestrisballed | 4 to 6 ft. | | 1.25 | 10.00 | |
|balled | 3 to 4 ft. | | 1.00 | 8.00 | |
|balled | 2 to 3 ft. | | .75 | 6.00 | |
|in pots | 10 to 12 in. | | .30 | 2.50 | |
| REDWOOD —(Sequoia Sempervirens) | | | | | |
|boxed | 12 to 15 ft. | | 10.00 | | |
|boxed | 10 to 12 ft. | | 8.00 | | |
|boxed | 8 to 10 ft. | | 6.00 | | |
|balled | 6 to 8 ft. | | 2.50 | 20.00 | |
|balled | 4 to 6 ft. | | 2.00 | 15.00 | |
|balled | 3 to 4 ft. | | 1.25 | 10.00 | |
|3 ½ in. pots | 1 to 1 ½ ft. | | .40 | 3.00 | |
| RETINOSPORA —Ericoides..balled 1 ½ to 2 ft. | | | 1.00 | 7.50 | |
|in pots | 1 to 1 ½ ft. | | .60 | 5.00 | |
| Plumosa Aurea.....balled 1 ½ to 2 ft. | | | 1.00 | | |
| SCIADOPITYS —Verticillata (Um- brella Pine).....in pots | 2 to 3 ft. | | 2.00 | | |
| SPRUCE —(Abies) Douglas..balled | 2 to 3 ft. | | 1.50 | 12.00 | |
|balled 1 ½ to 2 ft. | | | .75 | 6.00 | |
| Excelsa (Norway).....balled | 2 to 3 ft. | | 1.25 | 10.00 | |
|balled 1 ½ to 2 ft. | | | .75 | 6.00 | |
| Firmaballed 1 ½ to 2 ft. | | | .75 | | |
| Menziesiiballed | 2 to 3 ft. | | 1.00 | 8.00 | |
| Nordmannianaballed 1 ½ to 2 ft. | | | 1.00 | | |
| Orientalisballed 1 ½ to 2 ft. | | | 1.00 | | |
| Pectinataballed 1 ½ to 2 ft. | | | 1.25 | | |
| Pinsapoballed 1 ½ to 2 ft. | | | 1.25 | | |
| Pungensballed 1 ½ to 2 ft. | | | 1.00 | | |
| Pungens Glauca.....balled 1 ½ to 2 ft. | | | 2.00 | | |
| White (Alba).....balled | 2 to 3 ft. | | 1.50 | | |
|balled 1 ½ to 2 ft. | | | .75 | | |

| STERCULIA—(See Brachychiton). | | Each | Per 10 | Per 100 |
|---|--------------|------|--------|---------|
| THUYOPSIS—Borealis (Nootka | | | | |
| Sound Cypress).....balled | 3 to 4 ft. | 2.00 | 15.00 | |
|balled | 2 to 3 ft. | 1.50 | 12.00 | |
|in pots | 1 ft. | .50 | | |
| Dolobratain pots | 10 to 12 in. | .75 | | |
| Dolobrata variegata.....balled | 1 to 1½ ft. | 1.00 | 8.00 | |
| Glaucaballed | 1½ to 2 ft. | 1.00 | | |
| Glauca Viridis.....balled | 2 to 3 ft. | 1.50 | | |
|balled | 1½ to 2 ft. | 1.00 | | |
| TORREYA—Nucifera (Japan | | | | |
| Nutmeg)in pots | 2 to 3 ft. | 1.25 | | |
| UMBRELLA PINE—(See Sciadopitys). | | | | |
| YEW—(Taxus Baccata) | | | | |
| Englishballed | 1 to 2 ft. | .60 | 5.00 | |
|in pots | 1 to 2 ft. | .50 | 4.00 | |
| Dwarf Golden (Elegantis- | | | | |
| sima)balled | 2 to 3 ft. | 1.50 | | |
|balled | 1 to 2 ft. | 1.00 | | |
| Irish, Pyramidal (Fasti- | | | | |
| giata)balled | 2 to 3 ft. | 1.00 | | |
|balled | 1 to 2 ft. | .75 | | |
| Irish, Variegated.....balled | 1 to 2 ft. | 1.00 | | |

EVERGREEN SHRUBS

| | | | | |
|---------------------------------|--------------|------|-------|-------|
| ABELIA—Rupestris | | | | |
|balled | 4 to 5 ft. | 1.25 | 10.00 | |
|balled | 3 to 4 ft. | 1.00 | 8.00 | |
|2½ in. pots | 8 to 10 in. | .20 | 1.50 | |
| ARALIA—Papyrifera | | | | |
|in pots | 2 to 3 ft. | 1.00 | | |
| Sieboldiiin pots | 2 to 3 ft. | 1.00 | | |
|in pots | 1½ to 2 ft. | .75 | | |
| Sieboldii Variegata.....in pots | 2 to 3 ft. | 1.25 | | |
|in pots | 1½ to 2 ft. | .80 | | |
| ARBUTUS—Unedo | | | | |
|balled | 4 to 6 ft. | 1.50 | 12.00 | |
|balled | 3 to 4 ft. | 1.25 | 10.00 | |
|balled | 2 to 3 ft. | 1.00 | 8.00 | |
|2¼ in. pots | 6 to 8 in. | .15 | 1.20 | 10.00 |
| ARDISIA—Crispa | | | | |
|in pots | 1 to 2 ft. | 1.25 | | |
| AUCUBA—Japonica | | | | |
|5 in. pots | 1½ to 2 ft. | .50 | 4.00 | |
| AZARA—Microphylla | | | | |
|balled | 3 to 4 ft. | .75 | 6.00 | |
|balled | 2 to 3 ft. | .60 | 5.00 | |
|4 in. pots | 1 to 2 ft. | .25 | 2.00 | |
|3 in. pots | 8 to 12 in. | .20 | 1.50 | |
| BERBERIS—Darwinii | | | | |
|balled | 1 to 2 ft. | .60 | | |
|3 in. pots | 8 to 10 in. | .25 | | |
| Illicifolia4 in. pots | 1 to 2 ft. | .50 | | |
| Knightii5 in. pots | 1 to 2 ft. | .75 | | |
| BOX—(Buxus)—Arborescens | | | | |
| "Common"boxed | 2 to 3 ft. | 2.00 | | |
|balled | 2 to 3 ft. | 1.00 | 7.50 | |
|transplanted in flats | 10 to 12 in. | | | 6.00 |
| Folius variegata.....balled | 3 to 4 ft. | 1.00 | 7.50 | |
| Sempervirensboxed | 2 to 3 ft. | 2.00 | | |
|balled | 2 to 3 ft. | 1.00 | 8.00 | |
|balled | 1 to 2 ft. | .75 | 6.00 | |
|4 in. pots | 8 to 12 in. | .25 | 2.00 | 15.00 |
|transplanted in flats | 10 to 12 in. | | | 6.00 |
| Sempervirens argentea...boxed | 2 to 3 ft. | 2.00 | | |
|balled | 2 to 3 ft. | 1.00 | 8.00 | |
|balled | 1½ to 2 ft. | .75 | 6.00 | |
|4 in. pots | 8 to 12 in. | .30 | 2.50 | 20.00 |
|transplanted in flats | 8 to 10 in. | | | 6.00 |
| Sempervirens Aurea.....balled | 1 ft. | .60 | | |
|4 in. pots | 10 to 12 in. | .40 | | |
| Sempervirens Glauca...balled | 1 to 2 ft. | .60 | 5.00 | |
| Sempervirens suffructi- | | | | |
| cosaboxed | 1½ to 2 ft. | 1.50 | | |
|balled | 1½ to 2 ft. | .60 | 5.00 | |
|transplanted in flats | 6 to 8 in. | | | 6.00 |

| | | | Each | Per 10 | Per 100 |
|-------------------------------------|----------------------------------|--|------|--------|---------|
| BROOM—(Genista). | | | | | |
| Andreanus (New)..... | in pots 2 to 3 ft. | | .60 | | |
| Canariensis | in pots 1½ to 2 ft. | | .30 | 2.50 | |
| Scotch | in pots 2 to 3 ft. | | .40 | 3.00 | |
| Spanish | in pots 3 to 4 ft. | | .50 | 4.00 | |
| | in pots 2 to 3 ft. | | .40 | 3.00 | |
| BURNING BUSH—(Crataegus | | | | | |
| Pyracantha)..... | Japanese tubs 3 to 4 ft. | | 2.00 | | |
| | balled 3 to 4 ft. | | 1.00 | 7.50 | |
| | balled 2 to 3 ft. | | .75 | 6.00 | |
| | 4 and 5 in. pots 2 to 3 ft. | | .50 | 4.00 | 30.00 |
| | transplanted in flats 1 to 2 ft. | | | | 8.00 |
| CAMELLIA—Japonica, | | | | | |
| Double Flowering..... | 2 to 3 ft. | | 1.50 | | |
| | 1½ to 2 ft. | | 1.25 | | |
| Variegated | 1½ to 2 ft. | | 1.50 | | |
| CARPENTERIA— | | | | | |
| Californica..... | 5 in. pots 4 to 5 ft. | | 1.50 | | |
| CASSIA—Corymbosa | | | | | |
| | in pots 2 to 3 ft. | | .40 | 3.00 | |
| Floribunda | in pots 2 to 3 ft. | | .30 | 2.50 | |
| CEANOTHUS—Azureus | | | | | |
| | in pots 1 to 2 ft. | | .50 | | |
| Glorie de Versailles..... | in pots 1 to 2 ft. | | .50 | | |
| CESTRUM—Aurantiacum .. | | | | | |
| | in pots 1½ to 2 ft. | | .50 | | |
| CHOISYA—Ternata | | | | | |
| | balled 2 to 3 ft. | | .75 | | |
| | 4 in. pots 1½ to 2 ft. | | .40 | 3.00 | |
| | 3 in. pots 8 to 12 in. | | .25 | 2.00 | |
| CHRISTMAS BERRY—(Heteromeles | | | | | |
| arbutifolia) | balled 2 to 3 ft. | | 1.50 | | |
| | 4 in. pots 1 to 1½ ft. | | .75 | | |
| COLLETIA—Cruciata..... | | | | | |
| | 5 in. pots 3 to 4 ft. | | 1.00 | | |
| | 4 in. pots 2 to 3 ft. | | .60 | | |
| COPROSMA—Baueri | | | | | |
| | balled 1 to 2 ft. | | .50 | 4.00 | |
| | 4 in. pots 1 to 2 ft. | | .40 | 3.00 | |
| CORONILLA—Emerus | | | | | |
| | balled 3 to 4 ft. | | .60 | 5.00 | |
| | balled 2 to 3 ft. | | .50 | 4.00 | |
| Glauca | balled 3 to 4 ft. | | .60 | 5.00 | |
| | balled 2 to 3 ft. | | .50 | 4.00 | |
| | in pots 1 to 2 ft. | | .40 | | |
| Glauca Variegated..... | in pots 1 ft. | | .75 | | |
| COTONEASTER— | | | | | |
| Microphylla..... | 4 in. pots 1½ to 2 ft. | | .35 | | |
| DAPHNE— | | | | | |
| White Flowering..... | in pots 2 to 3 ft. | | 1.25 | | |
| Variegated | in pots 2 to 3 ft. | | 1.25 | | |
| DATURA—Arborea (Angels | | | | | |
| Trumpet) | 2 to 3 ft. | | .75 | | |
| DEERINGIA—Celisoides.. | | | | | |
| | 4 in. pots 1½ to 2 ft. | | .25 | 2.00 | |
| Celisoides variegata... | 4 in. pots 1½ to 2 ft. | | .30 | 2.50 | |
| DIOSMA—Ericoides..... | | | | | |
| | 5 in. pots 2 to 3 ft. | | .50 | 4.00 | |
| | 4 in. pots 1½ to 2 ft. | | .30 | 2.50 | |
| DURANTIA—Plumieri.... | | | | | |
| | 4 in. pots 1½ to 2 ft. | | .40 | 3.00 | |
| ELAEAGNUS—Pungens | | | | | |
| | balled 2 to 3 ft. | | 1.00 | 7.50 | |
| | balled 1½ to 2 ft. | | .60 | 5.00 | |
| Pungens maculata..... | balled 4 to 5 ft. | | 1.50 | 12.00 | |
| | balled 2 to 3 ft. | | .75 | 6.00 | |
| | balled 1 to 2 ft. | | .50 | 4.00 | |
| Pungens variegata..... | balled 3 to 4 ft. | | 1.25 | 10.00 | |
| | balled 2 to 3 ft. | | .75 | 6.00 | |
| | balled 1 to 2 ft. | | .50 | 4.00 | |

PRICE LIST OF

| | | | | Each | Per 10 | Per 100 |
|---------------------------------|-----------------------|--------------------|--|------|--------|---------|
| ESCALLONIA— | | | | | | |
| Montevediensis | balled | 3 to 4 ft. | | .75 | 6.00 | |
| | balled | 2 to 3 ft. | | .60 | 5.00 | 40.00 |
| | 4 in. pots | 1½ to 2 ft. | | .40 | 3.00 | |
| Rosea | balled | 1½ to 2 ft. | | .60 | 5.00 | |
| Rubra | balled | 1 to 1½ ft. | | .60 | 5.00 | |
| | 4 in. pots | 1 to 2 ft. | | .40 | 3.00 | |
| EUGENIA— | | | | | | |
| Apiculata | 5 in. pots | 1½ to 2 ft. | | .50 | 4.00 | |
| Myrtifolia | 5 in. pots | 1 to 2 ft. | | .60 | 5.00 | |
| EUONYMUS—Japonica | | | | | | |
| | Jap. tubs | 3 to 4 ft. | | 2.00 | | |
| | balled | 3 to 4 ft. | | 1.00 | 7.50 | |
| | balled | 2 to 3 ft. | | .75 | 6.00 | |
| | balled | 1½ to 2 ft. | | .50 | 4.00 | 35.00 |
| | 4 in. pots | 10 to 12 in. | | .25 | 2.00 | 15.00 |
| | transplanted in flats | 8 to 12 in. | | | | 6.00 |
| Japonica Duc d'Anjou | balled | 1½ to 2 ft. | | .60 | 5.00 | |
| | 4 in. pots | 1½ to 2 ft. | | .30 | 2.50 | |
| Japonica Golden-leaved | Jap. tubs | 3 to 4 ft. | | 2.00 | | |
| | balled | 3 to 4 ft. | | 1.25 | 10.00 | |
| | balled | 2 to 3 ft. | | 1.00 | 7.50 | |
| | 4 in. pots | 1½ to 2 ft. | | .30 | 2.50 | |
| Japonica Silver-mar-gined | balled | 2 to 3 ft. | | 1.00 | 7.50 | |
| | balled | 1½ to 2 ft. | | .60 | 5.00 | |
| | 4 in. pots | 1 to 1½ ft. | | .40 | 3.00 | |
| Japonica, Pulchellus | balled | 1½ to 2 ft. | | .50 | 4.00 | |
| | 4 in. pots | 1 ft. | | .30 | 2.50 | |
| | transplanted in flats | 8 to 12 in. | | | | 5.00 |
| Japonica, Trailing | | | | | | |
| | Variegated | balled 1½ to 2 ft. | | .60 | 5.00 | |
| | 3 in. pots | 8 to 12 in. | | .30 | 2.50 | |
| Japonica Silver | | | | | | |
| | Variegated | balled 3 to 4 ft. | | 1.00 | 7.50 | |
| | balled | 2 to 3 ft. | | .75 | 6.00 | |
| | 4 in. pots | 1 ft. | | .40 | 3.00 | |
| FABIANA—Imbricata | | | | | | |
| | balled | 2 to 3 ft. | | .60 | 5.00 | |
| | 4 in. pots | 1 to 2 ft. | | .30 | 2.50 | |
| GARDENIA—Florida | | | | | | |
| | 4 in. pots | 1½ to 2 ft. | | .60 | | |
| GARRYA—Eliptica | | | | | | |
| | balled | 2 to 3 ft. | | .80 | 7.00 | |
| | 4 in. pots | 1 to 1½ ft. | | .60 | 5.00 | |
| HABROTHAMNUS—Elegans | | | | | | |
| | balled | 2 to 3 ft. | | .35 | 3.00 | |
| Fasciculatum | balled | 2 to 3 ft. | | .35 | 3.00 | |
| HEATH—(Erica). | | | | | | |
| Mediterranean | balled | 1 to 1½ ft. | | .40 | 3.00 | |
| | 4 in. pots | 1 ft. | | .25 | 2.00 | |
| | 3½ in. pots | 6 to 8 in. | | .20 | 1.50 | |
| HYPERICUM— | | | | | | |
| (Moserianum) | balled | 2 to 3 ft. | | .50 | 4.00 | |
| | balled | 1½ to 2 ft. | | .40 | 3.00 | |
| | 4 in. pots | 1 ft. | | .30 | 2.50 | |
| LAGUNARIA—Pattersonii | | | | | | |
| | 5 in. pots | 2 to 3 ft. | | .50 | | |
| | 4 in. pots | 1 to 2 ft. | | .35 | | |
| LAUREL—(Laurus Cerasus). | | | | | | |
| English | balled | 3 to 4 ft. | | 1.25 | 10.00 | |
| | balled | 2 to 3 ft. | | 1.00 | 7.50 | |
| | 4 in. pots | 1 ft. | | .30 | 2.50 | |
| Portugal (Lusitanica) | balled | 2 to 3 ft. | | 1.00 | 7.50 | |
| | 3½ in. pots | 8 to 12 in. | | .25 | | |
| Sweet Bay (Nobilis) | boxed | 8 to 10 ft. | | 8.00 | | |
| | boxed | 6 to 8 ft. | | 6.00 | | |
| | Japanese tubs | 5 to 6 ft. | | 4.00 | | |
| | balled | 4 to 5 ft. | | 2.50 | | |
| | balled | 3 to 4 ft. | | 1.50 | 12.50 | |
| | balled | 2 to 3 ft. | | 1.00 | 7.50 | |
| | 4 in. pots | 1 ft. | | .35 | 3.00 | |
| | 3 in. pots | 8 to 12 in. | | .25 | 2.00 | 12.00 |
| | 3 in. pots | 6 to 8 in. | | .20 | 1.50 | 10.00 |

| | | | | Each | Per 10 | Per 100 |
|--|----------------------------|--------------|--|------|--------|---------|
| LAURUSTINUS—(Viburnum). | | | | | | |
| Common |balled | 3 to 4 ft. | | 1.00 | 7.50 | |
| |balled | 2 to 3 ft. | | .75 | 6.00 | |
| |balled | 1½ to 2 ft. | | .50 | 4.00 | |
| |4 in. pots | 1½ to 2 ft. | | .30 | 2.50 | |
| Grandiflorus |4 in. pots | 1 ft. | | .50 | | |
| Rotundifolia |balled | 3 to 4 ft. | | 1.00 | | |
| |balled | 2 to 3 ft. | | .75 | 6.00 | |
| |balled | 1½ to 2 ft. | | .60 | 5.00 | |
| |4 in. pots | 1½ to 2 ft. | | .30 | 2.50 | |
| |3 in. pots | 8 to 12 in. | | .25 | 2.00 | |
| Variegated |balled | 1½ to 2 ft. | | .75 | 6.00 | |
| |4 in. pots | 1 ft. | | .50 | | |
| LIGUSTRUM—(Privet). | | | | | | |
| Ciliatum |balled | 2 to 3 ft. | | 1.00 | 7.50 | |
| |balled | 1 to 2 ft. | | .75 | 6.00 | |
| |4 in. pots | 1 ft. | | .30 | 2.50 | |
| |3½ in. pots | 8 to 12 in. | | .25 | 2.00 | 15.00 |
| Ciliatum Variegata |balled | 3 to 4 ft. | | 1.50 | | |
| |balled | 2 to 3 ft. | | 1.00 | | |
| |balled | 1 to 2 ft. | | .75 | | |
| Coriaceum |balled | 1 to 2 ft. | | .50 | 4.00 | |
| |3½ in. pots | 8 to 12 in. | | .30 | 2.50 | |
| Ibota |4 in. pots | 1 ft. | | .30 | 2.50 | |
| Japonica |balled | 3 to 4 ft. | | .75 | 6.00 | |
| |balled | 2 to 3 ft. | | .50 | 4.00 | |
| |3 in. pots | 1½ to 2 ft. | | .25 | 2.00 | 15.00 |
| |transplanted in flats | 18 to 24 in. | | | | 8.00 |
| Japonica Variegata |balled | 3 to 4 ft. | | .75 | 6.00 | |
| |balled | 2 to 3 ft. | | .60 | 5.00 | |
| Lucidum |balled | 2 to 3 ft. | | 1.00 | | |
| Ovalifolium (California Privet) |1½ to 2 ft. | | | .20 | 1.50 | 8.00 |
| Ovalifolium variegatum |balled | 3 to 4 ft. | | 1.00 | | |
| Sinensis |4 in. pots | 1 to 2 ft. | | .40 | 3.00 | |
| MAHONIA—Aquifolium | | | | | | |
| |balled | 3 to 4 ft. | | 1.00 | 8.00 | |
| |balled | 2 to 3 ft. | | .80 | 7.00 | 60.00 |
| |3½ in. pots | 8 to 12 in. | | .30 | 2.50 | |
| Japonica |4 in. pots | 8 to 12 in. | | .40 | 3.00 | |
| MANZANITA—(Arctostaphylos glauca) | | | | | | |
| |in pots | 1 to 2 ft. | | .75 | | |
| MELALEUCA—Decussata | | | | | | |
| |balled | 3 to 4 ft. | | .60 | 5.00 | |
| |balled | 2 to 3 ft. | | .50 | 4.00 | |
| |5 in. pots | 2 to 3 ft. | | .40 | 3.00 | |
| Ericifolia |4 in. pots | 2 to 3 ft. | | .40 | 3.00 | |
| Leucadendron |4 in. pots | 1 to 2 ft. | | .35 | 3.00 | |
| METROSIDEROS—Robusta (Bottle Brush) | | | | | | |
| |balled | 2 to 3 ft. | | .60 | 5.00 | |
| |balled | 1 to 2 ft. | | .50 | 4.00 | |
| Semperflorens |balled | 3 to 4 ft. | | 1.00 | 7.50 | |
| |3 in. pots | 8 to 12 in. | | .30 | 2.50 | |
| MYRTLE—(Myrtus). | | | | | | |
| Common |balled | 2 to 3 ft. | | .60 | 5.00 | |
| |4 in. pots | 1 to 2 ft. | | .30 | 2.50 | |
| |3½ in. pots | 8 to 12 in. | | .20 | 1.50 | |
| Microphylla, small-leaved |balled | 2 to 3 ft. | | .60 | 5.00 | |
| |balled | 1 to 2 ft. | | .50 | 4.00 | |
| |3½ in. pots | 1 ft. | | .30 | 2.50 | |
| |3 in. pots | 8 to 12 in. | | .20 | 1.50 | |
| NANDINA—Domestica | | | | | | |
| |in pots | 1½ to 2 ft. | | .75 | 6.00 | |
| |5 in. pots | 1 ft. | | .50 | 4.00 | |
| OLEANDER—(Nerium). | | | | | | |
| Assorted varieties |Jap. tubs | 4 to 5 ft. | | 1.50 | | |
| |balled | 4 to 5 ft. | | .80 | 7.00 | 60.00 |
| |balled | 3 to 4 ft. | | .70 | 6.00 | 50.00 |
| |4 in. pots | 1 to 1½ ft. | | .40 | 3.00 | 20.00 |
| |3½ in. pots | 8 to 12 in. | | .30 | 2.50 | 15.00 |
| |3 in. pots | 1 ft. | | .30 | 2.00 | 12.00 |

| OLEANDER—(Continued). | | Each | Per 10 | Per 100 |
|--|--------------|-------------|--------|---------|
| Album Maximum, semi-double, pure white. | | | | |
| Album Plenum, white, double. | | | | |
| Atropurpureum Duplex, crimson carmine, double. | | | | |
| De Brun, carmine, streaked white, double. | | | | |
| Dr. Golfin, lilac rose, single. | | | | |
| Frederick Guibert, light rose, single. | | | | |
| Laurifolium, rosy pink. | | | | |
| Lillian Henderson, white, double. | | | | |
| Madame Peuch, semi-double, soft rose. | | | | |
| Madame Peyre, ivory white, double. | | | | |
| Madame Planchon, semi-double, rosy lilac. | | | | |
| Madame Sarah Bernhardt, delicate white, streaked pink. | | | | |
| Madoni Grandiflorum, creamy white, semi-double. | | | | |
| Monsieur Balaquier, soft rose, single. | | | | |
| Mrs. F. Roeding, cerise pink, double. | | | | |
| Nankin, salmon yellow. | | | | |
| Pierre Roudier, bright rose, semi-double. | | | | |
| Professor Durand, amber yellow. | | | | |
| Purpureum, deep purple, single. | | | | |
| Sister Agnes, pure white, single. | | | | |
| Souvenir de Cazalis Allut, deep crimson, single. | | | | |
| Souv. de Felix Dunal, semi-double, soft rose. | | | | |
| Splendens Giganteum, rose, double. | | | | |
| Nankin Variegated, variegated, | | | | |
| pink flowers.....balled | 3 to 4 ft. | 1.00 | 7.50 | |
| PHOTINIA—Serrulataballed | | 6 to 8 ft. | 1.50 | 12.50 |
|balled | 4 to 5 ft. | 1.25 | 10.00 | |
| PITTOSPORUM— | | | | |
| Crassifoliumballed | 1½ to 2 ft. | .50 | 4.00 | |
|4 in. pots | 1½ to 2 ft. | .30 | 2.50 | |
| Eugenioidesballed | 1½ to 2 ft. | .40 | 3.00 | |
|transplanted in flats | 1 to 2 ft. | | | 6.00 |
|in pots | 1½ to 2 ft. | .35 | 3.00 | |
| Tobiraballed | 2 to 3 ft. | 1.00 | 8.00 | |
|balled | 1½ to 2 ft. | .75 | 6.00 | |
|3½ in. pots | 10 to 12 in. | .35 | 3.00 | |
| Tobira Variegata.....balled | 2 to 3 ft. | 1.25 | 10.00 | |
|balled | 1½ to 2 ft. | 1.00 | 8.00 | |
|3½ in. pots | 1 ft. | .50 | 4.00 | |
| POLYGALA—Dalmaisiana .4 in. pots | | 1½ to 2 ft. | .40 | 3.00 |
| RAPHIOLEPIS—Ovataballed | | 1½ to 2 ft. | .60 | 5.00 |
|3½ in. pots | 10 to 12 in. | .30 | 2.50 | 20.00 |
|3 in. pots | 6 to 8 in. | .25 | 2.00 | 15.00 |
| RHAMNUS—Alaternus ..6 in. pots | | 2 to 3 ft. | .50 | 4.00 |
| Alaternus var.....5 in. pots | 1½ to 2 ft. | .60 | | |
| TEUCRIUM—Canadense .4 in. pots | | 1 to 2 ft. | .50 | |
| VERONICA—Andersoniiballed | | 1½ to 2 ft. | .50 | 4.00 |
|4 in. pots | 1½ to 2 ft. | .40 | 3.00 | |
| Carnea4 in. pots | 1½ to 2 ft. | .40 | 3.50 | |
| Decussata4 in. pots | 1 ft. | .40 | 3.00 | |
| Ellipticaballed | 1½ to 2 ft. | .50 | 4.00 | |
|4 in. pots | 1 ft. | .30 | 2.50 | |
| Imperialisballed | 1½ to 2 ft. | .40 | 3.50 | |
|4 in. pots | 1 ft. | .35 | 3.00 | |
| Variegata4 in. pots | 1 ft. | .35 | 3.00 | |

CLIMBING AND TRAILING PLANTS

| | | | |
|---------------------------------------|-----|------|-------|
| AKEBIA—Quinata4 in. pot | .40 | 3.00 | |
| AMPELOPSIS—Engelmanni | .50 | 4.00 | |
| Veitchii "Japan Ivy" | .40 | 3.00 | 25.00 |
| Quinquefolia, Virginia Creeper..... | .35 | 3.00 | 25.00 |
| ARISTOLOCHIA—Sipho (Dutchman's | | | |
| Pipe)4 in. pot | .40 | | |

| | | Each | Per 10 | Per 100 |
|---------------------------------------|-----------------------|------|--------|---------|
| ASPARAGUS—Plumosus | 12 in. pot | 1.00 | | |
| | 6 in. pot | .75 | 6.00 | |
| | 5 in. pot | .50 | 4.00 | |
| | 4 in. pot | .40 | 3.00 | |
| | 3½ in. pot | .30 | 2.50 | |
| Sprengeri | 12 in. tub | 2.00 | | |
| | 12 in. hanging basket | 1.50 | | |
| | 8 in. hanging basket | 1.25 | | |
| | 6 in. hanging basket | 1.00 | | |
| | 7 in. pot | .75 | | |
| | 6 in. pot | .60 | 5.00 | 40.00 |
| | 5 in. pot | .50 | 4.00 | 30.00 |
| | 4 in. pot | .40 | 3.00 | 20.00 |
| | 3 in. pot | .25 | 2.00 | 15.00 |
| Tenuissimus | 6 in. pot | .60 | 5.00 | |
| | 5 in. pot | .50 | 4.00 | |
| | 4 in. pot | .40 | 3.00 | |
| | 3½ in. pot | .30 | 2.50 | |
| BIGNONIA—Grandiflora | | .30 | 2.50 | |
| Lindleyi | 4 in. pot | .50 | | |
| Magnifica | 4 in. pot | .50 | | |
| Stans | 4 in. pot | .40 | 3.00 | |
| Venusta | 5 in. pot | .50 | | |
| BOUGAINVILLEA—Braziliensis | 4 in. pot | .75 | | |
| Glabra Sanderiana | 4 in. pot | .75 | | |
| Refulgens | 4 in. pot | .75 | | |
| Spectabilis laterita | 4 in. pot | 2.50 | | |
| CLEMATIS—Duchess of Edinburgh, | | | | |
| double white | | .75 | | |
| Flammula, white | | .50 | | |
| Jackmanii, intense violet | | .75 | 6.00 | |
| Montana, pure white | | .50 | 4.00 | |
| Paniculata, white | | .50 | 4.00 | |
| Princess of Wales | | .75 | 6.00 | |
| CLIANTHUS—Puniceus | 4 in. pot | .50 | 4.00 | |
| COBOEA—Scandens | 3 in. pot | .30 | 2.50 | |
| FICUS—Repens | 4 in. pot | .40 | 3.00 | |
| HARDENBERGIA—Monophylla | 4 in. pot | .50 | | |
| HONEYSUCKLE | 4 in. pot | .35 | 3.00 | |
| Aurea Reticulata | | | | |
| Briclymenum (Woodbine) | | | | |
| Chinese | | | | |
| Halleana | | | | |
| Red Coral | | | | |
| Tartarica Rosea | | | | |
| Yellow Coral | | | | |
| HOYA—Carnosa | 5 in. pot | .50 | | |
| | 3 in. pot | .35 | | |
| HEDYSARUM—Multijugum | 5 in. pot | .40 | | |
| Crassifolium | 4 in. pot | .30 | | |
| IVY—English | 4 in. pot | .30 | 2.50 | 20.00 |
| Giant | 3 in. pot | .35 | 3.00 | 25.00 |
| Rotundifolia | 3 in. pot | .30 | | |
| Variegated | 4 in. pot | .50 | 4.00 | 30.00 |
| JASMINE—Gracillimum | 3½ in. pot | .50 | 4.00 | |
| Grand Duke | 4 in. pot | .50 | 4.00 | |
| Grandiflorum | 5 in. pot | .50 | 4.00 | |
| Nudiflorum | 4 in. pot | .40 | 3.00 | |
| Officinale | 4 in. pot | .25 | 2.00 | |
| Primulium | 5 in. pot | .75 | | |
| Revolutum | 5 in. pot | .40 | 3.00 | |
| | 4 in. pot | .30 | 2.50 | |
| LANTANA—Weeping | 8 in. basket | .75 | | |
| | 4 in. pot | .35 | | |

PRICE LIST OF

| | Each | Per 10 | Per 100 |
|---|------|--------|---------|
| MANDEVILLA —Suaveolens (Chili Jasmine) 5 in. pot | .40 | 3.00 | |
| MANETTIA —Bicolor 4 in. pot | .40 | 3.00 | |
| MAURANDIA —Baileyana (Lophospermum) 4 in. pot | .30 | 2.50 | |
| MUEHLENBECKIA —Complexa 4 in. pot | .40 | 3.00 | |
| PASSION VINE —(Passiflora) ... 4 and 5 in. pot | .40 | 3.00 | |
| Coerulea, purplish. | | | |
| Constance Elliott, white. | | | |
| Edulis, white and blue. | | | |
| Igneae, intense crimson. | | | |
| Violacea, pale lilac. | | | |
| PLUMBAGO —Capensis 4 in. pot | .40 | 3.00 | |
| Capensis Alba 4 in. pot | .50 | 4.00 | |
| SILK VINE —(Periploca) Field Grown | .50 | 4.00 | |
| 4 in. pot | .30 | 2.50 | |
| SMILAX 4 in. pot | .35 | 3.00 | |
| 3½ in. pot | .30 | 2.50 | |
|transplanted in flats | | | 5.00 |
| SNAIL VINE —(Phaseolus caracalla) ... 4 in. pot | .50 | | |
| SOLANUM —Jasminoides, bluish | | | |
| white..... 4 and 5 in. pot | .40 | 3.00 | |
| Wendlandii, large blue..... 4 in. pot | .50 | 4.00 | |
| SOLLYA —Heterophylla (Australian Bluebell) 4 in. pot | .35 | 3.00 | |
| SWAINSONIA —Galegifolia Alba, white. 4 in. pot | .30 | 2.50 | |
| Galegifolia Rosea, pink..... 3½ in. pot | .40 | 3.00 | |
| TECOMA —Jasminoides, white and purple 4 in. pot | .40 | 3.50 | |
| Mackenii, pink striped white..... 4 in. pot | .50 | | |
| Radicans, orange scarlet... 4 and 5 in. pot | .40 | 3.50 | |
| Tweddiana Argentina, yellow. 4 and 5 in. pot | .50 | 4.00 | |
| TRUMPET VINE —(See Bignonia Grandiflora). | | | |
| VINCA —Major (Periwinkle) Green-leaved, and Variegated 4 in. pot | .25 | 2.00 | |
| VIRGINIA CREEPER —(See Ampelopsis Quinquefolia). | | | |
| VITIS —Heterophylla (Japanese Grape)..... | .50 | | |
| WISTARIA —Chinese, purple..... | .50 | 4.00 | |
| Chinese, double purple..... | .60 | 5.00 | |
| Chinese, white..... | .50 | 4.00 | |
| Magnifica, purplish-white..... | .50 | 4.00 | |
| Multijuga Alba, white | | | |
| Flower clusters 2 to 3 ft. | .75 | | |
| Multijuga, pink... Flower clusters 2 to 3 ft. | 1.00 | | |

HEDGE PLANTS

| | | | |
|---|-----|------|------|
| AFRICAN BOX THORN —(Lycium horridum) ... | .25 | 2.00 | |
| ARBOR VITAE —(Thuja) Seedlings | | | |
|transplanted in flats 1 to 1½ ft. | | | 6.00 |
| BOX —(Buxus) Sempervirens | | | |
|transplanted in flats 8 to 12 in. | | | 6.00 |
| Sempervirens argentea, | | | |
|transplanted in flats 8 to 12 in. | | | 6.00 |
| Sempervirens suffructicosa | | | |
|transplanted in flats 8 to 12 in. | | | 6.00 |

| | | | | |
|---|--------------|------|--------|---------|
| BURNING BUSH —(<i>Crataegus Pyracantha</i>) . . .transplanted in flats | 1 to 1½ ft. | Each | Per 10 | Per 100 |
| | | | | 8.00 |
| EUONYMUS — | | | | |
|transplanted in flats | 8 to 12 in. | | | 6.00 |
| Japonica. | | | | |
| Japonica, Duc d'Anjou. | | | | |
| Japonica, Golden. | | | | |
| Japonica, Pulchellus. | | | | |
| Japonica, Silver Margined. | | | | |
| Japonica, Silver Variegated. | | | | |
| HORNBEAM —(<i>Carpinus Betulus</i>). . | 6 to 8 ft. | .40 | 3.00 | 25.00 |
| LAURUSTINUS — | | | | |
| (<i>Viburnum</i>)4 in. pot | 10 to 12 in. | .20 | 1.50 | 12.00 |
| Rotundifolia | | | | |
|transplanted in flats | 10 to 12 in. | | | 8.00 |
| LIGUSTRUM — <i>Japonica</i> | | | | |
|transplanted in flats | 2 to 3 ft. | | | 8.00 |
| MONTEREY CYPRESS —(See Evergreen Trees). | | | | |
| PRIVET —California | | | | |
| (per 1,000, \$50.00) 2 yrs..... | 1 to 1½ ft. | .20 | 1.50 | 8.00 |
| POMEGRANATE —(<i>Punica</i>) 4 to 6 ft. | | .50 | 4.00 | 35.00 |
| 3 to 4 ft. | | .40 | 3.00 | 25.00 |
| ROSES —Our selection..... | 2 to 3 ft. | | | 15.00 |

PALMS, AGAVES, DRACAENAS, YUCCAS

Of all the plants grown in California and in other states and countries with climates similar to ours, none are more decorative or do more to give a tropical effect to our gardens and rural homes than the palms. For the home the smaller and more tender varieties do much to set off the interior decorations. There is such an endless variety of these striking plants that sorts for the smallest garden which do not grow higher than four feet, to those which attain a height of 100 feet, may be selected.

As will be noticed from the following list, we carry a large stock of palms in boxes and tubs. These have been taken out of the open ground and are well established in their containers. They can be used either for porch decoration or planted out in the open ground. Such plants give an immediate effect and never go back when transplanted. Hardy sorts are marked with an asterisk (*).

| | | | | |
|--|--------------|-------|-------|-------|
| ARECA — <i>Lutescens</i>4 in. pot | 1½ to 2 ft. | 1.25 | | |
| <i>Sapida</i>5 in. pot | 1½ to 2 ft. | 1.25 | | |
| *CHAMAEROPS — <i>Excelsa</i> , "Japan Fan Palm" | | | | |
|30x30 in. box | 14 to 16 ft. | 25.00 | | |
|24x24 in. box | 10 to 12 ft. | 15.00 | | |
|20x20 in. box | 8 to 10 ft. | 10.00 | | |
|18x18 in. box | 6 to 8 ft. | 8.00 | | |
|16x16 in. box | 4 to 6 ft. | 5.00 | | |
|20 in. Japanese tub | 8 to 10 ft. | 10.00 | | |
|20 in. Japanese tub | 6 to 8 ft. | 8.00 | | |
|14 in. Japanese tub | 4 to 6 ft. | 5.00 | | |
|14 in. Japanese tub | 3 to 4 ft. | 4.00 | | |
|14 in. Japanese tub | 2 to 3 ft. | 2.50 | | |
|balled | 3 to 4 ft. | 2.00 | | |
|balled | 2 to 3 ft. | 1.50 | 12.50 | |
|balled 1½ | to 2 ft. | 1.25 | 10.00 | |
|10 in. pot | 2 to 3 ft. | 2.00 | | |
|6 in. pot | 2 to 3 ft. | 1.25 | 10.00 | |
|5 in. pot | 1½ to 2 ft. | .75 | 6.00 | |
|2½ in. pot | 6 to 8 in. | .20 | 1.50 | 12.00 |
| *Humilis (Dwarf | | | | |
| Palm)20x20 in. box | 6 to 8 ft. | 8.00 | | |
|18x18 in. box | 5 to 6 ft. | 6.00 | | |
|14x14 in. box | 4 to 5 ft. | 4.00 | | |
|14x14 in. box | 3 to 4 ft. | 3.00 | | |
|20 in. Japanese tub | 4 to 6 ft. | 4.00 | 35.00 | |
|14 in. Japanese tub | 3 to 4 ft. | 3.00 | 25.00 | |

PRICE LIST OF

| | | | | Each | Per 10 | Per 100 |
|--------------------------------------|--------------|--|--|-------|--------|---------|
| *CHAMAEROPS—(Continued). | | | | | | |
|14 in. Japanese tub | 2 to 3 ft. | | | 2.50 | | |
|balled | 3 to 4 ft. | | | 2.50 | 20.00 | |
|balled | 2 to 3 ft. | | | 1.75 | 15.00 | |
|balled 1½ to 2 ft. | | | | 1.25 | 10.00 | |
|12 in. pot | 2 to 3 ft. | | | 2.00 | | |
|6 in. pot | 1 to 1½ ft. | | | 1.25 | | |
| *Humilis Artosa.....balled | 3 to 4 ft. | | | 2.50 | | |
|balled | 2 to 3 ft. | | | 2.00 | | |
| *Canariensis.....balled | 3 to 4 ft. | | | 2.50 | | |
|balled | 2 to 3 ft. | | | 2.00 | | |
| *Nepalensis.....16x16 in. box | 5 to 6 ft. | | | 6.00 | | |
|balled | 3 to 4 ft. | | | 2.50 | | |
|balled | 2 to 3 ft. | | | 2.00 | | |
|balled | 1 to 2 ft. | | | 1.50 | | |
|8 in. pot | 1 to 2 ft. | | | 1.50 | | |
|6 in. pot | 8 to 12 in. | | | .50 | | |
| *Tomentosa.....balled | 3 to 4 ft. | | | 2.50 | | |
|balled | 2 to 3 ft. | | | 2.00 | | |
| COCOS—Australis | | | | | | |
|14 in. Japanese tub | 4 to 6 ft. | | | 10.00 | | |
|14 in. Japanese tub | 3 to 4 ft. | | | 6.00 | | |
|12 in. pot | 2 to 3 ft. | | | 4.00 | | |
|5 in. pot | 1 to 2 ft. | | | 1.50 | | |
|balled 1½ to 2 ft. | | | | 3.00 | | |
| Plumosus.....boxed | 4 to 5 ft. | | | 5.00 | | |
| CORYPHA—Australis | | | | | | |
|6 in. pot | 3 to 4 ft. | | | 2.00 | | |
|5 in. pot | 2 to 3 ft. | | | 1.25 | | |
|4 in. pot 1½ to 2 ft. | | | | 1.00 | 7.50 | |
|3 in. pot | 8 to 12 in. | | | .30 | 2.50 | |
| *CYCAS—Revoluta, "Sago Palm" | | | | | | |
|16x16 in. box | | | | 10.00 | | |
|12x12 in. box | | | | 8.00 | | |
|12 in. Japanese tub | | | | 7.00 | | |
|10 in. pot | | | | 5.00 | | |
|8 in. pot | | | | 2.50 | 20.00 | |
|6 and 7 in. pot | | | | 1.25 | 10.00 | |
|4 and 5 in. pot | | | | 1.00 | 8.00 | |
|3 in. pot | | | | .60 | 5.00 | |
| *ERYTHEA—Armata, "Blue Palm" | | | | | | |
|26x26 in. box | 8 to 10 ft. | | | 10.00 | | |
|20x20 in. box | 6 to 8 ft. | | | 7.00 | | |
|18x18 in. box | 5 to 6 ft. | | | 5.00 | 40.00 | |
|16x16 in. box | 4 to 5 ft. | | | 4.00 | 30.00 | |
|14x14 in. box | 2 to 3 ft. | | | 3.00 | 25.00 | |
|12x12 in. box | 2 to 3 ft. | | | 2.50 | 20.00 | |
|20 in. Japanese tub | 6 to 8 ft. | | | 6.00 | 50.00 | |
|20 in. Japanese tub | 4 to 5 ft. | | | 5.00 | 40.00 | |
|14 in. Japanese tub | 2 to 3 ft. | | | 2.50 | 20.00 | |
|6 in. pot 1½ to 2 ft. | | | | 1.25 | | |
|balled | 2 to 3 ft. | | | 2.00 | | |
|balled 1½ to 2 ft. | | | | 1.50 | | |
| *Eduilis.....20x20 in. box | 5 to 7 ft. | | | 6.00 | | |
|18x18 in. box | 4 to 5 ft. | | | 5.00 | | |
|16x16 in. box | 3 to 4 ft. | | | 4.00 | | |
|14x14 in. box | 2 to 3 ft. | | | 2.50 | | |
|12x12 in. box | 2 to 2 ft. | | | 2.00 | | |
|20 in. Japanese tub | 6 to 8 ft. | | | 7.00 | | |
|20 in. Japanese tub | 4 to 5 ft. | | | 5.00 | | |
|12 in. Japanese tub | 2 to 3 ft. | | | 2.00 | | |
|8 in. pot | 2 to 3 ft. | | | 1.50 | | |
|balled | 3 to 4 ft. | | | 2.50 | 20.00 | |
|balled | 2 to 3 ft. | | | 2.00 | 15.00 | |
| *JUBEA—Spectabilis | | | | | | |
|12 in. Japanese tub 1½ to 2 ft. | | | | 5.00 | | |
|balled | 1 to 1½ ft. | | | 2.50 | 20.00 | |
|8 in. pot | 2 to 3 ft. | | | 3.00 | | |
| KENTIA—Belmoriana | | | | | | |
|8 in. pot | 2 to 3 ft. | | | 3.00 | | |
|5 in. pot | 2 to 2 ft. | | | 1.50 | | |
|4 in. pot | 15 to 18 in. | | | 1.00 | 8.00 | |
|3½ in. pot | 12 to 15 in. | | | .60 | 5.00 | 35.00 |
| Canterburyana.....8 in. pot | 2 to 3 ft. | | | 3.00 | | |

| KENTIA—(Continued). | | | | Each | Per 10 | Per 100 |
|---|---------------------------|--------------|--|-------|--------|---------|
| Canterburyana | 6 in. pot | 2 ft. | | 1.75 | | |
| | 5 in. pot | 15 to 18 in. | | 1.50 | | |
| Fosteriana | 8 in. pot | 2 to 3 ft. | | 3.00 | | |
| | 5 in. pot | 2 ft. | | 1.50 | | |
| | 5 in. pot | 15 to 18 in. | | 1.00 | | |
| | 3½ in. pot | 12 to 15 in. | | .60 | 5.00 | 35.00 |
| LIVISTONIA—Chinensis | | | | | | |
| | 16x16 in. box | 4 to 5 ft. | | 10.00 | | |
| | 12x12 in. box | 3 to 4 ft. | | 6.00 | | |
| | 8 in. pot | 2 to 3 ft. | | 2.00 | | |
| | 5 in. pot | 1½ to 2 ft. | | 1.25 | | |
| | 4 in. pot | 12 to 15 in. | | .75 | | |
| PHOENIX— | | | | | | |
| *Canariensis | 30x30 in. box | 12 to 15 ft. | | 25.00 | | |
| | 24x24 in. box | 10 to 12 ft. | | 20.00 | | |
| | 24x24 in. box | 8 to 10 ft. | | 15.00 | | |
| | 20x20 in. box | 6 to 8 ft. | | 8.00 | | |
| | 18x18 in. box | 5 to 6 ft. | | 5.00 | | |
| | 16x16 in. box | 4 to 5 ft. | | 4.00 | | |
| | 14x14 in. box | 3 to 4 ft. | | 3.00 | | |
| | 12x12 in. box | 2 to 3 ft. | | 2.50 | | |
| | 20 in. Japanese tub | 6 to 8 ft. | | 7.00 | | |
| | 20 in. Japanese tub | 5 to 6 ft. | | 6.00 | | |
| | 10 in. pot | 3 to 4 ft. | | 2.00 | | |
| | 10 in. can | 2 to 3 ft. | | 1.50 | 12.50 | |
| | 6 in. pot | 12 to 15 in. | | 1.25 | | |
| | 4 in. pot | 10 in. | | .30 | 2.50 | |
| |balled | 6 to 8 ft. | | 5.00 | 40.00 | |
| |balled | 4 to 5 ft. | | 4.00 | 30.00 | |
| |balled | 3 to 4 ft. | | 2.50 | 20.00 | |
| |balled | 2 to 3 ft. | | 1.50 | 12.50 | |
| |balled | 1½ to 2 ft. | | 1.25 | 10.00 | |
| *Dactylifera | 18x18 in. box | 6 to 8 ft. | | 7.00 | | |
| | 16x16 in. box | 5 to 6 ft. | | 5.00 | | |
| | 14x14 in. box | 4 to 5 ft. | | 4.00 | | |
| | 14 in. Japanese tub | 2 to 3 ft. | | 2.00 | | |
| | 7 in. pot | 1 to 1½ ft. | | 1.25 | 10.00 | |
| | 5 in. pot | 12 to 15 in. | | 1.00 | 7.50 | |
| | 4 in. pot | 8 to 12 in. | | .40 | 3.00 | 20.00 |
| |balled | 4 to 6 ft. | | 4.00 | 30.00 | |
| |balled | 3 to 4 ft. | | 3.00 | 25.00 | |
| |balled | 2 to 3 ft. | | 2.00 | 15.00 | |
| |balled | 1½ to 2 ft. | | 1.50 | 12.00 | |
| Reclinata | 14x14 in. box | 4 to 5 ft. | | 4.00 | | |
| | 12 in. Japanese tub | 3 to 4 ft. | | 3.00 | | |
| | 10 in. pot | 2 to 3 ft. | | 2.00 | | |
| | 5 in. pot | 15 to 18 in. | | 1.00 | 8.00 | |
| *Sylvestris | 24x24 in. box | 8 to 10 ft. | | 8.00 | | |
| | 20x20 in. box | 6 to 8 ft. | | 6.00 | | |
| | 16x16 in. box | 5 to 6 ft. | | 4.00 | | |
| | 20 in. Japanese tub | 6 to 8 ft. | | 5.00 | | |
| |balled | 6 to 8 ft. | | 4.00 | | |
| |balled | 4 to 5 ft. | | 3.00 | | |
| |balled | 3 to 4 ft. | | 2.50 | 20.00 | |
| |balled | 2 to 3 ft. | | 2.00 | 15.00 | |
| RHAPIS—Flabelliformis, "Ground Rattan Cane," | | | | | | |
| | 6 to 8 in. pot, per shoot | 6 to 24 in. | | .60 | | |
| Humilis, "Low Growing Palm" | | | | | | |
| | 6 to 7 in. pot, per shoot | 4 to 18 in. | | .50 | | |
| *SABAL—Andansonii | | | | | | |
| |balled | 3 to 4 ft. | | 3.00 | | |
| |balled | 2 to 3 ft. | | 2.00 | | |
| Blackburniana | 16x16 in. box | 4 to 5 ft. | | 6.00 | | |
| | 4 in. pot | 12 to 15 in. | | .75 | | |
| |balled | 3 to 4 ft. | | 3.00 | | |
| |balled | 2 to 3 ft. | | 2.50 | | |
| Palmetto | 20x20 in. box | 10 to 12 ft. | | 12.00 | | |
| | 16x16 in. box | 6 to 8 ft. | | 8.00 | | |
| | 20 in. Japanese tub | 8 to 10 ft. | | 8.00 | | |
| | 12 in. Japanese tub | 2 to 3 ft. | | 3.00 | | |
| | 4 in. pot | 1 ft. | | .75 | | |
| |balled | 6 to 8 ft. | | 6.00 | | |
| |balled | 4 to 6 ft. | | 5.00 | | |
| |balled | 2 to 3 ft. | | 3.00 | | |

PRICE LIST OF

| | | | Each | Per 10 | Per 100 |
|----------------------------------|--------------|-------|-------|--------|---------|
| SEAFORTHIA—Elegans | | | | | |
|14 in. Japanese tub | 4 to 5 ft. | 6.00 | | | |
|10 in. pot | 3 to 4 ft. | 3.00 | | | |
| *WASHINGTONIA—Filifera | | | | | |
|30x30 in. box | 12 to 15 ft. | 15.00 | | | |
|26x26 in. box | 10 to 12 ft. | 12.00 | | | |
|24x24 in. box | 10 to 12 ft. | 8.00 | | | |
|20x20 in. box | 6 to 8 ft. | 6.00 | | | |
|16x16 in. box | 4 to 5 ft. | 5.00 | | | |
|20 in. Japanese tub | 5 to 6 ft. | 4.00 | | | |
|14 in. Japanese tub | 3 to 4 ft. | 2.00 | | | |
|5 gal. can | 3 to 4 ft. | 1.25 | 10.00 | | |
|5 gal. can | 2 to 3 ft. | 1.00 | 8.00 | | |
|6 in. pot | 1 ft. | .50 | | | |
|4 in. pot | 8 to 12 in. | .35 | 2.50 | | |
|balled | 7 to 8 ft. | 4.00 | 30.00 | 250.00 | |
|balled | 5 to 6 ft. | 2.50 | 20.00 | 150.00 | |
|balled | 3 to 4 ft. | 1.50 | 12.00 | 100.00 | |
|balled | 2 to 3 ft. | 1.25 | 10.00 | 80.00 | |
|balled 1½ | to 2 ft. | 1.00 | 7.50 | 60.00 | |
| Robusta18x18 in. box | 6 to 8 ft. | 8.00 | | | |
|16x16 in. box | 4 to 5 ft. | 5.00 | | | |
|14x14 in. box | 3 to 4 ft. | 3.00 | | | |
|14 in. Japanese tub | 2 to 3 ft. | 2.00 | | | |
|balled | 4 to 5 ft. | 2.50 | 20.00 | 150.00 | |
|balled | 3 to 4 ft. | 1.50 | 12.00 | 100.00 | |
|balled | 2 to 3 ft. | 1.25 | 10.00 | 80.00 | |
| Sonorea24x24 in. box | 8 to 10 ft. | 12.00 | | | |
|20x20 in. box | 6 to 8 ft. | 8.00 | | | |
|16x16 in. box | 5 to 6 ft. | 6.00 | | | |
|20 in. Japanese tub | 6 to 8 ft. | 6.00 | | | |
|14 in. Japanese tub | 2 to 3 ft. | 2.50 | | | |
|balled | 6 to 8 ft. | 5.00 | 40.00 | | |
|balled | 5 to 6 ft. | 4.00 | 30.00 | | |
|balled | 3 to 4 ft. | 2.00 | 15.00 | | |
|balled | 2 to 3 ft. | 1.50 | 12.00 | | |
|balled 1½ | to 2 ft. | 1.25 | 10.00 | | |
| AGAVE—Americanaballed 1½ | to 2 ft. | .75 | | | |
|5 in. pot | 1 to 2 ft. | .50 | | | |
| Variegatedballed 1½ | to 2 ft. | 1.00 | | | |
|6 in. pot | 1 to 2 ft. | .75 | | | |
| DRACAENA—(Cordyline). | | | | | |
| Australisballed | 2 to 3 ft. | 1.25 | | | |
|5 in. pot | 1 to 2 ft. | .75 | | | |
| Dracoin pots | 1 to 2 ft. | .75 | | | |
| Indivisa.....14 in. Japanese tub | 3 to 4 ft. | 2.00 | | | |
|14 in. Japanese tub | 2 to 3 ft. | 1.50 | | | |
|balled | 3 to 4 ft. | 1.50 | 12.50 | | |
|balled | 2 to 3 ft. | 1.25 | 10.00 | | |
|transplanted in flats 1½ | to 2 ft. | | | 6.00 | |
| YUCCA— | | | | | |
| Aloifolia variegated...6 in. pot | 12 to 15 in. | 1.00 | | | |
| Aloifolia Quadricolor..6 in. pot | 12 to 15 in. | 1.00 | | | |
| Angustifolia5 in. pot | 1 to 1½ ft. | .75 | | | |
| Baccataballed | 2 to 3 ft. | 1.25 | | | |
|5 in. pot | 12 to 15 in. | .75 | | | |
| Filamentosaballed | 1 to 2 ft. | .60 | | | |
| Whipplei5 in. pot | 1 ft. | .75 | | | |
| DASYLIRION— | | | | | |
| Glaucophyllumballed | 3 to 4 ft. | 1.50 | 12.50 | | |
|balled | 2 to 3 ft. | 1.25 | 10.00 | | |
| Gracilisballed | 2 to 3 ft. | 1.50 | | | |
| Longifolium, "Graminifolium" | | | | | |
|balled | 3 to 4 ft. | 1.50 | 12.50 | | |
|balled | 2 to 3 ft. | 1.25 | 10.00 | | |
| BAMBOO—(Bambusa). | | | | | |
| Aurea-striata6 in. pot | 2 to 3 ft. | 1.00 | | | |
| Bambusoides (Arrow).8 in. pot | 4 to 5 ft. | 1.00 | 8.00 | | |
| Castillonis8 in. pot | 4 to 5 ft. | 1.25 | 10.00 | | |
| Henonis8 in. pot | 3 to 4 ft. | 1.00 | 8.00 | | |

| BAMBOO—(Continued). | | | | Each | Per 10 | Per 100 |
|---------------------|----------------|------|-------|------|--------|---------|
| Mitis |8 in. pot | 3 to | 4 ft. | .75 | | |
| Nigra (Black) |7 in. pot | 4 to | 5 ft. | 1.00 | 8.00 | |
| Quillioi (Giant) |7 in. pot | 4 to | 5 ft. | 1.00 | 8.00 | |
| Sinensis |6 in. pot | 3 to | 4 ft. | .80 | | |

HERBACEOUS BEDDING AND BORDER PLANTS

| | | | | | | |
|--|----------------------------|------|-------|------|------|------|
| ABUTILON—(Flowering Maple) | | | | | | |
| assorted in 12 varieties | | | | .30 | 2.50 | |
| ACHANIA—Malvaviscus (Turk's Cap) | | | | .25 | | |
|in pots | | | | | | |
| ACHRYANTHES—(Iresine) | | | | .20 | 1.50 | |
|in pots | | | | | | |
| ALTERNANTHERA—(Telanthera) | | | | .20 | 1.50 | |
|transplanted in flats | | | | | | 4.00 |
| ANTHERICUM—Vitatum variegatum | | | | .30 | 2.50 | |
|4 in. pot | | | | | | |
| ARUNDO-DONAX—Variegated | | | | .35 | 3.00 | |
| ASPIDISTRA—Lurida | | | | 1.25 | | |
|7 in. pot | | | | | | |
|6 in. pot | | | | 1.00 | | |
|5 in. pot | | | | .75 | | |
| Variegated |7 in. pot | | | 1.00 | | |
|6 in. pot | | | | .80 | | |
| BANANA—Abyssinian (Musa | | | | | | |
| Ensete) |6 in. pot | 3 to | 4 ft. | 1.00 | | |
| BEGONIA—Flowering varieties | | | | .50 | 4.00 | |
|5 and 6 in. pot | | | | | | |
|4 in. pot | | | | .35 | 3.00 | |
| Rex |4 and 5 in. pot | | | .50 | | |
| CANNA—(New) Latest Introductions | | | | .30 | 2.50 | |
| CANNA—Twelve best selected varieties | | | | .20 | 1.50 | |
| CARNATION—(Dianthus) | | | | .40 | 3.00 | |
|6 in. pot | | | | | | |
| CAREX—Japonica, variegated | | | | .35 | | |
|3½ in. pot | | | | | | |
| CHRYSANTHEMUM—Latest varieties | | | | .25 | 2.00 | |
|3 in. pot | | | | | | |
| CLERODENDRON | | | | .40 | 3.00 | |
|5 in. pot | | | | | | |
| COLEUS—In assortment | | | | .25 | 2.00 | |
|4 in. pot | | | | | | |
| CUPHEA—Llavave | | | | 1.25 | | |
|9 in. hanging basket | | | | | | |
|6 in. hanging basket | | | | 1.00 | | |
|4 in. pot | | | | .20 | 1.50 | |
| CYPERUS—Alternifolius | | | | .60 | 5.00 | |
|7 in. pot | | | | | | |
|6 in. pot | | | | .50 | 4.00 | |
|5 in. pot | | | | .40 | 3.00 | |
|4 in. pot | | | | .30 | 2.50 | |
| Lucidus |6 in. pot | | | .50 | | |
| Papyrus | | | | .40 | | |
| DAISY—(Bellis) assorted in flats | | | | .05 | .30 | 2.00 |
| ECHEVERIA—Agavoides | | | | .25 | 2.00 | |
| Metallica | | | | .30 | 2.50 | |
| Secunda Glauca | | | | .20 | 1.50 | |
| Secunda Glauca |transplanted in flats | | | | | 2.00 |
| EULALIA—Japonica Variegata, large clumps | | | | .40 | 3.00 | |
| Japonica Zebrina, large clumps | | | | .50 | 4.00 | |
| FERN—Adiantum Cuneatum (Maiden- | | | | | | |
| hair Fern) |5 in. pot | | | .40 | 3.50 | |
|3½ in. pot | | | | .35 | 3.00 | |
| Asplenium Nidus (Bird's Nest | | | | | | |
| Fern) |5 in. pot | | | .50 | | |
| Cryptomium Falcatum |4 in. pot | | | .50 | | |
| Nephrolepis—Anna Foster |6 in. pot | | | .60 | 5.00 | |

| FERNS—(Continued). | | Each | Per 10 | Per 100 |
|---|-----------------------|------|--------|---------|
| Nephrolepis—Exaltata (Sword Fern) | 5 in. pot | .50 | | |
| | 4 in. pot | .40 | 3.50 | |
| Nephrolepis—Exaltata Bostoniensis (Boston Sword Fern) | 5 in. pot | .40 | 3.00 | |
| | 4 in. pot | .30 | 2.50 | |
| | 3 in. pot | .25 | 2.00 | 15.00 |
| | 12 in. hanging basket | 1.50 | | |
| Nephrolepis—Piersonii | 4 in. pot | .40 | 3.00 | |
| Nephrolepis—Scotti | 4 in. pot | .40 | 3.00 | |
| Pteris—Cretica Albo lineata | 3½ in. pot | .30 | 2.50 | |
| Pteris Serrulata | 4 in. pot | .30 | 2.50 | |
| FUSCHIA—Assorted | 4 in. pot | .30 | 2.50 | |
| GERANIUM—Ivy | 8 in. hanging basket | 1.00 | | |
| | 4 in. pot | .25 | 2.00 | |
| GERANIUM—Assorted | 4 in. pot | .30 | 2.50 | |
| HELIOTROPE—Assorted | 4 in. pot | .30 | 2.50 | |
| HIBISCUS | 4 in. pot | .50 | 4.00 | |
| HOLLYHOCK—Assorted | | .30 | 2.50 | |
| IMANTOPHYLLUM—Hybridum | 4 in. pot | .25 | 2.00 | |
| LANTANA—Assorted | 5 in. pot | .30 | 2.50 | |
| LAVENDULA—Vera (Lavender) | 4 in. pot | .25 | 2.00 | |
| LOBELIA | 3 in. pot | .15 | 1.00 | |
| LIPPIA—Repens (substitute for lawn grass).... | | | .30 | 1.50 |
| MARGUERITE—White and Yellow.... | 4 in. pot | .25 | 2.00 | |
| MINT—Variegated | 4 in. pot | .20 | 1.50 | |
| NEW ZEALAND FLAX— | | | | |
| Phormium Tenax | 5 in. pot 1½ to 2 ft. | .75 | | |
| Variegated | 8 in. pot 2 to 3 ft. | 1.25 | | |
| | 5 in. pot 1½ to 2 ft. | 1.00 | | |
| PAEONIA—Herbaceous, assorted | | .50 | 4.00 | |
| PAMPAS GRASS—Extra large clumps | | 1.00 | 7.50 | |
| Pink Flowering, extra large clumps | | 1.00 | 7.50 | |
| Variegated, extra large clumps | | 1.00 | 7.50 | |
| PANDANUS—Utilis, "Screw Pine" | 4 in. pot | .40 | 3.00 | |
| | 3 in. pot | .30 | 2.50 | |
| PANSY—Assorted | in flats | .10 | .30 | 2.00 |
| PELARGONIUM—Assorted | 4 and 5 in. pot | .35 | 3.00 | |
| PETASITES—Japonica Gigantea | 4 and 5 in. pot | .50 | | |
| PETUNIA—Assorted varieties, single and double | 4 in. pot | .25 | 2.00 | |
| PILEA—"Artillery Plant" | 4 in. pot | .30 | 2.50 | |
| POINSETTIA—Pulcherrima | 4 in. pot | .40 | 3.00 | |
| POGOSTEMON—Patchouli | 4 in. pot | .35 | 3.00 | |
| PRIMULA—Japonica | 3 in. pot | .30 | 2.50 | |
| Sinensis, "Chinese Primrose" | 4 in. pot | .30 | 2.50 | |
| PYRETHRUM—Aureum, "Golden Feather" | transplanted in flats | .10 | .30 | 2.00 |
| ROMNEYA COULTERI—(California Tree Poppy) | 6 in. pot | 1.00 | | |
| ROSEMARINUS—Officinale | 4 in. pot | .25 | | |
| SALVIA | 4 in. pot | .25 | 2.00 | |

| | Each | Per 10 | Per 100 |
|--|------|--------|---------|
| SANSEVERIA —Zeylanica 4 in. pot | .30 | 2.50 | |
| SAXIFRAGA 6 in. pot | .30 | 2.50 | |
| SEDUM 4 in. pot | .20 | 1.50 | |
| SHASTA DAISY —Improved varieties... 5 in. pot | .25 | | |
| STRELITZIA REGINAE 6 in. pot | 1.50 | | |
| THYME —(Thymus) Lemon..... 4 in. pot | .20 | 1.50 | |
| Variegated 3 in. pot | .20 | 1.50 | |
| TRADESCANTIA —3 varieties.....in pots | .25 | 2.00 | |
| TRITOMA —Uvaria 5 in. pot | .25 | 2.00 | |
| VERBENA —Assorted, 100 in box transplanted... | .10 | .30 | 2.00 |
| VIOLETS —(Viola).....transplanted in flats | .10 | .50 | 3.00 |
| Marie Louise | | | |
| Princess of Wales. | | | |
| Swanley White | | | |
| "The California" | | | |

BULBOUS AND TUBEROUS ROOTED PLANTS

| | | |
|---|------|------|
| AGAPANTHUS —Umbellatus | .50 | |
| AMARYLLIS —(Hippeastrum) | .25 | 2.00 |
| Belladonna, Johnsoni, Vitata Hybrids | | |
| ANEMONE —Assorted | .10 | .80 |
| CALADIUM —Esculentum, clumps..... | .40 | 3.00 |
| CALLA LILY —(Richardia)..... | .25 | 2.00 |
| Variegated | .30 | 2.50 |
| Yellow (New)..... | 1.00 | |
| CYCLAMEN —Assorted colors.....in pots | .25 | |
| DAHLIA —Double and single, roots..... | .30 | 2.50 |
| GLADIOLI —Assorted | .10 | .75 |
| GLOXINIA —Assorted | .35 | |
| HYACINTH —Double and single.....in pots | .30 | 2.50 |
| Double and single, bulbs..... | .10 | .80 |
| IRIS —Germanica and Kaempferi, clumps..... | .25 | 2.00 |
| LILY OF THE VALLEY — | | |
| (Convallaria) 5 in. pot | .50 | |
| LILY —(Lillium)—Bulbs | .30 | 2.00 |
| Auratum | | |
| Longiflorum Harrisii | | |
| Speciosum Rubrum | | |
| Tigrinum | | |
| NARCISSUS —Assorted, bulbs..... | .10 | .50 |
| TUBEROSES —(Polyanthes) bulbs..... | .05 | .30 |
| TULIPS —(Tulipa) bulbs..... | .10 | .80 |

OUR FIELD-GROWN ROSES

Our roses are budded plants and field grown, in rich, loose, alluvial soil, which is conducive in giving them a fine, vigorous root system and heavy tops. Roses are tied in bundles of ten, and we will appreciate it if orders are made up as far as possible in multiples of this number. Plants will be supplied as follows: Fifty at the 100 rate, in not less than five of a variety. In small lots of one and two of a sort the ten rate will apply, except in quantities of less than five plants, when the single rate will be charged. The roses are arranged in alphabetical order; the abbreviations opposite each variety indicate the class to which it belongs. Standard or tree roses, fine strong heads, will be supplied as follows: Five at the ten rate, fifty at the 100 rate, in assortments at option of purchaser.

ABBREVIATIONS.

Ban.—Banksia.
Ben.—Bengal.
Bour.—Bourbon.
H. N.—Hybrid Noisette.
H. P.—Hybrid Perpetual.
H. T.—Hybrid Tea.
Misc.—Miscellaneous.
M.—Moss.
N.—Noisette.
Poly.—Polyantha.
Pr.—Prairie.
Rug.—Rugosa.
T.—Tea.

VERY RECENT INTRODUCTIONS.

Price, 40 cents each; \$3.50 per 10.

Lady Gay—Poly. Bright pure rose color.
Rosalind Orr—H. T. Bright scarlet pink.
Richmond—H. T. Bright scarlet crimson.
Soleil d'Or—Misc. Gold to reddish gold.

NEW AND SCARCE VARIETIES.

Price, 30 cents each; \$2.50 per 10; \$20.00 per 100.

Admiral Dewey—H. T. Carmine.
Baby Rambler—Poly. Dwarf, ever-blooming crimson.
Banksia Single—White.
Climbing Bridesmaid—Tea. Bright pink.
Climbing Kaiserin Augusta Victoria—H. T. White.
Climbing Mme. Caroline Testout—H. T. Clear pink.
Climbing Mlle. Cecile Brunner—Poly. Rosy pink.
Climbing Meteor—H. T. Deep crimson.
Climbing Paul Neyron or Mme. Wagram—H. T. Clear, bright pink.
Climbing Wootton—H. T. Crimson.
Enchantress—Tea. Cream white.
Grass an Teplitz—Bour. Dark crimson.
Helen Gould—H. P. Carmine.
Ivory—T. Pure White.
Jubilee—H. T. Fine red.
Liberty—H. T. Fine crimson scarlet.
Maman Cochet—T. Rosy pink.
Marechal Niel—N. Deep sulphur yellow.
Souvenir de President Carnot—H. T. Rosy flesh.
White Maman Cochet—T. Pure white

GENERAL COLLECTION OF STANDARD SORTS.

Price, 25 cents each; \$2.00 per 10; \$15.00 per 100; \$125.00 per 1000.

Abel Carriere—H. P. Purple crimson.
Agrippina—Ben. Deep crimson.
Alice Leroy—M. Pink.
American Beauty—H. P. Rosy crimson.
Anna Marie de Montravel—Poly. Pure white.
Antoine Mouton—H. P. Rose.
Augustine Guinoiseau or White La France—H. T. Pearly white.
Baltimore Belle—Pr. Pale blush.
Banksia White—Ban. White.
Baroness Rothschild—H. P. Pale bright rose.
Beauty of Europe—T. Deep yellow.
Beauty of Stapleford—H. T. Bright pink.
Belle Siebrecht—H. T. Imperial pink.
Black Prince—H. P. Dark crimson.
Bon Silene—T. Dark crimson.
Bougere—T. Bronze pink.
Bridesmaid—T. Clear bright pink.
Camdens—T. China rose.
Capt. Christy—H. P. Deep flesh.
Cath. Mermet—T. Light flesh.
Celine Forrestier—N. Sulphur yellow.
Cherokee Single—Misc. Pure white.
Cherokee Double—Misc. White.
Cheshunt Hybrid—H. T. Cherry carmine.
Christine de Neve—T. Deep pink.
Claire Carnot—N. Coppery yellow.
Climbing Capt. Christy—H. P. Deep flesh.
Climbing Devoniensis—Tea. White, center blush.
Climbing Hermosa—Bour. Light pink.
Climbing La France—H. T. Pink.
Climbing Niphetos—T. Pure white.
Climbing Perle des Jardins—T. Canary.
Climbing White Pet—T. White.
Clothilde Soupert—Poly. Glowing pink.
Cloth of Gold—N. Sulphur yellow.
Comtesse Riza du Parc—T. Coppery rose.
Cornelia Cook—T. Yellowish white.
Crimson Rambler—Poly. Bright crimson.
Dinsmore—H. P. Crimson scarlet.
Docteur Grill—T. Clear buff pink.
Duchesse de Brabant—T. Rosy pink.
Duchess of Albany—H. T. Deep pink.

Duchess of Edinburgh—Tea. Deep rosy crimson.
 Eliza Sauvage—T. Pale yellow.
 Empress of China—Misc. Red.
 Empress of India—H. P. Dark crimson.
 Empereur du Maroc—H. P. Velvety maroon.
 Etoile de Lyon—T. Deep yellow.
 Gen. Jacqueminot—H. P. Shining crimson.
 General Washington—Crimson.
 Gloire de Dijon—T. Buff orange.
 Gloire Lyonnaise—H. P. Salmon yellow.
 Gold of Ophir, or Beauty of Glazenwood—N. Apricot yellow.
 Greville, or Seven Sisters—Pr. Light pink.
 Hermosa—Bour. Delicate rose.
 Homer—T. Flesh color.
 Hon. Edith Gifford—T. White flesh and rose.
 Improved Rainbow—T. Pink striped crimson.
 James Sprunt—Ben. Dark crimson.
 James Veitch—M. Velvety crimson.
 Jean Pernet—T. Sulphur yellow.
 Jules Finger—T. Rosy scarlet.
 Kaiserin Aug. Victoria—H. T. White.
 La France—H. T. Clear pink.
 Lamarque—N. White.
 La Reine—H. P. Rosy lilac.
 La Rosier or Prince Camille de Rohan—H. P. Dark crimson.
 Louis Van Houtte—H. P. Rich crimson.
 Mabel Morrison—H. P. White and blush.
 Mme. Alf. Carriere—H. N. White and yellow.
 Mme. A. Veyssset or Striped La France—H. T.
 Mme. C. Guinoiseau—T. Deep yellow.
 Mme. Berard—T. Rich salmon.
 Mme. C. Testout—H. T. Clear pink.
 Mme. Chas. Wood—H. P. Light crimson.
 Mme. Cusin—T. Crimson.
 Mme. de Watteville—T. Salmon white.
 Mme. M. Kuppenheim—T. Canary yellow.
 Mme. Plantier—Misc. Pure white.
 Mme. Welche—T. Pale yellow.
 Mlle. Cecile Brunner—Poly. Salmon pink.
 Marchioness of Londonderry—H. P. Ivory white.
 Margaret Dickson—H. P. White and flesh.
 Marie Bauman—H. P. Crimson vermillion.
 Marie Van Houtte—T. Light yellow and rose.
 Marion Dingee—T. Brilliant crimson.
 Medea—T. Lemon yellow.
 Merveille de Lyon—H. P. Pure white.
 Meteor—H. T. Deep crimson.
 Microphylla—Poly. Deep red.
 Mignonette—Pink.
 Mrs. Pierpont Morgan—T. Cerise pink.
 Niphetos—T. Pure white.
 Papa Gontier—T. Brilliant carmine.

Pauline Labonte—T. Salmon rose.
 Paul Neyron—H. P. Deep rose.
 Perfection des Blanchés—H. T. Snowy white.
 Perle des Jardins—T. Bright straw color.
 Persian Yellow—Misc. Deepest yellow.
 Philadelphia Rambler—Poly. Very deep crimson.
 Pink Soupert—Poly. Clear pink.
 Prairie Queen—Pr. Rosy red.
 Queen of Edgely—H. P. Pink.
 Reine de Bourbon—Bour. Rose.
 Reine Marie Henriette—H. T. Cherry red.
 Reine Olga de Wurtemberg—H. Rosy carmine.
 Reve d'Or—T. Fawn.
 Rubens—T. White and rose.
 Rugosa Alba—Rug. Pure white.
 Rugosa Rubra—Rug. Rosy crimson.
 Safrano—T. Deep fawn.
 Sappho—T. Yellow and buff.
 Senateur McNaughton—T. White.
 Snowflake—T. White.
 Souvenir de Malmaison—Bour. Flesh edged blush.
 Souvenir de Mme. Pernet—T. Silvery rose, shaded yellow.
 Souvenir de Paul Neyron—T. Creamy white, shaded rose.
 Souvenir de Wootton—H. T. Violet crimson.
 Souvenir d'un Ami—T. Brilliant rose.
 Sunset—T. Ruddy copper.
 The Bride—T. Pure white.
 The Queen—T. Pure white.
 Ulrich Brunner—H. P. Cherry red.
 Valle de Chamounix—T. Bright yellow.
 White Baroness—H. P. Pure white.
 White Bath—M. Rosy blush.
 White Rambler—Poly. White.
 Wichuriana—Misc. Single pure white.
 Williams Evergreen—Misc. White, center flesh.
 W. A. Richardson—N. Orange yellow.
 Xavier Olibo—H. P. Violet crimson.
 Yellow Rambler—Poly. Golden yellow.

STANDARD OR TREE ROSES.

Varieties marked with an asterisk (*) we can also supply in two-year-old plants.

| | | | |
|------------------|------|------|-------|
| | Each | 10 | 100 |
| 2 year heads.... | 1.00 | 7.50 | |
| 1 year heads.... | .75 | 6.00 | 50.00 |

*Agrippina—Ben. Deep crimson.
 *American Beauty—H. P. Rosy crimson.
 Anna Marie de Montravel—Poly. Pure white.
 Antoine Mouton—H. P. Rose.
 *Augustine Guinoiseau or White La France—H. T. Pearly white.
 *Baby Rambler, "Mme. Norbert Levavasseur"—Poly. Dwarf, ever-blooming, crimson.
 *Baroness Rothschild—H. P. Pale rose.
 *Beauty of Stapleford—H. T. Bright pink.
 *Belle Siebrecht—H. T. Imperial pink.

- *Black Prince—H. P. Dark crimson.
 *Bon Silene—T. Crimson rose.
 *Bridesmaid—T. Clear bright pink.
 *Capt. Christy—H. P. Deep flesh.
 *Cath. Mermet—T. Light flesh.
 *Celine Forrestier—N. Sulphur yellow.
 Christine de Noue—T. Deep pink.
 *Climbing Capt. Christy—H. P. Deep flesh.
 *Climbing Devoniensis—T. White, center blush.
 Climbing Meteor—H. T. Deep crimson.
 *Clothilde Soupert—Poly. Glowing pink.
 *Cloth of Gold—N. Sulphur yellow.
 Comtesse Riza du Parc—T. Coppery rose.
 *Crimson Rambler—Poly. Bright crimson.
 *Duchesse de Brabant—T. Rosy pink.
 *Duchess of Albany—H. T. Deep pink.
 Eliza Sauvage—T. Pale yellow.
 Empress of India—H. P. Dark crimson.
 *Empereur du Maroc—H. P. Velvety maroon.
 Empress of China—Misc. Red.
 *Etoile de Lyon—T. Deep yellow.
 *Gen. Jacqueminot—H. P. Shining crimson.
 Goid of Ophir or Beauty of Glazenwood—N. Apricot yellow.
 *Golden Gate—T. Creamy white, tinged with pink.
 *Gruss an Teplitz—Bour. Dark crimson.
 *Helen Gould—H. P. Carmine.
 Improved Rainbow—T. Pink striped crimson.
 James Veitch—M. Velvety crimson.
 *Kaiserin Aug. Victoria—H. T. White.
 *La France—H. T. Clear pink.
 Lamarque—N. White.
 *La Rosier or Prince Camille de Rohan—H. P. Dark crimson.
 *Louis Van Houtte—H. P. Rich crimson.
 *Luciole—T. Cherry red, golden yellow center.
 *Maman Cochet—T. Rosy pink.
 *Mabel Morrison—H. P. White and blush.
 *Mme. Alf. Carriere—H. N. White and yellow.
 *Mme. C. Testout—H. T. Clear pink.
 *Mme. de Watteville—T. Salmon white.
 *Mlle. Cecile Brunner—Poly. Salmon pink.
 Marchioness of Londonderry—H. P. Ivory white.
 *Marechal Niel—N. Sulphur yellow.
 *Marie Van Houtte—T. Canary yellow and rose.
 *Medea—T. Lemon yellow, canary yellow center.
 *Merveille de Lyon—H. P. Pure white.
 *Meteor—H. T. Deep crimson.
 Mignonette—Pink.
 Niphetos—T. Pure white.
 *Paul Neyron—H. P. Deep rose.
 *Perle des Jardins—T. Bright straw color.
 Persian Yellow—Misc. Deepest yellow.
 *Reine Marie Henriette—H. T. Cherry red.
 *Rubens—T. White and rose.
 *Salamander—H. P. Scarlet crimson.
 *Snowflake—T. White.
 *Souvenir de Malmaison — Bour. Flesh edged blush.
 *Souvenir de President Carnot—H. T. Rosy flesh.
 *Sunset—T. Ruddy Copper.
 *The Bride—T. Pure white.
 *Ulrich Brunner—H. P. Cherry red.
 *White Bath—M. Rosy Blush.
 *White Maman Cochet—Tea. Pure white.
 *Xavier Olibo—H. P. Violet crimson.

REQUISITES FOR ORCHARDISTS AND NURSERYMEN

PRICES NET

GRAFTING WAX, $\frac{1}{2}$ lb., 15c; 1 lb, 25c.

RAFFIA—Used for tying bench grafted vines. The most desirable and cheapest material known for tying plants. Very largely used by florists and nurserymen. Much cheaper than string, and more durable. Per pound, 15c: 10-pound lots, 12 $\frac{1}{2}$ c per pound.

TREE AND POT LABELS

| | Per 1000 |
|--|----------|
| 3 $\frac{1}{2}$ inch Tree Labels, iron wire..... | \$1.00 |
| 3 $\frac{1}{2}$ inch Tree Labels, copper wire..... | 1.25 |
| 4 inch Pot Labels..... | .75 |
| 5 inch Pot Labels..... | 1.00 |
| 6 inch Pot Labels..... | 1.25 |

TREE PROTECTORS


Our extreme long, hot and dry summers make it imperative for all fruit growers to shade the bodies of young trees the first season. A piece of burlap or common newspaper wrapped around the tree will answer the purpose, but the most efficient and valuable of all protectors is made from the Yucca Palm. It is easily put on, will outlast any other protector, and allows the air to circulate around the stem of the tree. We have used these protectors for years, and can recommend them very highly. Soak the bundles in water shortly before using.

| | Weight per 100 |
|--|-------------------|
| 30 inches long, 7 inches wide, \$17.50 per 1000..... | 20 lbs. |
| 24 inches long, 7 inches wide, \$15.00 per 1000..... | 18 lbs. |
| 18 inches long, 7 inches wide, \$12.50 per 1000..... | 13 lbs. |
| 16 inches long, 7 inches wide, \$12.00 per 1000..... | 12 lbs. |
| 14 inches long, 7 inches wide, \$10.00 per 1000..... | 10 lbs. |
| 12 inches long, 7 inches wide, \$9.00 per 1000..... | 9 lbs. |
| 10 inches long, 7 inches wide, \$8.00 per 1000..... | 8 lbs. |

FRESNO PRUNING SHEAR

This shear has come into universal use in Fresno and in many of the larger vineyard and orchard districts. For vine and tree pruning there is no more serviceable tool made. It has given such general satisfaction, we do not hesitate to recommend it.

For light pruning or making cuttings, the small hand shear is to be preferred. The total length of the shear, including handles, is 26 inches.




The shear is made of the finest tempered steel, the jaws have a spread of 3 $\frac{1}{2}$ inches, permitting the cutting of branches which would ordinarily have to be cut with a saw. The handles are made of ash, and the sockets are strengthened with a steel band. Shears can be supplied with shorter handles if desired.

Price, per pair.....\$2.50
Actual weight per pair, 2 $\frac{3}{4}$ pounds.

RIESER CORCELLES PRUNING SHEAR

This standard shear from which all hand shears are patterned is made in Switzerland. It is hand made, and the material is the very best. It will outlast any other shear made two to one, in the hands of a careful workman, even where subjected to the heaviest work. We have used it in our nurseries




for years for stubbing nursery stock, and have found it to be the only shear which would stand up to the work.

Price, per pair, 8½ or 9 inch.....\$4.00

Actual weight per pair, 1¼ pounds.

AMERICAN CORCELLES SHEAR

For making hard wood cuttings, such as grape, fig, etc., this shear in the hands of the average workman has given us the very best of satisfaction. It




is strong and durable enough for ordinary work. It is patterned very much after the Rieser, having the double brass springs, which rarely break. It makes a clean cut and does not bruise the wood.

Price, per pair, 8½ or 9 inch.....\$2.25

Actual weight per pair, 1 pound.

ROSE SHEAR



This shear is only adapted for light pruning and for cutting flowers. It is just the thing for ladies' use. It has a spiral spring and is nickel plated.

Price, per pair, 6 inches long.....\$1.25

Actual weight per pair, ¼ pound.

FANCHER CREEK NURSERIES

INDEX

FRUIT DEPARTMENT

| Page | Page | Page |
|------------------------|------------------------|------------------------|
| Almonds 8 | Filberts 8 | Mammoth Blackberry..14 |
| Apples 5 | Gooseberries14 | Nectarines 8 |
| Apples, Crab..... 5 | Grapes12-13 | Olives10 |
| Apricots 7 | Grapes, grafted.....13 | Oranges10-11-28 |
| Artichokes14 | Grapes, Phylloxera | Peaches7-8 |
| Asparagus14 | Resistant13-14 | Pears 6 |
| Banana11 | Juava 8 | Pecans 3-9 |
| Blackberries14 | Hickory 8 | Persimmons11 |
| Butternut 8 | Himalaya Berry.....14 | Pistachio Nut..... 9 |
| Carob11 | Hop Roots.....14 | Plums6-7 |
| Cherries 6 | Hovenia Dulcis.....11 | Pomegranates11 |
| Cherimoyer11 | Jujube11 | Pomelo11 |
| Chestnuts 8 | Lemon11 | Prunes 7 |
| Citron11 | Lime11 | Quinces 8 |
| Citrus Trees.....10 | Liquorice14 | Raspberries14 |
| Currants14 | Logan Berry.....14 | Rhubarb14 |
| Dewberries14 | Loquat12 | Strawberries14 |
| Elaeagnus Longipes..11 | Lychee11 | Walnut 9 |
| Figs10 | | |

ORNAMENTAL DEPARTMENT

| Page | Page | Page |
|-------------------------|------------------------|------------------------|
| Abelia30 | Calycanthus21 | Dracaena40 |
| Abutilon41 | Camellia31 | Duranta31 |
| Acacia23-24 | Camphor Tree.....25 | Dutchman's Pipe....34 |
| Achania41 | Cannas41 | Echeveria41 |
| Achyranthes41 | Carnations41 | Elder21 |
| African Box Thorn...36 | Carex41 | Elaeagnus31 |
| Agapanthus42 | Carpenteria31 | Elm15-16-17 |
| Agave40 | Casuarina25 | Elm, Weeping.....20 |
| Akebia34 | Cassia31 | Erythra33 |
| Albizia15 | Catalpa16 | Erythrina21 |
| Alder15 | Ceanothus31 | Escallonia32 |
| Almond, Flowering..16 | Cedar25 | Eucalyptus26-27 |
| Alternanthera41 | Cephalotaxus For- | Eugenia32 |
| Althea20 | tunei25 | Eulalia41 |
| Amaryllis43 | Cestrum31 | Euonymus, Spindle |
| Ampelopsis34 | Chamaecerasus21 | Tree21 |
| Anemone43 | Chamaerops37-38 | Euonymus32-37 |
| Anthericum41 | Cherry, Flowering..21 | Evergreen Shrubs...30 |
| Apple, Flowering...16 | Cherry, Weeping...20 | Evergreen Trees...23 |
| Aralia21-30 | Chestnut15 | Fabiana32 |
| Araucaria24 | Choisya31 | Ferns41-42 |
| Arbor Vitae.....24-36 | Christmas Berry...31 | Ficus Elastica.....27 |
| Arbutus30 | Chrysanthemums41 | Ficus Repens.....35 |
| Ardisia30 | Clematis35 | Filbert21 |
| Areca37 | Clerodendron41 | Forsythia21 |
| Aristolochia34 | Clianthus35 | Fringe Tree17 |
| Arundo Donax.....41 | Climbing and Trailing | Fuchsia42 |
| Ash15-16 | Plants34 | Gardenia32 |
| Ash, Weeping.....20 | Coboea35 | Garrya32 |
| Asparagus35 | Cocos38 | Geraniums42 |
| Aspidistra41 | Colletia31 | Gladioli43 |
| Aucuba30 | Coleus41 | Gloxinia43 |
| Azara30 | Coprosma31 | Grevillea28 |
| Bamboos40-41 | Corypha38 | Habrothamnus32 |
| Banana41 | Corchorus21 | Hack Berry.....15-17 |
| Beech16 | Coronilla31 | Hardenbergia35 |
| Begonia41 | Cotoneaster31 | Heath32 |
| Berberis21-30 | Cottonwood16 | Hedge Plants.....36 |
| Bignonia35 | Crape Myrtle.....21 | Hedysarum35 |
| Birch15-16 | Crataegus Pyra- | Heliotrope42 |
| Birch, Weeping...20 | cantha31-37 | Herbaceous Plants...41 |
| Bird Cherry16 | Cryptomeria25 | Hibiscus42 |
| Bougainvillea35 | Cuphea41 | Holly28 |
| Box30-36 | Cycas38 | Hollyhocks42 |
| Brachychiton24 | Cyclamen43 | Honey Locust.....15-17 |
| Broom31 | Cypress26-37 | Honeysuckles35 |
| Broussonetia15-16 | Cyperus41 | Hornbeam17-37 |
| Buckthorn41 | Dahlia43 | Horse Chestnuts.....17 |
| Bulbs and Tuberous | Daisy41 | Hoya35 |
| Roots23 | Daphne31 | Hyacinths43 |
| Burning Bush.....31-37 | Dasyllirion40 | Hydrangea21 |
| Caladium43 | Datura31 | Hypericum32 |
| California Bay Tree..24 | Deciduous Shrubs..20 | Imantophyllum42 |
| California Big Tree..25 | Deciduous Trees...15 | Iris43 |
| California Evergreen | Deeringia31 | Ivy35 |
| Cherry25 | Deutzia21 | Jacaranda28 |
| California Nutmeg...25 | Diosma31 | Jasmine35 |
| Calla Lily.....43 | Dogwood21 | Jubea38 |

FANCHER CREEK NURSERIES

ORNAMENTAL DEPARTMENT—(Continued)

| Page | Page | Page |
|-----------------------------|--|--------------------------|
| Judas Tree.....17 | Palms, Dracaenas, Agaves and Yuccas.....37 | Snail Vine.....36 |
| Juniper.....28 | Pampas Grass.....42 | Snowball.....22 |
| Kentia.....38-39 | Pandanus.....42 | Snowberry.....22 |
| Kentucky Coffee Tree.....17 | Pansy.....42 | Solanum.....36 |
| Koileuteria.....17 | Parkinsonia.....29 | Sollya.....36 |
| Lagunaria.....32 | Passion Vine.....36 | Sophora Japonica.....19 |
| Lantanas.....35-42 | Paulownia.....18 | Sophora Pendula.....20 |
| Laurel.....32 | Peach, Flowering.....13 | Specimen Deciduous |
| Laurustinus.....33-37 | Pelargoniums.....42 | Trees.....15 |
| Lavendula.....42 | Pepper Tree.....29 | Spiraea.....23 |
| Lemon Verbena.....21 | Petasites.....42 | Spruce.....29 |
| Libocedrus.....23 | Petunias.....42 | Staphylea.....23 |
| Ligustrum.....33-37 | Phoenix.....39 | Sterculia.....30 |
| Lilac.....22 | Photinia.....34 | Strelitzia.....43 |
| Lily of the Valley.....43 | Pilea.....29 | Sumach.....23 |
| Lilies.....43 | Pine.....29 | Swainsonia.....36 |
| Linden.....17 | Pittosporum.....34 | Sycamore.....15-19 |
| Linden, Weeping.....20 | Plane Tree.....15-19 | Tamarix.....23 |
| Lippia.....42 | Plum, Blood-leaved.....19 | Taxodium.....19 |
| Liquidambar.....15-17 | Plum, Flowering.....19 | Tecoma.....36 |
| Livistonia.....39 | Plumbago.....36 | Teucrium.....34 |
| Lobelias.....42 | Pogostemon.....42 | Texas Umbrella.....15-19 |
| Locust.....15-17 | Poinciana.....22 | Thorn.....20 |
| Locust, Weeping.....20 | Poinsettia.....42 | Thorn, Weeping.....20 |
| Loquat.....28 | Polygala.....34 | Thuyopsis.....30 |
| Lycium.....36 | Pomegranate.....22-37 | Thyme.....43 |
| Madrone.....28 | Poplar.....15-19 | Torreya.....30 |
| Magnolia.....18 | Poplar, Weeping.....20 | Tradescantia.....43 |
| Magnolia Grandiflora.....28 | Primula.....42 | Tree Paeony.....23 |
| Mahonia.....33 | Privet.....37 | Tritoma Uvaria.....43 |
| Maiden Hair Tree.....18 | Pyrethrum.....42 | Trumpet Vine.....36 |
| Mandevillea.....36 | Quince, Flowering.....22 | Tuberose.....43 |
| Manettia.....36 | Raphiolepis.....34 | Tulips.....43 |
| Manzanita.....33 | Redwood.....29 | Tulip Tree.....20 |
| Maple.....15-18 | Retinospora.....29 | Umbrella Pine.....30 |
| Maple, Weeping.....20 | Rhamnus.....34 | Verbena.....43 |
| Marguerite.....42 | Rhapis.....39 | Veronica.....34 |
| Maurandia.....36 | Rhodotypos.....22 | Vinca.....36 |
| Melaleuca.....33 | Romneya Coulteri.....42 | Violets.....43 |
| Metrosideros.....33 | Roses.....37-44-45-46 | Virgilea.....20 |
| Mint.....42 | Rosemarinus.....42 | Virginia Creeper.....36 |
| Mock Orange.....22 | Sabal.....39 | Vitex.....23 |
| Mountain Ash.....18 | Salvia.....42 | Vitis.....36 |
| Meuhlenbeckia.....36 | Sanseveria.....43 | Walnut.....15-20 |
| Mulberry.....15-18 | Saxifraga.....43 | Walnut, Weeping.....20 |
| Mulberry, Weeping.....20 | Sciadopitys.....29 | Washingtonia.....40 |
| Myrtle.....33 | Seaforthia.....40 | Weeping Deciduous |
| Nandina.....33 | Sedum.....43 | Trees.....20 |
| Narcissus.....43 | Service Tree.....15-19 | Weigela.....23 |
| New Zealand Flax.....42 | Shasta Daisy.....43 | Willow.....15-20 |
| Oak.....15-18 | Siberian Pea Tree.....19 | Willow, Weeping.....20 |
| Oak, Cork.....28 | Silk Vine.....36 | Wistaria.....36 |
| Oleanders.....33-34 | Smilax.....36 | Xanthoceras.....23 |
| Paeonia, Herbaceous.....42 | Smoke Tree.....22 | Yew.....30 |
| | | Yucca.....40 |

REQUISITES FOR ORCHARDISTS AND NURSERYMEN

| Page | Page | Page |
|-----------------------------|---------------------|----------------------------|
| Fresno Pruning Shear.....47 | Raffia.....47 | Tree Protectors.....47 |
| Grafting Wax.....47 | Rieser Shear.....48 | Tree and Pot Labels.....47 |
| American Shear.....48 | Rose Shear.....48 | |

PRICE LIST

OF

Deciduous Fruit, Citrus,
Ornamental Deciduous
and Evergreen Trees, ♪
Grape Vines, Field ♪ ♪
Grown Roses, Green ♪
House Plants ♪ ♪ ♪ ♪

Fancher Creek Nurseries

GEO. C. ROEDING - - President and Manager

FRESNO. CALIFORNIA

FRESNO HERALD PRINT